

EDIFICE Message Implementation Guideline Authorisation Status

ATHSTS Issue EDAS03

Endorsed 27 November 2002

To be proposed as a UN/EDIFACT Standard Message

Copyright \bigcirc EDIFICE 2004 All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without prior permission of EDIFICE.

Notwithstanding the fact that the utmost care has been observed in the collecting, drawing up and formulating of data, EDIFICE can under no circumstances be held liable for errors, omissions or misinterpretations as a result of the information compiled in the guidelines.

EDIFICE
The European B2B Forum for the Electronics Industry
EDIFICE secretariat
Dora Cresens
Tiensestraat 2
B-3320 Hoegaarden
Belgium

Tel: +32 16 76 54 40 Fax: +32 16 76 53 58

Email: Dora.Cresens@edifice.org

Issue Date 10 November 2004

Publication Date 10 November 2004

TABLE OF CONTENTS

TITLE	PAGE							
COMPARISON TO PREVIOUS ISSUE 3								
EDIFICE FUNCTIONAL DEFINITION								
REFERENCES	5 8							
EXPLANATORY N	8							
MESSAGE STRU	8 8 9							
BRANCHING DIA	10							
SEGMENT GROU	12							
UNH	MESSAGE HEADER	14						
BGM	BEGINNING OF MESSAGE	15						
DTM	DATE/TIME/PERIOD	16						
NAD	NAME AND ADDRESS	17						
SG1 - DOC		18						
SG1 - DTM	DATE/TIME/PERIOD	19						
SG1 - NAD	NAME AND ADDRESS	20						
SG1 - RFF	REFERENCE	21						
SG1 - CUX	CURRENCIES	22						
SG2 - LIN	LINE ITEM	23						
SG2 - PIA	ADDITIONAL PRODUCT ID	24						
SG2 - RFF	REFERENCE	25						
SG2 - DTM	DATE/TIME/PERIOD	26						
SG2 - OTY	QUANTITY	27						
SG2 - PRI	PRICE DETAILS	28						
UNT	MESSAGE TRAILER	29						
EXAMPLES		30						

COMPARISON TO PREVIOUS ISSUE

12 May 2004: EDIFIX 5.0 Technical upgrade

- The 'KMT' qualifier in SEG QTY and PRI DE 6411 is now defined as (*) EDIFICE code. UN/ECE Recommendation 20 specifies 'KTM' as qualifier for 'kilometre'

21 May 2003: EDIFIX 4.2 Technical upgrade; review and correction of examples

Issue EDAS03 of 13 November 2002 is based on UN/EDIFACT D97.A / Code List D01.A

- Addition of the following code value:

SG2, LIN segment, CO C212, DE 7143 codes 'SRV' EAN.UCC Global Trade Item Number SG2, PIA segment, CO C212, DE 7143 codes 'SRV' EAN.UCC Global Trade Item Number

Issue EDAS02; Publication date 29 May 2002 - addition of recommended set of DTM qualifiers

Issue EDAS02 of 26 November 1997 includes the changes that have been made to the issue 1 of the Authorisation Status document endorsed by the EDIFICE Plenary on 7 September 1994. The changes are as follows:

- Recast from the 92.1 version of the UN/EDIFACT directory to the D.97A version,

- Addition of the following code values:

all DTM segments, CO C507, DE 2379, code '203' CCYYMMDDHHMM

header NAD segment, CO C082, DE 3055, code '16' DUNS (Dun & Bradstreet)

SG1, DTM segment, CO C507, DE 2005 code '36' Expiry date

SG1, NAD segment, CO C082, DE 3055 codes '9' EAN (International Article Numbering association)

'16' DUNS (Dun & Bradstreet)

'91' Assigned by seller or seller's agent

SG2, LIN segment, CO C212, DE 7143 codes 'DI' Distributor's part number

MF' Manufacturer's (producer's) article number

'UP' UPC (Universal product code)

SG2, LIN segment, CO C212, DE 3055 codes '89' Assigned by distributor

'90' Assigned by manufacturer

'113' US, UCC (Uniform Code Council)

SG2, PIA segment, CO C212, DE 7143 codes 'DI' Distributor's part number

'MF' Manufacturer's (producer's) article number

'UP' UPC (Universal product code)

SG2, PIA segment, CO C212, DE 3055 codes '89' Assigned by distributor

'90' Assigned by manufacturer

'113'US, UCC (Uniform Code Council)

SG2, PRI segment, CO C509, DE 5125, code 'AAA' Calculation net,

- Deletion of the following code values:

SG2, PIA segment, CO C212, DE 7143, codes 'CCM' COCOM list number

'DR' Drawing revision number

'DW' Drawing

'EC' Engineering change level

'GS' General specification number

'SG' Standard group of products (mixed assortment)
'VX' Vendor specification number

SG2, PRI segment, CO C509, DE 5125, codes 'CAT' Catalogue price

'NBP' New buy price

'RES' Resale price,

- Replacement of the following codes:

header NAD segment, DE 3035, codes 'MF' to 'SE' Seller

'DS' to 'BY' Buyer

header NAD segment, CO C082, DE 3055, codes '89' to '92' Assigned by buyer or buyer's agent

'90' to '91' Assigned by seller or seller's agent

SG1, DOC segment, CO C002, DE 1001, code 'ATH' to '173' Authorisation to plan and ship orders SG1, DTM segment, CO C507, DE 2005, codes '182' to '137' Document/message date/time '401' to 'DLU' Date of last update

SG1, NAD segment, DE 3035, code 'UD' to 'PC' Actual purchaser's customer

SG1, NAD segment, CO C082, DE 3055, code '89' to '92' Assigned by buyer or buyer's agent SG1, RFF segment, CO C506, DE 1153, code 'BQ' to 'AHU' Request for quote number

SG2, DTM segment, CO C507, DE 2005, code '401' to 'DLU' Date of last update

SG2, QTY segment, CO C186, DE 6063, codes '301' to 'QAU' Quantity authorised

'302' to 'QCL' Quantity claimed '303' to 'QBS' Quantity balance to ship,

- Usage changed for the following segments/data elements:

BGM segment, DE 1225, X to A

header NAD segment, CO C082 R to A

10 November 2004

Issue Date

Publication Date 10 November 2004

SG1, DTM segment, R..2 to R..3 SG2, DTM segment, R..3 to D..3 SG2, PRI segment, CO C509, DE 5375, X to R SG2, PRI segment, CO C509, DE 5284, X to R,

- Where UN/ECE Recommendations are referenced the most commonly used codes have been identified,
- Alignment of segments and composite data elements to ensure conformance (data harmonization) across all EDIFICE Implementation Guidelines,
- Update of the EDIFICE FUNCTIONAL DEFINITION, REFERENCES and EXPLANATORY NOTES section to comply with the EDIFICE Standards for Documentation of Message Implementation Guidelines issue 3,
- Update of examples,
- Documentation adjustments resulting from the use of GEFEG's EdiFix Message Implementation Guidelines documentation tool,
- Correction of typographical errors.


Issue Date 10 November 2004

Publication Date 10 November 2004

EDIFICE FUNCTIONAL DEFINITION

The business relationship can be between any buying and selling functions. For the purposes of this business scenario these buying and selling functions relate to a distributor and manufacturer respectively.

1. <u>Typical business scenario</u>



2. <u>Description of the Ship from Stock & Debit business scenario</u>

2.1 Stocking of Goods and Stock Protection

The distributor purchases the goods with the manufacturer for stocking purposes at a fixed price. These prices are fixed for a certain period of time e.g. prices are fixed per quarter. This purchase price is commonly referred to as 'distributor cost' or 'catalogue price'.

When the manufacturer decides to change his price, the following process is applied: Based on the distributor's inventory level at the time of the price change, the manufacturer can calculate the difference in value of the stock affected by the price change.

When, as in the majority of the cases, the prices of electronics components go down, the manufacturer will credit the distributor's account for the difference in value of his stock.

There are variances in the stock protection mechanism from one manufacturer to another. The exact conditions can usually be found in the franchise agreement. There are other implications to this stock protection mechanism e.g. stock return, which are not part of this scenario.

2.2 Request of a New Buy Price

The primary purpose for a distributor to have stock, is to sell the goods to his customers, referred to as the 'end-customers'.

Very often, the market price will have changed since the distributor bought the goods from a manufacturer which prevents the distributor from making a healthy margin. For this purpose, manufacturers introduced the 'Ship from Stock & Debit' scenario.

When a distributor has a business opportunity with an end-customer, he will inform the manufacturer of the business opportunity with a 'request for quote'.

The distributor will get a response from the manufacturer to his proposal - the 'quote'. In this quote, the manufacturer will propose a 'new buy price'. This 'new buy price' is only valid for the authorised quantity and the end-customer specified in the quote.

Based on this quote, the distributor can make a final offer to his end-customer. When the end-customer accepts the deal, which results in an order from the end-customer to the distributor, the distributor will inform the manufacturer of this deal, by phone, fax or EDI - 'request for authorisation'. The manufacturer will give the distributor a final authorisation to ship the goods and claim back the difference between the 'distributor cost' and the 'new buy price'. Besides the 'new buy price', the 'authorised quantity' and the 'end-customer', an 'expiry date' is always attached to the 'authorisation'.

Not all manufacturers require a 'four step' negotiation process. The process can be reduced to a 'three step' process if the first offer to the distributor already contains a conditional authorisation number.

2.3 Shipping to the End-customer / Claiming from the Manufacturer

Independent of how many steps the bid/offer process takes, it is only when the distributor starts shipping the goods to his end-customer that he can claim the difference between the 'distributor cost' and the 'new buy price' from the manufacturer.

The frequency at which a distributor makes a claim to the manufacturer differs. Some manufacturers allow the distributor to claim when the shipping event occurs, others ask the distributor to accumulate and transmit the claims on a fixed interval period e.g. weekly or monthly.

The manufacturer will receive the claim and process it against the distributor's 'open' authorisations. Not all claims are accepted based on the conditions stated in the claim. It is even possible that some claims are rejected.

The manufacturer will inform the distributor of the processing result of every claim. Finally the manufacturer will issue a credit note to the distributor and credit the distributor's account.

10 November 2004

10 November 2004

Issue Date

Publication Date

2.4 Where does the Authorisation Status fit in this scenario?

The purpose of this message is to allow the manufacturer to inform his distributor of the status of the distributor's authorisations.

This EDIFICE implementation guideline is designed to be a snap-shot of the status of all authorisations at a given time.

The manufacturer can agree with his distributor to convey authorisation line items with one of the following statuses: 'open', 'expired', 'hold', 'closed'.

- Open authorisation line item:
 The item is available for the distributor to claim against.
- Expired authorisation line item:
 Although the item's quantity was not completely used, it has passed its expiry date.
- Hold the authorisation line item: The item is temporarily put on hold by the manufacturer. A claim against this item will be rejected.
- Closed authorisation line item:
 The item has passed its expiry date or all its quantity has been used. This status is final.

Issue Date 10 November 2004

Publication Date 10 November 2004

REFERENCES

Refer to the document : Reference list for the EDIFICE message guidelines – Issue 1


EXPLANATORY NOTES


Refer to the document: Explanatory notes for the EDIFICE message guidelines – Issue 1

MESSAGE STRUCTURE CHART

	UNH	MESSAGE HEADER	M 1
	BGM	BEGINNING OF MESSAGE	M 1
	DTM	DATE/TIME/PERIOD	R1
	NAD	NAME AND ADDRESS	R2
ı	SG1		R200000
	DOC	DOCUMENT/MESSAGE DETAILS	M 1
	DTM	DATE/TIME/PERIOD	R3
	NAD	NAME AND ADDRESS	R1
	RFF	REFERENCE	02
	CUX	CURRENCIES	R2
	SG2		R200000
	LIN	LINE ITEM	M 1
	PIA	ADDITIONAL PRODUCT ID	D7
	RFF	REFERENCE	R1
	DTM	DATE/TIME/PERIOD	D3
	QTY	OUANTITY	R3
	PRI	PRICE DETAILS	03
	UNT	MESSAGE TRAILER	M 1

BRANCHING DIAGRAM





SEGMENT GROUPS/SEGMENTS DESCRIPTION

UNH MESSAGE HEADER

Function: A service segment heading, and uniquely identifying the message.

Usage: M1

BGM BEGINNING OF MESSAGE

Function: A segment uniquely identifying the message by means of its coded name, number and function.

Usage: M1

DTM DATE/TIME/PERIOD

Function: A segment specifying the date/time of creation of the message.

Usage: R1

NAD NAME AND ADDRESS

Function: A segment identifying the function and coded identification, name and address of a party involved.

Usage: R...2

SG1 DOC-DTM-NAD-RFF-CUX-SG2

Function: A group of segments providing details of the individual items i.e. authorisations within the message.

Usage: R..200000

Notes:

DOC DOCUMENT/MESSAGE DETAILS

Function: A segment specifying the authorisation number.

Usage: M1

DTM DATE/TIME/PERIOD

Function: A segment specifying the date/time of creation of the authorisation and other dates/times relevant to the

authorisation.

Usage: R..3

NAD NAME AND ADDRESS

Function: A segment identifying the function and coded identification, name and address of the end-customer to

whom the authorisation relates.

Usage: R1

RFF REFERENCE

Function: A segment specifying the quote and/or request for quote number related to the authorisation.

Usage: 0..2

CUX CURRENCIES

Function: A segment specifying a currency, valid for the whole authorisation.

Usage: R..2

SG2 LIN-PIA-RFF-DTM-QTY-PRI

Function: A group of segments providing status details of the individual line items within the authorisation.

Usage: R ..200000

Notes: The PIA segment is dependent on whether the primary reference to the authorisation line item is

insufficient to identify the item.

The DTM segment is used when dates/times need to be specified for the line item.

LIN LINE ITEM

10 November 2004

10 November 2004

Issue Date

Publication Date

Function: A segment identifying a line item by its item number, and agreed to be the primary reference number

between the buyer and seller.

The segment also carries a sequence number assigned to the line item within the message, and the action

taken.

Usage: M1

PIA ADDITIONAL PRODUCT ID

Function: A segment providing additional identification numbers for the line item.

Usage: D..7

RFF REFERENCE

Function: A segment specifying the authorisation line number.

Usage: R1

DTM DATE/TIME/PERIOD

Function: A segment specifying the expiry date/time, and other dates/times relevant to the line item.

Usage: D..3

QTY QUANTITY

Function: A segment specifying the quantity related to the line item.

Usage: R..3

PRI PRICE DETAILS

Function: A segment specifying the line item price and qualifying information.

Usage: 0..3

UNT MESSAGE TRAILER

Function: A service segment ending, and providing information for checking the completeness of a message.

Usage: M1

SEGMENT DETAILS



UNH **MESSAGE HEADER**

Function: A service segment heading, and uniquely identifying the message.

М1

Usage : Notes : Refer to EDIFICE Utilisation of the UN/EDIFACT Service Segments, Issue EDSS04

Ref.	Rep.		Name		EDIFICE Utilisation
0062	an14	М	MESSAGE REFERENCE NUMBER	М	Transmission message count from 1
S009		Μ	MESSAGE IDENTIFIER	М	
0065	an6	Μ	Message type identifier	М	ATHSTS = Authorisation status
0052	an3	Μ	Message type version number	М	D = Draft version/UN/EDIFACT Directory
0054	an3	Μ	Message type release number	М	97A = Release 1997 - A
0051	an2	Μ	Controlling agency	М	ED = EDIFICE (Electronic industries project)
0057	an6	С	Association assigned code	R	EDAS03 = Authorisation Status, Issue EDAS03
0068	an35	С	COMMON ACCESS REFERENCE	N	
S010		С	STATUS OF THE TRANSFER	N	
0070	n2	М	Sequence message transfer number	N	
0073	a1	С	First/last sequence message transfer indication	N	



BGM BEGINNING OF MESSAGE

Function: A segment uniquely identifying the message by means of its coded name, number and function.

Usage : M1 Notes :

Ref.	Rep.		Name		EDIFICE Utilisation
C002		С	DOCUMENT/MESSAGE NAME	R	
1001	an3	С	Document/message name, coded	R	AST = Authorisation status (*) (*) EDIFICE code
1131	an3	С	Code list qualifier	Ν	
3055	an3	С	Code list responsible agency, coded	N	
1000	an35	С	Document/message name	Ν	
C106		С	DOCUMENT/MESSAGE IDENTIFICATION	R	
1004	an35	С	Document/message number	R	Authorisation status number
1056	an9	С	Version	Ν	
1060	an6	С	Revision number	Ν	
1225	an3	С	MESSAGE FUNCTION, CODED	Α	5 = Replace
4343	an3	С	RESPONSE TYPE, CODED	N	



DTM DATE/TIME/PERIOD

Function: A segment specifying the date/time of creation of the message. Usage : R 1 $\,$

Usage : Notes :

Ref.	Rep.		Name		EDIFICE Utilisation
C507 2005 2380	an3 an35 an3	M C	DATE/TIME/PERIOD Date/time/period qualifier Date/time/period	M M R R	EDIFICE Utilisation 137 = Document/message date/time Date when the document is created Authorisation status date 102 = CCYYMMDD 203 = CCYYMMDDHHMM 303 = CCYYMMDDHHMMZZZ ZZZ = Time zone 304 = CCYYMMDDHHMMSSZZZ ZZZ = Time zone X03 = CCYYMMDDHHMMZZZZZZZZZZ = Time zone X04 = CCYYMMDDHHMMZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ
					ZZZZZ = Time zone (*) EDIFICE code



NAD NAME AND ADDRESS

Function: A segment identifying the function and coded identification, name and address of a party involved.

Usage : R..2

Notes : It is advised that the party identification CO C082 be used. When CO C082 cannot be used it is

recommended to use the structured name and address CO C080 through DE 3207 rather than the

unstructured one CO C058.

The NAD segment that identifies the seller must be present.

Ref.	Rep.		Name		EDIFICE Utilisation
3035	an3	М	PARTY QUALIFIER	М	BY = Buyer
					SE = Seller
C082		С	PARTY IDENTIFICATION DETAILS	Α	
3039	an35	Μ	Party id. identification	М	
1131	an3	С	Code list qualifier	N	
3055	an3	С	Code list responsible agency,	R	9 = EAN (International Article Numbering
			coded		association)
					16 = DUNS (Dun & Bradstreet)
					91 = Assigned by seller or seller's agent
					92 = Assigned by buyer or buyer's agent
C058		С	NAME AND ADDRESS	D	
	an35	М	Name and address line	М	
3124	an35	С	Name and address line	0	
3124	an35	С	Name and address line	0	
3124	an35	С	Name and address line	0	
3124	an35	С	Name and address line	0	
C080		С	PARTY NAME	D	
3036	an35	Μ	Party name	М	
3036	an35	С	Party name	0	
3036	an35	С	Party name	0	
	an35	С	Party name	0	
	an35	С	Party name	0	
3045	an3	С	Party name format, coded	Ν	
C059		С	STREET	D	
	an35	Μ	Street and number/p.o. box	М	
	an35	С	Street and number/p.o. box	0	
	an35	C	Street and number/p.o. box	0	
	an35	C	Street and number/p.o. box	0	
	an35	C	CITY NAME	D	
3229	an9	С	COUNTRY SUB-ENTITY	D	
3251	an9	С	IDENTIFICATION POSTCODE IDENTIFICATION	D	
3207	an9 an3	C	COUNTRY, CODED	D	Use ISO 3166, 2 alpha code



DOC DOCUMENT/MESSAGE DETAILS

Function: A segment specifying the authorisation number.

Usage : M: Notes :

Ref.	Rep.		Name		EDIFICE Utilisation
C002		М	DOCUMENT/MESSAGE NAME	М	
1001	an3	С	Document/message name, coded	R	173 = Authorisation to plan and ship orders Authorisation given by the seller to the buyer to ship goods to the end-customer and claim back the difference between the resale and new-buy price.
1131	an3	С	Code list qualifier	N	·
3055	an3	С	Code list responsible agency, coded	N	
1000	an35	С	Document/message name	Ν	
C503		С	DOCUMENT/MESSAGE DETAILS	R	
	an35	Č	Document/message number	R	Authorisation number
1373	an3	С	Document/message status, coded	N	
1366	an35	С	Document/message source	Ν	
3453	an3	С	Language, coded	Ν	
3153	an3	С	COMMUNICATION CHANNEL IDENTIFIER, CODED	N	
1220	n2	С	,	N	
1218	n2	С	NUMBER OF ORIGINALS OF DOCUMENT REQUIRED	N	



DTM DATE/TIME/PERIOD

Function: A segment specifying the date/time of creation of the authorisation and other dates/times relevant to the

authorisation.

Usage: R..3

Notes : It is required to specify the date/time of creation of the authorisation.

If the expiry date is given at line item level, it must not appear here.

Ref.	Rep.		Name		EDIFICE Utilisation
C507		М	DATE/TIME/PERIOD	М	
2005	an3	М	Date/time/period qualifier	М	36 = Expiry date 137 = Document/message date/time Date when the authorisation was created DLU = Date/time of last update (*) (*) EDIFICE code
H	an35 an3		Date/time/period Date/time/period format qualifier	R R	102 = CCYYMMDD 203 = CCYYMMDDHHMM 303 = CCYYMMDDHHMMZZZ ZZZ = Time zone 304 = CCYYMMDDHHMMSSZZZ ZZZ = Time zone X03 = CCYYMMDDHHMMZZZZZ (*) ZZZZZ = Time zone X04 = CCYYMMDDHHMMSSZZZZ (*) ZZZZZ = Time zone X04 = CCYYMMDDHHMMSSZZZZZ (*) ZZZZZ = Time zone (*) EDIFICE code



NAD NAME AND ADDRESS

Function: A segment identifying the function and coded identification, name and address of the end-customer to

whom the authorisation relates.

Usage : R1

Notes : It is advised that the party identification CO C082 be used. When CO C082 cannot be used it is

recommended to use the structured name and address CO C080 through DE 3207 rather than the

unstructured one CO C058.

3035 an3 M PARTY QUALIFIER C082 C PARTY IDENTIFICATION DETAILS 3039 an35 M Party id. identification 1131 an3 C Code list qualifier 3055 an3 C Code list responsible agency, coded C058 C NAME AND ADDRESS 3124 an35 M Name and address line 3124 an35 C Party name 3036 an35 C Party name M PC = Actual purchaser's customer A PC = Actual purchaser's customer A Pad-customer identification N P = EAN (International Article Numbe association) 16 = DUNS (Dun & Bradstreet) 91 = Assigned by buyer or buyer's age O O O O O O O O O O O O O O O O O O O	ring
CO82 C PARTY IDENTIFICATION DETAILS 3039 an35 M Party id. identification 1131 an3 C Code list qualifier 3055 an3 C Code list responsible agency, coded CO58 C NAME AND ADDRESS 3124 an35 M Name and address line 3124 an35 C Party name CO80 C PARTY NAME 3036 an35 C Party name 3036 an35 C Party name O O	ring
3039 an35 M Party id. identification 1131 an3 C Code list qualifier 3055 an3 C Code list responsible agency, coded Coded Coded Code list responsible agency, coded Code	ring
1131 an3 C Code list qualifier 3055 an3 C Code list responsible agency, coded R	ring
3055 an3 C Code list responsible agency, coded R 9 = EAN (International Article Number association) 16 = DUNS (Dun & Bradstreet) 91 = Assigned by seller or seller's ager 92 = Assigned by buyer or buyer's age C058 C NAME AND ADDRESS 3124 an35 M Name and address line 3124 an35 C Name and address line 00 3124 an35 C Name and address line 00 3124 an35 C Party NAME 00 3036 an35 M Party name 00 3036 an35 C Party name 00 3036 an35 C Party name 00	ring
coded association 16 = DUNS (Dun & Bradstreet) 91 = Assigned by seller or seller's ager 92 = Assigned by buyer or buyer's age 92 = Assigned by buyer or bu	
16 = DUNS (Dun & Bradstreet) 91 = Assigned by seller or seller's ager 92 = Assigned by buyer or buyer's age 92 = Assig	
91 = Assigned by seller or seller's ager 92 = Assigned by buyer or buyer's age 92 = Assigned by seller or seller's ager 92 = Assigned by buyer or buyer's age 92 = Assigned by buyer or buyer's ager 92 = Assigned by buyer or buyer	
92 = Assigned by buyer or buyer's age	nt
C058 C NAME AND ADDRESS D 3124 an35 M Name and address line M 3124 an35 C Name and address line O 3124 an35 C Name and address line O 3124 an35 C Name and address line O C080 C PARTY NAME D 3036 an35 M Party name M 3036 an35 C Party name O 3036 an35 C Party name O	
3124 an35 M Name and address line M 3124 an35 C Name and address line O C080 C PARTY NAME D 3036 an35 M Party name M 3036 an35 C Party name O 3036 an35 C Party name O	
3124 an35 C Name and address line O C080 C PARTY NAME D 3036 an35 M Party name M 3036 an35 C Party name O 3036 an35 C Party name O	
3124 an35 C Name and address line O 3124 an35 C Name and address line O 3124 an35 C Name and address line O C080 C PARTY NAME D 3036 an35 M Party name M 3036 an35 C Party name O 3036 an35 C Party name O	
3124 an35 C Name and address line O 3124 an35 C Name and address line O C080 C PARTY NAME D 3036 an35 M Party name M 3036 an35 C Party name O 3036 an35 C Party name O	
3124 an35	
3036 an35 M Party name M 3036 an35 C Party name O 3036 an35 C Party name O	
3036 an35 M Party name M 3036 an35 C Party name O 3036 an35 C Party name O	
3036 an35 C Party name O O	
·	
3036 an35 C Party name O	
3036 an35 C Party name O	
3045 an3 C Party name format, coded N	
C059 C STREET D	
3042 an35 M Street and number/p.o. box M	
3042 an35 C Street and number/p.o. box M	
3042 an35 C Street and number/p.o. box O	
3042 an35 C Street and number/p.o. box 0	
3164 an35 C CITY NAME	
3229 an9 C COUNTRY SUB-ENTITY D	
IDENTIFICATION 3351 an O C POSTCODE IDENTIFICATION	
3251 an9 C POSTCODE IDENTIFICATION D Use ISO 3166, 2 alpha code	



RFF REFERENCE

Function: A segment specifying the quote and/or request for quote number related to the authorisation.

Usage : O..2

Notes :

Ref.	Rep.		Name		EDIFICE Utilisation
C506 1153	an3		REFERENCE Reference qualifier	M M	AHU = Request for quote number Buyer's request for quote number PR = Price quote number
1156	an6	С	Reference number Line number Reference version number	R N N	



CUX CURRENCIES

Function: A segment specifying a currency, valid for the whole authorisation.

Usage: R..2

Notes : A CUX segment specifying the order currency must be present.

Ref.	Rep.		Name		EDIFICE Utilisation
6345	an3 an3 an3	Μ	CURRENCY DETAILS Currency details qualifier Currency, coded Currency qualifier	R M R R	2 = Reference currency Use ISO 4217, 3 alpha code 4 = Invoicing currency Currency used between buyer and end-customer. This is the currency of the resale price. 9 = Order currency Currency used between buyer and seller.
C504 6347 6345 6343 6348 5402	n4 an3 an3 an3 n4 n12 an3	C M C C C	CURRENCY DETAILS Currency details qualifier Currency, coded Currency qualifier Currency rate base RATE OF EXCHANGE	N N N N N N N N N N N N N N N N N N N	This is the currency of the buy price.

LIN LINE ITEM

Function: A segment identifying a line item by its item number, and agreed to be the primary reference number

between the buyer and seller.

The segment also carries a sequence number assigned to the line item within the message, and the action

taken. M1

Usage : Notes :

Ref.	Rep.		Name		EDIFICE Utilisation
1082	an6	С	LINE ITEM NUMBER	R	It is required to assign a number to the line items within a message. The number is assigned by the sender of the message. The first line item within a message will be numbered 1 and further line items will be incremented by 1 for each new line.
1229	an3	С	ACTION REQUEST/NOTIFICATION, CODED	R	C = Closed (*) E = Expired (*) H = Hold (*) O = Open (*) (*) EDIFICE code
C212		С	ITEM NUMBER IDENTIFICATION	R	
	an35 an3	CC	Item number Item number type, coded	R R	Primary reference BP = Buyer's part number DI = Distributor's part number (*) EN = International Article Numbering Association (EAN) MF = Manufacturer's (producer's) article number SRV = EAN.UCC Global Trade Item Number UP = UPC (Universal product code) VP = Vendor's (seller's) part number (*) EDIFICE code
	an3 an3	CC	Code list qualifier Code list responsible agency, coded	N R	9 = EAN (International Article Numbering association) 89 = Assigned by distributor 90 = Assigned by manufacturer 91 = Assigned by seller or seller's agent 92 = Assigned by buyer or buyer's agent 113 = US, UCC (Uniform Code Council)
		C	SUB-LINE INFORMATION Sub-line indicator, coded Line item number CONFIGURATION LEVEL CONFIGURATION, CODED	N N N N N	



PIA ADDITIONAL PRODUCT ID

Function: A segment providing additional identification numbers for the line item.

Usage : D..7

Notes : The 5 internal repetitions of CO C212 may be used, but EDIFICE recommends to only use the first

occurrence.

-				_	
Ref.	Rep.		Name		EDIFICE Utilisation
4347	an3	М	PRODUCT ID. FUNCTION QUALIFIER	М	1 = Additional identification
C212		Μ	ITEM NUMBER IDENTIFICATION	М	
7140	an35	С	Item number	R	
7143	an3	С	Item number type, coded	R	BP = Buyer's part number
					CV = Customs article number
					DI = Distributor's part number (*)
					EN = International Article Numbering Association
					(EAN)
					MF = Manufacturer's (producer's) article number
					SRV = EAN.UCC Global Trade Item Number
					UP = UPC (Universal product code)
					VP = Vendor's (seller's) part number
4404		_	6 1 1: 1 1:0:	١.,	(*) EDIFICE code
	an3	C	Code list qualifier	N R	O FAN (Tabanastianal Antida Numberina
3055	an3	С	Code list responsible agency, coded	K	9 = EAN (International Article Numbering
			coded		association) 89 = Assigned by distributor
					90 = Assigned by distributor 90 = Assigned by manufacturer
					91 = Assigned by Infinitiacturei 91 = Assigned by seller or seller's agent
					92 = Assigned by Seller or Seller's agent
					113 = US, UCC (Uniform Code Council)
C212		С	ITEM NUMBER IDENTIFICATION	О	As for first CO C212
_	an35	C	Item number	R	7.5 101 11150 00 0212
	an3	C	Item number type, coded	R	
_	an3	Č	Code list qualifier	N	
	an3	C	Code list responsible agency,	R	
			coded		
C212			ITEM NUMBER IDENTIFICATION	0	As for first CO C212
	an35	С	Item number	R	
_	an3	C	Item number type, coded	R	
	an3 an3	C	Code list qualifier Code list responsible agency,	N R	
3033	aii3	C	coded	K	
C212		С	ITEM NUMBER IDENTIFICATION	0	As for first CO C212
_	an35	C	Item number	R	
_	an3	C	Item number type, coded	R	
	an3	C	Code list qualifier	N	
3035	an3	С	Code list responsible agency, coded	R	
C212		С	ITEM NUMBER IDENTIFICATION	0	As for first CO C212
7140	an35	С	Item number	R	
	an3	С	Item number type, coded	R	
	an3	C	Code list qualifier	N	
3055	an3	С	Code list responsible agency,	R	
			coded		



RFF REFERENCE

Function: A segment specifying the authorisation line number.

Usage : R 1 Notes :

Ref.	Ref. Rep. Name			EDIFICE Utilisation	
C506		М	REFERENCE	М	
1153	an3	Μ	Reference qualifier	М	LI = Line item reference number
1154	an35	C	Reference number	N	
1156	an6	С	Line number	R	Authorisation line number
4000	an35	С	Reference version number	N	



DTM DATE/TIME/PERIOD

Function: A segment specifying the expiry date/time, and other dates/times relevant to the line item.

Usage : D..3

Notes : If the expiry date/time is given at document level, it should not appear here.

Ref.	Rep.		Name		EDIFICE Utilisation
C507		М	DATE/TIME/PERIOD	М	
	an3	M	Date/time/period qualifier	М	36 = Expiry date 206 = End date/time Date that the authorisation line item was closed DLU = Date of last update (*) (*) EDIFICE code
	an35 an3		Date/time/period Date/time/period format qualifier	R R	102 = CCYYMMDD 203 = CCYYMMDDHHMM 303 = CCYYMMDDHHMMZZZ ZZZ = Time zone 304 = CCYYMMDDHHMMSSZZZ ZZZ = Time zone X03 = CCYYMMDDHHMMZZZZZZ (*) ZZZZ = Time zone X04 = CCYYMMDDHHMMSSZZZZ (*) ZZZZZ = Time zone X04 = CCYYMMDDHHMMSSZZZZZ (*) ZZZZZ = Time zone (*) EDIFICE code



QTY **QUANTITY**

Function: A segment specifying the quantity related to the line item.

Usage :

EDIFICE recommends to always specify the quantity authorised. The quantity balance to ship only needs to be specified if non-zero. Notes :

Ref.	Rep.	Name		EDIFICE Utilisation
C186 6063	an3	M QUANTITY DETAILS M Quantity qualifier	M	QAU = Quantity authorised (*) QBS = Quantity balance to ship (*) QCL = Quantity claimed (*) (*) EDIFICE code
	n15 an3		M R	



PRI PRICE DETAILS

Function: A segment specifying the line item price and qualifying information.

0..3 Usage :

Catalogue price and new buy price are specified with the order currency. Resale price is specified with the invoicing currency. Notes :

Ref.	Rep.		Name		EDIFICE Utilisation
_	an3 n15	М	PRICE INFORMATION Price qualifier	R M R	AAA = Calculation net
	an3	CC	Price Price type, coded	R	CA = Catalogue Stocking price used between the buyer and seller. NBP = New buy price (*) Re-negotiated buy price between the buyer and seller. RES = Resale price (*) Price used between the buyer and the end-customer. (*) EDIFICE code
5284	an3 n9 an3	CCCC	Price type qualifier Unit price basis Measure unit qualifier	N R R	Use the following codes from UN/ECE Recommendation no.20, Codes for Units of Measurement: CLT = centilitre CMT = centimetre GRM = gram KGM = kilogram KMT = kilometre (*) LTR = litre MGM = milligram MMT = millimetre MTK = square metre MTQ = cubic metre MTQ = cubic metre MTR = metre PCE = piece (*) (*) EDIFICE code, not included in UN/ECE Recommendation No. 20 Other codes should be previously agreed between trading partners.
5213	an3	С	SUB-LINE PRICE CHANGE, CODED	N	



UNT **MESSAGE TRAILER**

Function: A service segment ending, and providing information for checking the completeness of a message.

Usage : Notes : Refer to EDIFICE Utilisation of the UN/EDIFACT Service Segments, Issue EDSS04.

Ref.	Rep.	Name		EDIFICE Utilisation	
0074		NUMBER OF SEGMENTS IN A MESSAGE MESSAGE REFERENCE NUMBER	М	Count of all segments in the message, UNH and UNT included. Must be the same reference number as in DE 0062 of the UNH segment of this message.	

EXAMPLES

An authorisation status message containing one authorisation with two line items. Both have an open status.

UNB+UNOC:3+X:1:X+X:1:X+021209:1520+66+X:AA+ATHSTS+A+1+X+1'

UNH+1+ATHSTS:D:97A:ED:EDAS03' BGM+AST+ATHSTATUSNUMBER1+5'

DTM+137:20000428:102'
NAD+SE+SELLERCODE::91'
DOC+173+BX10092089'
DTM+137:20000304:102'
NAD+PC+999999999::91'
RFF+PR:QUOTENUM1'

CUX+2:USD:9'

LIN+1+O+VENPAR:VP::91'

RFF+LI::1'

DTM+36:20001028:102'
QTY+QAU:1000:PCE'
QTY+QCL:800:PCE'
QTY+QBS:200:PCE'
PRI+AAA:1:CA::1:PCE'
PRI+AAA:0.8:NBP::1:PCE'
LIN+2+O+VENPAR2:VP::91'

RFF+LI::2'
DTM+36:20001028:102'
QTY+QAU:2000:PCE'
QTY+QCL:800:PCE'
QTY+QBS:1200:PCE'
PRI+AAA:15:CA::1:PCE'
PRI+AAA:12:NBP::1:PCE'

UNT+26+1' UNZ+1+66'