



The Global Network for B2B Integration in High Tech Industries

Transaction Set

850

Purchase Order

Functional Group ID = PO
X12 Version 004 Release 010

September 2002



Revision History

Date	Description
June 1999	Published
January 2001	Updated front matter - change of Secretariat
September 2002	Applied new publication template



Contents

Page

Overview 5

- 1. Functional Definition 5
- 2. Considerations..... 5
- 3. Trading Partners 5
- 4. EDIFICE Business Models..... 5
- 5. Field of Application..... 5
- 6. Format..... 5
- 7. Attributes 7
- 8. Changes from version 3020..... 8

Segment Tables 9

850 Purchase Order – List of Used and Not Used Segments 9

- Segment: ST Transaction Set Header 15
- Segment: BEG Beginning Segment for Purchase Order..... 16
- Segment: CUR Currency 18
- Segment: REF Reference Identification..... 21
- Segment: TAX Tax Reference..... 23
- Segment: FOB F.O.B. Related Instructions..... 25
- Segment: SAC Service, Promotion, Allowance, or Charge Information 27
- Segment: ITD Terms of Sale/Deferred Terms of Sale 30
- Segment: DTM Date/Time Reference..... 32
- Segment: PWK Paperwork 34
- Segment: TD5 Carrier Details (Routing Sequence/Transit Time)..... 37
- Segment: N1 Name..... 41
- Segment: N2 Additional Name Information 43
- Segment: N3 Address Information..... 44
- Segment: N4 Geographic Location 45
- Segment: PER Administrative Communications Contact 46
- Segment: PO1 Baseline Item Data 48
- Segment: PWK Paperwork 51
- Segment: PO4 Item Physical Details..... 54
- Segment: REF Reference Identification..... 57
- Segment: SAC Service, Promotion, Allowance, or Charge Information 59
- Segment: SCH Line Item Schedule 63
- Segment: TD5 Carrier Details (Routing Sequence/Transit Time)..... 65



Segment: SLN Subline Item Detail.....	68
Segment: CTT Transaction Totals.....	72
Segment: SE Transaction Set Trailer	74
<hr/>	
850 Purchase Order Examples	75
850 Example 1 – Basic Purchase Order	75
850 Example 2 – BLANKET PURCHASE ORDER, ESTIMATED QUANTITY, NO SCHEDULES USED	76
850 Example 3 – BLANKET PURCHASE ORDER, ESTIMATED QUANTITY, DUMMY SCHEDULE USED	77

OVERVIEW

1. FUNCTIONAL DEFINITION

This Draft Standard for Trial Use contains the format and establishes the data contents of the Purchase Order Transaction Set (850) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the placement of purchase orders for goods and services. This transaction set should not be used to convey purchase order changes or purchase order acknowledgment information.

2. CONSIDERATIONS

3. TRADING PARTNERS

1. Any buyer to any seller.

4. EDIFICE BUSINESS MODELS

This is a simple recast/version upgrade of an existing EDIFICE guideline.

5. FIELD OF APPLICATION

This transaction may be applied for both national and international trade. It is based on universal commercial practice and is not dependent on the type of business or industry.

6. FORMAT

The transmission in the ASC X12 format uses two required envelopes. One is the ISA Interchange Control Header Segment, which starts and identifies an interchange of zero or more functional groups and interchange-related control segments. The ISA includes the sender's mailbox address and a receiver's mailbox address, and specifies which delimiter (a/k/a control, service) characters (data element separator, component element separator and data segment terminator) are being used.

There are no default service characters reserved for use in ASC X12. Allowable service characters should be discussed between trading partners.

The second required envelope is GS Functional Group Header, which indicates the beginning of a functional group and provides group level control information. The GS segment includes functional group level sender and receiver addresses, typically used by the trading partner(s) for



internal routing. The GS also includes the GS08 ASC X12 Version/Release/Industry Identifier Code. EDIFICE does not recommend the use of an Industry Identifier code.

The functional groups are analogous to batches of like documents, i.e. purchase orders, invoices, etc. Each functional group contains one or more transaction sets (electronic documents).

Each transaction set is an ordered collection of segments.

Each segment is an ordered collection of data elements. Each segment has been assigned a two or three character identifier. This identifier marks the beginning of each segment. Each element within the segment is separated by a data element delimiter. EDIFICE recommends the use of the asterisk (*) character as a data element delimiter. A segment terminator character is used to mark the end of a segment.

Any shaded areas indicate EDIFICE recommended usage and comment.

7. ATTRIBUTES

Each data element has three ANSI attributes: Element usage, element type and minimum/maximum length. EDIFICE has additional usage indicated for optional segments and elements which are noted in the following table.

MARGIN	ATTRIBUTE	DE NOTE	MEANING
Must Use	M (Mandatory)	N/A	If a segment, composite, or stand alone data element is mandatory according to the standard, EDIFICE cannot change the mandatory status on that component. <i>DATA ELEMENT within a COMPOSITE:</i> A data element within a composite is mandatory only if the composite is used.
X	C or X (Conditional) or O (Optional)	No note or NOT USED	EDIFICE has determined no value in supplying the composite or data element; hence, it need not be generated.
Blank	C or X (Conditional) or O (Optional)	REQUIRED	EDIFICE members agree that the data concerned must be sent.
Blank	C or X (Conditional) or O (Optional)	No note	Indicates that EDIFICE makes no recommendation regarding usage. The trading partners must agree on usage.
Blank	C or X (Conditional) or O (Optional)	ADVISED	EDIFICE has determined value in supplying the data element; hence, it should be generated.
Blank	C or X (Conditional) or O (Optional)	DEPENDING	Data must be sent if a particular defined condition or set of conditions exist. The associated conditions must be explained at the appropriate level of detail.

8. CHANGES FROM VERSION 3020

Only segments, elements or codes used by EDIFICE are listed. Because this is a recast and EDIFICE is not adding codes to any code lists except codes identified in EDIFICE's guidelines for product and other identifiers. Type ID fields which have increased in maximum length are not listed.

- All date fields changed from 6/6 (YYMMDD) to 8/8 (CCYYMMDD).
- Changes made to harmonize related transactions 850, 855, 860 and 865; added SAC segment at detail level, with element and code usage based on harmonization with 865; miscellaneous changes to code lists and notes.
- Changes made to bring transaction into conformance with Product and Other ID supporting document; miscellaneous changes to code lists and notes.
- Per Blanket Order support document added code '036' Expiration Date to DE 374 (used in DTM01).
- Per Product and Other ID support document, added codes to DE 98 and DE 66 code lists (used in N1 segment).
- Per Product and Other ID support document, changed N2, N3 and N4 segments to 'Used'
- Per Product and Other ID support document added code 'EM' Electronic Mail to DE 365 (used in PER03).
- Max use of N1 loop in detail area (LIN.N1) changed from 5 to 200.
- Max length of DE 93 Name (used in N102) changed from 35 to 60
- Max length of DE 67 Identification Code (used in N104) changed from 17 to 80
- Max length of DE 350 Assigned Identification (used in PO101) changed from 11 to 20; EDIFICE still recommends that trading partners use no more than 6 bytes.
- Per Blanket Order support document, usage of DE 350 Assigned Identification (used in PO101) is changed to required for Stand Alone Purchase Orders and optional for Blanket Purchase Orders.
- Max length of DE330 Quantity Ordered (used in PO102) changed from 9 to 15.
- Usage of Unit or Basis for Measurement Code (used in PO103) changed to a Composite Unit of Measure. Use of DE 355 (Unit or Basis for Measurement Code) remains the same.
- Max length of DE 212 Unit Price (used in PO104) changed from 14 to 17.
- Max length of DE 235 Product/Service ID (used in PO1 segment) changed from 30 to 48.
- Per Product and Other ID supporting document, added codes to DE 235 code list (used in POC segment).
- Requirement of DE 234 Product/Service ID Qualifier (used in PO1 segment) changed from 'O' Optional to 'X' Conditional.
- Removed usage of DE 234 code 'PW' Part Drawing. See code list for PO106.
- Per Blanket Order support document added code 'RE' Release Number to DE 128 (used in REF01).
- Segment SCH changed to a SCH loop. Max use remains at 200.
- Per Product and Other ID support document added '038' Ship Not Later, '063' Do Not Deliver After, and '064' Do Not Deliver Before to DE374 (used in SCH05).
- Segment CTT changed to a CTT loop. Max use remains at 1
- Requirement for CTT02 segment changed from 'M' Mandatory to 'O' Optional.
- Max length of DE 96 Number of Included Segments in SE01 changed from 6 to 10.

SEGMENT TABLES

850 Purchase Order – List of Used and Not Used Segments

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	010	ST	Transaction Set Header	M	1		
M	020	BEG	Beginning Segment for Purchase Order	M	1		
	040	CUR	Currency	O	1		
	050	REF	Reference Identification	O	>1		
Not Used	060	PER	Administrative Communications Contact	O	3		
	070	TAX	Tax Reference	O	>1		
	080	FOB	F.O.B. Related Instructions	O	>1		
Not Used	090	CTP	Pricing Information	O	>1		
Not Used	095	PAM	Period Amount	O	10		
Not Used	110	CSH	Sales Requirements	O	5		
Not Used	115	TC2	Commodity	O	>1		
LOOP ID – SAC						25	
	120	SAC	Service, Promotion, Allowance, or Charge Information	O	1		
Not Used	125	CUR	Currency	O	1		
	130	ITD	Terms of Sale/Deferred Terms of Sale	O	>1		
Not Used	140	DIS	Discount Detail	O	20		
Not Used	145	INC	Installment Information	O	1		
	150	DTM	Date/Time Reference	O	10		
Not Used	160	LDT	Lead Time	O	12		
Not Used	180	LIN	Item Identification	O	5		n1
Not Used	185	SI	Service Characteristic Identification	O	>1		
Not Used	190	PID	Product/Item Description	O	200		
Not Used	200	MEA	Measurements	O	40		
	210	PWK	Paperwork	O	25		
Not Used	220	PKG	Marking, Packaging, Loading	O	200		
Not Used	230	TD1	Carrier Details (Quantity and Weight)	O	2		
	240	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		
Not Used	250	TD3	Carrier Details (Equipment)	O	12		
Not Used	260	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5		
Not Used	270	MAN	Marks and Numbers	O	10		
Not Used	276	PCT	Percent Amounts	O	>1		
Not Used	280	CTB	Restrictions/Conditions	O	5		
Not Used	285	TXI	Tax Information	O	>1		
LOOP ID – AMT						>1	
Not Used	287	AMT	Monetary Amount	O	1		
Not Used	289	REF	Reference Identification	O	>1		
Not Used	290	DTM	Date/Time Reference	O	1		
Not Used	292	PCT	Percent Amounts	O	>1		
LOOP ID – FA1						>1	
Not Used	293	FA1	Type of Financial Accounting Data	O	1		



Not Used	294	FA2	Accounting Data	M	>1	
			LOOP ID – N9	1000		
Not Used	295	N9	Reference Identification	O	1	
Not Used	297	DTM	Date/Time Reference	O	>1	
Not Used	300	MSG	Message Text	O	1000	
			LOOP ID – N1	200		
	310	N1	Name	O	1	
	320	N2	Additional Name Information	O	2	
	330	N3	Address Information	O	2	
	340	N4	Geographic Location	O	>1	
Not Used	345	NX2	Location ID Component	O	>1	
Not Used	350	REF	Reference Identification	O	12	
	360	PER	Administrative Communications Contact	O	>1	
Not Used	365	SI	Service Characteristic Identification	O	>1	
Not Used	370	FOB	F.O.B. Related Instructions	O	1	
Not Used	380	TD1	Carrier Details (Quantity and Weight)	O	2	
Not Used	390	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
Not Used	400	TD3	Carrier Details (Equipment)	O	12	
Not Used	410	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
Not Used	420	PKG	Marking, Packaging, Loading	O	200	
			LOOP ID – LM	>1		
Not Used	430	LM	Code Source Information	O	1	
Not Used	440	LQ	Industry Code	M	>1	
			LOOP ID – SPI	>1		
Not Used	450	SPI	Specification Identifier	O	1	
Not Used	460	REF	Reference Identification	O	5	
Not Used	470	DTM	Date/Time Reference	O	5	
Not Used	480	MSG	Message Text	O	50	
			LOOP ID – N1	20		
Not Used	490	N1	Name	O	1	
Not Used	500	N2	Additional Name Information	O	2	
Not Used	510	N3	Address Information	O	2	
Not Used	520	N4	Geographic Location	O	1	
Not Used	530	REF	Reference Identification	O	20	
Not Used	540	G61	Contact	O	1	
Not Used	550	MSG	Message Text	O	50	
			LOOP ID – CB1	>1		
Not Used	560	CB1	Contract and Cost Accounting Standards Data	O	1	
Not Used	570	REF	Reference Identification	O	20	
Not Used	580	DTM	Date/Time Reference	O	5	
Not Used	590	LDT	Lead Time	O	1	
Not Used	600	MSG	Message Text	O	50	
			LOOP ID – ADV	>1		
Not Used	610	ADV	Advertising Demographic Information	O	1	
Not Used	620	DTM	Date/Time Reference	O	>1	
Not Used	630	MTX	Text	O	>1	

Detail:



	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
			LOOP ID – PO1			100000	
M	010	PO1	Baseline Item Data	M	1		n2
Not Used	015	LIN	Item Identification	O	>1		
Not Used	018	SI	Service Characteristic Identification	O	>1		
Not Used	020	CUR	Currency	O	1		
Not Used	025	CN1	Contract Information	O	1		
Not Used	030	PO3	Additional Item Detail	O	25		
			LOOP ID – CTP			>1	
Not Used	040	CTP	Pricing Information	O	1		
Not Used	043	CUR	Currency	O	1		
Not Used	045	PAM	Period Amount	O	10		
Not Used	049	MEA	Measurements	O	40		
			LOOP ID – PID			1000	
Not Used	050	PID	Product/Item Description	O	1		
Not Used	060	MEA	Measurements	O	10		
	070	PWK	Paperwork	O	25		
	090	PO4	Item Physical Details	O	>1		
	100	REF	Reference Identification	O	>1		
Not Used	110	PER	Administrative Communications Contact	O	3		
			LOOP ID – SAC			25	
	130	SAC	Service, Promotion, Allowance, or Charge Information	O	1		
Not Used	135	CUR	Currency	O	1		
Not Used	137	CTP	Pricing Information	O	1		
Not Used	140	IT8	Conditions of Sale	O	1		
Not Used	142	CSH	Sales Requirements	O	>1		
Not Used	150	ITD	Terms of Sale/Deferred Terms of Sale	O	2		
Not Used	160	DIS	Discount Detail	O	20		
Not Used	165	INC	Installment Information	O	1		
Not Used	170	TAX	Tax Reference	O	>1		
Not Used	180	FOB	F.O.B. Related Instructions	O	>1		
Not Used	190	SDQ	Destination Quantity	O	500		
Not Used	200	IT3	Additional Item Data	O	5		
Not Used	210	DTM	Date/Time Reference	O	10		
Not Used	235	TC2	Commodity	O	>1		
Not Used	240	TD1	Carrier Details (Quantity and Weight)	O	1		
Not Used	250	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		
Not Used	260	TD3	Carrier Details (Equipment)	O	12		
Not Used	270	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5		
Not Used	276	PCT	Percent Amounts	O	>1		
Not Used	280	MAN	Marks and Numbers	O	10		
Not Used	289	MSG	Message Text	O	>1		
Not Used	290	SPI	Specification Identifier	O	>1		
Not Used	291	TXI	Tax Information	O	>1		
Not Used	292	CTB	Restrictions/Conditions	O	>1		
			LOOP ID – QTY			>1	
Not Used	293	QTY	Quantity	O	1		
Not Used	294	SI	Service Characteristic Identification	O	>1		
			LOOP ID – SCH			200	



	295	SCH	Line Item Schedule	O	1	n3
Not Used	296	TD1	Carrier Details (Quantity and Weight)	O	2	
	297	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
Not Used	298	TD3	Carrier Details (Equipment)	O	12	
Not Used	299	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
Not Used	300	REF	Reference Identification	O	>1	
LOOP ID - PKG						200
Not Used	305	PKG	Marking, Packaging, Loading	O	1	
Not Used	310	MEA	Measurements	O	>1	
Not Used	320	LS	Loop Header	O	1	
LOOP ID - LDT						>1
Not Used	321	LDT	Lead Time	O	1	
Not Used	322	QTY	Quantity	O	>1	
Not Used	323	MSG	Message Text	O	1	
Not Used	324	REF	Reference Identification	O	3	
LOOP ID - LM						>1
Not Used	325	LM	Code Source Information	O	1	
Not Used	326	LQ	Industry Code	M	>1	
Not Used	327	LE	Loop Trailer	O	1	
LOOP ID - N9						1000
Not Used	330	N9	Reference Identification	O	1	
Not Used	332	DTM	Date/Time Reference	O	>1	
Not Used	335	MEA	Measurements	O	40	
Not Used	340	MSG	Message Text	O	1000	
LOOP ID - N1						200
Not Used	350	N1	Name	O	1	
Not Used	360	N2	Additional Name Information	O	2	
Not Used	370	N3	Address Information	O	2	
Not Used	380	N4	Geographic Location	O	1	
Not Used	383	QTY	Quantity	O	>1	
Not Used	385	NX2	Location ID Component	O	>1	
Not Used	390	REF	Reference Identification	O	12	
Not Used	400	PER	Administrative Communications Contact	O	3	
Not Used	405	SI	Service Characteristic Identification	O	>1	
Not Used	406	DTM	Date/Time Reference	O	1	
Not Used	410	FOB	F.O.B. Related Instructions	O	1	
Not Used	415	SCH	Line Item Schedule	O	200	
Not Used	420	TD1	Carrier Details (Quantity and Weight)	O	2	
Not Used	430	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
Not Used	440	TD3	Carrier Details (Equipment)	O	12	
Not Used	450	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
Not Used	460	PKG	Marking, Packaging, Loading	O	200	
LOOP ID - LDT						>1
Not Used	462	LDT	Lead Time	O	1	
Not Used	464	MAN	Marks and Numbers	O	10	
Not Used	466	QTY	Quantity	O	5	
Not Used	468	MSG	Message Text	O	1	
Not Used	469	REF	Reference Identification	O	3	



LOOP ID - SLN			1000	
	470	SLN	Subline Item Detail	O 1
Not Used	475	MSG	Message Text	O >1
Not Used	480	SI	Service Characteristic Identification	O >1
Not Used	490	PID	Product/Item Description	O 1000
Not Used	500	PO3	Additional Item Detail	O 104
Not Used	505	TC2	Commodity	O >1
Not Used	513	ADV	Advertising Demographic Information	O >1
Not Used	515	DTM	Date/Time Reference	O 10
Not Used	516	CTP	Pricing Information	O 25
Not Used	517	PAM	Period Amount	O 10
Not Used	518	PO4	Item Physical Details	O 1
Not Used	519	TAX	Tax Reference	O 3
LOOP ID - N9			>1	
Not Used	523	N9	Reference Identification	O 1
Not Used	524	DTM	Date/Time Reference	O >1
Not Used	525	MSG	Message Text	O >1
LOOP ID - SAC			25	
Not Used	526	SAC	Service, Promotion, Allowance, or Charge Information	O 1
Not Used	527	CUR	Currency	O 1
Not Used	528	CTP	Pricing Information	O 1
LOOP ID - QTY			>1	
Not Used	529	QTY	Quantity	O 1
Not Used	530	SI	Service Characteristic Identification	O >1
LOOP ID - N1			10	
Not Used	535	N1	Name	O 1
Not Used	540	N2	Additional Name Information	O 2
Not Used	550	N3	Address Information	O 2
Not Used	560	N4	Geographic Location	O 1
Not Used	570	NX2	Location ID Component	O >1
Not Used	580	REF	Reference Identification	O 12
Not Used	590	PER	Administrative Communications Contact	O 3
Not Used	595	SI	Service Characteristic Identification	O >1
LOOP ID - AMT			>1	
Not Used	600	AMT	Monetary Amount	O 1
Not Used	610	REF	Reference Identification	O 1
Not Used	612	PCT	Percent Amounts	O >1
LOOP ID - LM			>1	
Not Used	620	LM	Code Source Information	O 1
Not Used	630	LQ	Industry Code	M >1

Summary:

Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
LOOP ID - CTT						1
	010	CTT	Transaction Totals	O	1	n4
Not Used	020	AMT	Monetary Amount	O	1	n5
M	030	SE	Transaction Set Trailer	M	1	



Transaction Set Notes

1. If segment LIN is used, do not use LIN01.
2. PO102 is required.
3. The SCH segment is used to specify various quantities of items ordered that are to be scheduled. When this segment is used the unit of measurement code (SCH02) should always be identical to the unit of measurement code in the associated PO1 segment (PO103) and the sum of values of quantity (SCH01) should always equal the quantity ordered (PO102) in the PO1 segment.
4. The number of line items (CTT01) is the accumulation of the number of PO1 segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.
5. If AMT is used in the summary area, then AMT01 will = TT and AMT02 will indicate total transaction amount as calculated by the sender.

Segment: **ST** Transaction Set Header

Position: 010

Loop:

Level: Heading

Usage: Mandatory

Max Use: 1

Purpose: To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 850 Purchase Order	M ID 3/3
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set The control number is assigned by the sender. It should be sequentially assigned within each functional group to aid in error recovery and research. The control number in the SE segment (SE02) must be identical to the control number in the ST segment for each transaction.	M AN 4/9



Segment: BEG Beginning Segment for Purchase Order

Position: 020

Loop:

Level: Heading

Usage: Mandatory

Max Use: 1

Purpose: To indicate the beginning of the Purchase Order Transaction Set and transmit identifying numbers and dates

Syntax Notes:

Semantic Notes: 1 BEG05 is the date assigned by the purchaser to purchase order.

Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	BEG01	353	Transaction Set Purpose Code Code identifying purpose of transaction set 00 Original 06 Confirmation	M ID 2/2
M	BEG02	92	Purchase Order Type Code Code specifying the type of Purchase Order BE Blanket Order/Estimated Quantities (Not firm Commitment) BK Blanket Order (Quantity Firm) RL Release or Delivery Order An order for goods and services placed against a pre-existing contract or blanket order SA Stand-alone Order	M ID 2/2
M	BEG03	324	Purchase Order Number Identifying number for Purchase Order assigned by the orderer/purchaser	M AN 1/22
	BEG04	328	Release Number Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction EDIFICE Usage: OPTIONAL. While release number may be carried at the header level, it is recommended that release number be carried in an REF segment at the line item level.	O AN 1/30
M	BEG05	373	Date Date expressed as CCYYMMDD Purchase Order Date	M DT 8/8
	BEG06	367	Contract Number Contract number EDIFICE Usage: OPTIONAL. This is the buyer's contract number. For business that is conducted under a contract. it is RECOMMENDED that the contract number be placed in this field rather than a header level REF segment.	O AN 1/30



Not Used	BEG07	587	Acknowledgment Type	O ID 2/2
			Code specifying the type of acknowledgment Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	BEG08	1019	Invoice Type Code	O ID 3/3
			Code defining the method by which invoices are to be processed Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	BEG09	1166	Contract Type Code	O ID 2/2
			Code identifying a contract type Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	BEG10	1232	Purchase Category	O ID 2/2
			Code identifying the broad category of products or services being acquired Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	BEG11	786	Security Level Code	O ID 2/2
			Code indicating the level of confidentiality assigned by the sender to the information following Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	BEG12	640	Transaction Type Code	O ID 2/2
			Code specifying the type of transaction Refer to 004010 Data Element Dictionary for acceptable code values.	



Segment: **CUR** Currency

Position: 040

Loop:

Level: Heading

Usage: Optional

Max Use: 1

Purpose: To specify the currency (dollars, pounds, francs, etc.) used in a transaction

- Syntax Notes:**
- 1 If CUR08 is present, then CUR07 is required.
 - 2 If CUR09 is present, then CUR07 is required.
 - 3 If CUR10 is present, then at least one of CUR11 or CUR12 is required.
 - 4 If CUR11 is present, then CUR10 is required.
 - 5 If CUR12 is present, then CUR10 is required.
 - 6 If CUR13 is present, then at least one of CUR14 or CUR15 is required.
 - 7 If CUR14 is present, then CUR13 is required.
 - 8 If CUR15 is present, then CUR13 is required.
 - 9 If CUR16 is present, then at least one of CUR17 or CUR18 is required.
 - 10 If CUR17 is present, then CUR16 is required.
 - 11 If CUR18 is present, then CUR16 is required.
 - 12 If CUR19 is present, then at least one of CUR20 or CUR21 is required.
 - 13 If CUR20 is present, then CUR19 is required.
 - 14 If CUR21 is present, then CUR19 is required.

Semantic Notes:

Comments: 1 See Figures Appendix for examples detailing the use of the CUR segment.

Notes: EDIFICE Usage: OPTIONAL

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	CUR01	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual BY Buying Party (Purchaser) SE Selling Party	M ID 2/3
M	CUR02	100	Currency Code Code (Standard ISO) for country in whose currency the charges are specified	M ID 3/3
Not Used	CUR03	280	Exchange Rate Value to be used as a multiplier conversion factor to convert monetary value from one currency to another	O R 4/10
Not Used	CUR04	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/3



Not Used	CUR05	100	Currency Code	O ID 3/3
			Code (Standard ISO) for country in whose currency the charges are specified	
Not Used	CUR06	669	Currency Market/Exchange Code	O ID 3/3
			Code identifying the market upon which the currency exchange rate is based Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	CUR07	374	Date/Time Qualifier	X ID 3/3
			Code specifying type of date or time, or both date and time Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	CUR08	373	Date	O DT 8/8
			Date expressed as CCYYMMDD	
Not Used	CUR09	337	Time	O TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
Not Used	CUR10	374	Date/Time Qualifier	X ID 3/3
			Code specifying type of date or time, or both date and time Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	CUR11	373	Date	X DT 8/8
			Date expressed as CCYYMMDD	
Not Used	CUR12	337	Time	X TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
Not Used	CUR13	374	Date/Time Qualifier	X ID 3/3
			Code specifying type of date or time, or both date and time Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	CUR14	373	Date	X DT 8/8
			Date expressed as CCYYMMDD	



Not Used	CUR15	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)		
Not Used	CUR16	374	Date/Time Qualifier	X	ID 3/3
			Code specifying type of date or time, or both date and time Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	CUR17	373	Date	X	DT 8/8
			Date expressed as CCYYMMDD		
Not Used	CUR18	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)		
Not Used	CUR19	374	Date/Time Qualifier	X	ID 3/3
			Code specifying type of date or time, or both date and time Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	CUR20	373	Date	X	DT 8/8
			Date expressed as CCYYMMDD		
Not Used	CUR21	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)		



Segment: REF Reference Identification

- Position:** 050
- Loop:**
- Level:** Heading
- Usage:** Optional
- Max Use:** >1
- Purpose:** To specify identifying information
- Syntax Notes:**
 - 1 At least one of REF02 or REF03 is required.
 - 2 If either C04003 or C04004 is present, then the other is required.
 - 3 If either C04005 or C04006 is present, then the other is required.
- Semantic Notes:**
 - 1 REF04 contains data relating to the value cited in REF02.

Comments:

Notes: EDIFICE Usage: OPTIONAL. This segment is used for reference numbers that are agreed upon by both trading partners. There is one reference number per segment.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification CJ Clause Number DQ Delivery Quote Number GC Government Contract Number GP Government Priority Number PH Priority Rating PR Price Quote Number	M ID 2/3
	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier EDIFICE Usage: REQUIRED.	X AN 1/30
Not Used	REF03	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80
Not Used	REF04	C040	Reference Identifier To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	O
Not Used	C04001	128	Reference Identification Qualifier Code qualifying the Reference Identification Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 2/3
Not Used	C04002	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M AN 1/30



Not Used	C04003	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	C04004	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
Not Used	C04005	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	C04006	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		



Segment: **TAX** Tax Reference

Position: 070

Loop:

Level: Heading

Usage: Optional

Max Use: >1

Purpose: To provide data required for proper notification/determination of applicable taxes applying to the transaction or business described in the transaction

- Syntax Notes:**
- 1 At least one of TAX01 or TAX03 is required.
 - 2 If either TAX02 or TAX03 is present, then the other is required.
 - 3 If either TAX04 or TAX05 is present, then the other is required.
 - 4 If either TAX06 or TAX07 is present, then the other is required.
 - 5 If either TAX08 or TAX09 is present, then the other is required.
 - 6 If either TAX10 or TAX11 is present, then the other is required.

Semantic Notes:

- Comments:**
- 1 Tax ID number is, in many instances, referred to as a Tax Exemption Number. The paired (combined) use of data elements 309 and 310 provides for the designation of five taxing jurisdictions.
 - 2 TAX01 is required if tax exemption is being claimed.

Notes: EDIFICE Usage: ADVISED. This segment while optional is required in some states such as California. It is strongly recommended that all sales for resale purposes include the TAX segment with the appropriate Tax Exempt Codes along with Tax Identification Number.

Data Element Summary

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>		<u>Attributes</u>
TAX01	325	Tax Identification Number		X AN 1/20
		Number assigned to a purchaser (buyer, orderer) by a taxing jurisdiction (state, county, etc.); often called a tax exemption number or certificate number		
		EDIFICE Usage: REQUIRED.		
Not Used	TAX02	309 Location Qualifier		X ID 1/2
		Code identifying type of location		
		Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	TAX03	310 Location Identifier		X AN 1/30
		Code which identifies a specific location		
Not Used	TAX04	309 Location Qualifier		X ID 1/2
		Code identifying type of location		
		Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	TAX05	310 Location Identifier		X AN 1/30
		Code which identifies a specific location		



Not Used	TAX06	309	Location Qualifier	X	ID 1/2
			Code identifying type of location Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	TAX07	310	Location Identifier	X	AN 1/30
			Code which identifies a specific location		
Not Used	TAX08	309	Location Qualifier	X	ID 1/2
			Code identifying type of location Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	TAX09	310	Location Identifier	X	AN 1/30
			Code which identifies a specific location		
Not Used	TAX10	309	Location Qualifier	X	ID 1/2
			Code identifying type of location Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	TAX11	310	Location Identifier	X	AN 1/30
			Code which identifies a specific location		
	TAX12	441	Tax Exempt Code	O	ID 1/1
			Code identifying exemption status from sales and use tax EDIFICE Usage: REQUIRED.		
			0 Exempt (For Export)		
			1 Yes (Tax Exempt)		
			2 No (Not Tax Exempt)		
			3 Exempt (For Resale)		
			8 Exempt (Sale to U.S. Government)		
			9 Exempt (Per State Law)		
Not Used	TAX13	1179	Customs Entry Type Group Code	O	ID 1/1
			Code identifying a group of entry types as filed with U.S. Customs when goods enter the country Refer to 004010 Data Element Dictionary for acceptable code values.		

Segment: **FOB** F.O.B. Related Instructions

Position: 080
Loop:
Level: Heading
Usage: Optional
Max Use: >1
Purpose: To specify transportation instructions relating to shipment
Syntax Notes: 1 If FOB03 is present, then FOB02 is required.
 2 If FOB04 is present, then FOB05 is required.
 3 If FOB07 is present, then FOB06 is required.
 4 If FOB08 is present, then FOB09 is required.

Semantic Notes: 1 FOB01 indicates which party will pay the carrier.
 2 FOB02 is the code specifying transportation responsibility location.
 3 FOB06 is the code specifying the title passage location.
 4 FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.

Comments:
Notes: EDIFICE Usage: OPTIONAL. The FOB usage for the electronics industry will be to define exceptions to the ship method. The use of the segment to define terms and conditions to the ship method. The use of the segment to define terms and conditions for ownership that overrides the contractual agreement is not recommended.

Data Element Summary

Ref.	Data Element	Name	Attributes
M	FOB01 146	Shipment Method of Payment Code identifying payment terms for transportation charges CC Collect DF Defined by Buyer and Seller PC Prepaid but Charged to Customer PP Prepaid (by Seller) WC Weight Condition	M ID 2/2
	FOB02 309	Location Qualifier Code identifying type of location EDIFICE Usage: DEPENDING. Use if FOB03 used. Code specifying transportation responsibility location. DE Destination (Shipping) OR Origin (Shipping Point)	X ID 1/2
	FOB03 352	Description A free-form description to clarify the related data elements and their content EDIFICE Usage: OPTIONAL. Specify the location of responsibility.	O AN 1/80
	FOB04 334	Transportation Terms Qualifier Code Code identifying the source of the transportation terms EDIFICE Usage: REQUIRED. Code structure used to describe transportation responsibility criteria; qualifies code in Transportation Terms Code. 02 Trade Terms Code	O ID 2/2



	FOB05	335	Transportation Terms Code Code identifying the trade terms which apply to the shipment transportation responsibility EDIFICE Usage: REQUIRED.	X	ID 3/3
			FOB Free on Board		
	FOB06	309	Location Qualifier Code identifying type of location EDIFICE Usage: DEPENDING. Use if FOB07 used. Code specifying title passage location. This code MUST match the terms and conditions between the trading partners.	X	ID 1/2
			DE Destination (Shipping) OR Origin (Shipping Point)		
	FOB07	352	Description A free-form description to clarify the related data elements and their content EDIFICE Usage: OPTIONAL. Description of location where title passes. The actual location should be spelled out.	O	AN 1/80
Not Used	FOB08	54	Risk of Loss Code Code specifying where responsibility for risk of loss passes Refer to 004010 Data Element Dictionary for acceptable code values.	O	ID 2/2
Not Used	FOB09	352	Description A free-form description to clarify the related data elements and their content	X	AN 1/80

Segment: **SAC** Service, Promotion, Allowance, or Charge
Information

Position: 120
Loop: SAC Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

- Syntax Notes:**
- 1 At least one of SAC02 or SAC03 is required.
 - 2 If either SAC03 or SAC04 is present, then the other is required.
 - 3 If either SAC06 or SAC07 is present, then the other is required.
 - 4 If either SAC09 or SAC10 is present, then the other is required.
 - 5 If SAC11 is present, then SAC10 is required.
 - 6 If SAC13 is present, then at least one of SAC02 or SAC04 is required.
 - 7 If SAC14 is present, then SAC13 is required.
 - 8 If SAC16 is present, then SAC15 is required.

- Semantic Notes:**
- 1 If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
 - 2 SAC05 is the total amount for the service, promotion, allowance, or charge.
If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
 - 3 SAC08 is the allowance or charge rate per unit.
 - 4 SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
 - 5 SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
 - 6 SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
 - 7 SAC16 is used to identify the language being used in SAC15.

- Comments:**
- 1 SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02.
 - 2 In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" – Dollars in SAC09.

Notes: EDIFICE Usage: OPTIONAL. Used to specify inspection requirements and other special services or allowances in the electronics industry. If multiple inspections, services or allowances are required, multiple records are sent.



Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	SAC01	248	Allowance or Charge Indicator Code which indicates an allowance or charge for the service specified A Allowance C Charge N No Allowance or Charge	M ID 1/1
	SAC02	1300	Service, Promotion, Allowance, or Charge Code Code identifying the service, promotion, allowance, or charge EDIFICE Usage: REQUIRED. Other codes than those recommended by EDIFICE may be used by trading partner agreement. B020 Certificate of Conformance B030 Certificate of Origin D370 Government Inspection D870 Inspection E840 Notarized Affidavit G780 Ship to Stock Quality Audit G990 Source Inspection H000 Special Allowance	X ID 4/4
	SAC03	559	Agency Qualifier Code Code identifying the agency assigning the code values EDIFICE Usage: OPTIONAL. AX ANSI Accredited Standards Committee, X12	X ID 2/2
Not Used	SAC04	1301	Agency Service, Promotion, Allowance, or Charge Code Agency maintained code identifying the service, promotion, allowance, or charge	X AN 1/10
Not Used	SAC05	610	Amount Monetary amount	O N2 1/15
Not Used	SAC06	378	Allowance/Charge Percent Qualifier Code indicating on what basis allowance or charge percent is calculated Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 1/1
Not Used	SAC07	332	Percent Percent expressed as a percent	X R 1/6
Not Used	SAC08	118	Rate Rate expressed in the standard monetary denomination for the currency specified	O R 1/9
Not Used	SAC09	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 2/2



Not Used	SAC10	380	Quantity	X	R 1/15
			Numeric value of quantity		
Not Used	SAC11	380	Quantity	O	R 1/15
			Numeric value of quantity		
	SAC12	331	Allowance or Charge Method of Handling Code	O	ID 2/2
			Code indicating method of handling for an allowance or charge		
			EDIFICE Usage: ADVISED.		
			06 Charge to be Paid by Customer		
Not Used	SAC13	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
Not Used	SAC14	770	Option Number	O	AN 1/20
			A unique number identifying available promotion or allowance options when more than one is offered		
Not Used	SAC15	352	Description	X	AN 1/80
			A free-form description to clarify the related data elements and their content		
Not Used	SAC16	819	Language Code	O	ID 2/3
			Code designating the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639)		

Segment: **ITD** Terms of Sale/Deferred Terms of Sale

Position: 130

Loop:

Level: Heading

Usage: Optional

Max Use: >1

Purpose: To specify terms of sale

Syntax Notes:

- 1 If ITD03 is present, then at least one of ITD04 ITD05 or ITD13 is required.
- 2 If ITD08 is present, then at least one of ITD04 ITD05 or ITD13 is required.
- 3 If ITD09 is present, then at least one of ITD10 or ITD11 is required.

Semantic Notes:

- 1 ITD15 is the percentage applied to a base amount used to determine a late payment charge.

Comments:

- 1 If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

Notes: EDIFICE Usage: OPTIONAL. The contract terms and conditions should not be changed without a prior trading partner agreement that the other partner allows such overrides.

The use of this segment to override standard terms and conditions is strongly discouraged.

Data Element Summary

Ref.	Data Des.	Element	Name	Attributes
ITD01		336	Terms Type Code Code identifying type of payment terms EDIFICE Usage: ADVISED.	O ID 2/2
			01 Basic	
ITD02		333	Terms Basis Date Code Code identifying the beginning of the terms period EDIFICE Usage: ADVISED.	O ID 1/2
			1 Ship Date	
			2 Delivery Date	
			3 Invoice Date	
ITD03		338	Terms Discount Percent Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date EDIFICE Usage: ADVISED.	O R 1/6
Not Used	ITD04	370	Terms Discount Due Date Date payment is due if discount is to be earned expressed in format CCYYMMDD	X DT 8/8
	ITD05	351	Terms Discount Days Due Number of days in the terms discount period by which payment is due if terms discount is earned EDIFICE Usage: DEPENDING. Required if ITD03 is used.	X NO 1/3



Not Used	ITD06	446	Terms Net Due Date	O DT 8/8
			Date when total invoice amount becomes due expressed in format CCYYMMDD	
	ITD07	386	Terms Net Days	O N0 1/3
			Number of days until total invoice amount is due (discount not applicable)	
			EDIFICE Usage: ADVISED.	
Not Used	ITD08	362	Terms Discount Amount	O N2 1/10
			Total amount of terms discount	
Not Used	ITD09	388	Terms Deferred Due Date	O DT 8/8
			Date deferred payment or percent of invoice payable is due expressed in format CCYYMMDD	
Not Used	ITD10	389	Deferred Amount Due	X N2 1/10
			Deferred amount due for payment	
Not Used	ITD11	342	Percent of Invoice Payable	X R 1/5
			Amount of invoice payable expressed in percent	
Not Used	ITD12	352	Description	O AN 1/80
			A free-form description to clarify the related data elements and their content	
Not Used	ITD13	765	Day of Month	X N0 1/2
			The numeric value of the day of the month between 1 and the maximum day of the month being referenced	
Not Used	ITD14	107	Payment Method Code	O ID 1/2
			Code identifying type of payment procedures Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	ITD15	954	Percent	O R 1/10
			Percentage expressed as a decimal	

Segment: DTM Date/Time Reference

- Position:** 150
- Loop:**
- Level:** Heading
- Usage:** Optional
- Max Use:** 10
- Purpose:** To specify pertinent dates and times
- Syntax Notes:**
 - 1 At least one of DTM02 DTM03 or DTM05 is required.
 - 2 If DTM04 is present, then DTM03 is required.
 - 3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes:

Comments:

Notes: EDIFICE Usage: DEPENDING. If Purchase Order Type on BEG is "BE" or "BK", use, if needed, to convey expiration date of blanket order.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	DTM01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time 036 Expiration Date coverage expires	M ID 3/3
	DTM02	373	Date Date expressed as CCYYMMDD EDIFICE Usage: REQUIRED. Expiration date of blanket order.	X DT 8/8
Not Used	DTM03	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X TM 4/8
Not Used	DTM04	623	Time Code Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/2
Not Used	DTM05	1250	Date Time Period Format Qualifier Code indicating the date format, time format, or date and time format Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 2/3



Not
Used

DTM06

1251

Date Time Period

X AN 1/35

Expression of a date, a time, or range of dates, times or dates
and times



Segment: PWK Paperwork

Position: 210

Loop:

Level: Heading

Usage: Optional

Max Use: 25

Purpose: To identify the type or transmission or both of paperwork or supporting information

Syntax Notes: 1 If either PWK05 or PWK06 is present, then the other is required.

Semantic Notes:

- Comments:**
- 1 PWK05 and PWK06 may be used to identify the addressee by a code number.
 - 2 PWK07 may be used to indicate special information to be shown on the specified report.
 - 3 PWK08 may be used to indicate action pertaining to a report.

Notes: EDIFICE Usage: OPTIONAL. This segment is used to specify the method of delivery of Certificates of Compliance and the number of copies required.

Data Element Summary

Ref.	Data Element	Name	Attributes
M	PWK01	755 Report Type Code Code indicating the title or contents of a document, report or supporting item CP Certificate of Compliance (Material Certification)	M ID 2/2
	PWK02	756 Report Transmission Code Code defining timing, transmission method or format by which reports are to be sent EDIFICE Usage: ADVISED. WS With Shipment (With Package)	O ID 1/2
	PWK03	757 Report Copies Needed The number of copies of a report that should be sent to the addressee EDIFICE Usage: ADVISED.	O NO 1/2
Not Used	PWK04	98 Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/3
Not Used	PWK05	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 1/2
Not Used	PWK06	67 Identification Code	X AN 2/80



Code identifying a party or other code



Not Used	PWK07	352	Description A free-form description to clarify the related data elements and their content	O AN 1/80
Not Used	PWK08	C002	Actions Indicated	O
Not Used	C00201	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 1/2
Not Used	C00202	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2
Not Used	C00203	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2
Not Used	C00204	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2
Not Used	C00205	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2
Not Used	PWK09	1525	Request Category Code Code indicating a type of request Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2

Segment: **TD5 Carrier Details (Routing Sequence/Transit Time)**

Position: 240

Loop:

Level: Heading

Usage: Optional

Max Use: 12

Purpose: To specify the carrier and sequence of routing and provide transit time information

- Syntax Notes:**
- 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required.
 - 2 If TD502 is present, then TD503 is required.
 - 3 If TD507 is present, then TD508 is required.
 - 4 If TD510 is present, then TD511 is required.
 - 5 If TD513 is present, then TD512 is required.
 - 6 If TD514 is present, then TD513 is required.
 - 7 If TD515 is present, then TD512 is required.

Semantic Notes: 1 TD515 is the country where the service is to be performed.

Comments: 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

Notes: EDIFICE Usage: OPTIONAL.

It is RECOMMENDED that this data be communicated when the trading partners allow a change to the carrier via EDI.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>		
TD501	133	Routing Sequence Code Code describing the relationship of a carrier to a specific shipment movement EDIFICE Usage: DEPENDING. Use Routing Sequence Code when explicitly specifying each carrier and sequence.	O ID 1/2
		O Origin Carrier (Air, Motor, or Ocean)	
TD502	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) EDIFICE Usage: REQUIRED.	X ID 1/2
		2 Standard Carrier Alpha Code (SCAC)	
		9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	
		14 UCC/EAN Location Code Prefix The first part of a 13 digit UCC/EAN Location Code within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system. A globally unique 3 to 10 digit code for the identification of a company	



		91	Assigned by Seller or Seller's Agent		
		92	Assigned by Buyer or Buyer's Agent		
	TD503	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
			EDIFICE Usage: REQUIRED.		
	TD504	91	Transportation Method/Type Code	X	ID 1/2
			Code specifying the method or type of transportation for the shipment		
			EDIFICE Usage: ADVISED.		
		A	Air		
		AE	Air Express		
		B	Barge		
		BP	Book Postal		
		D	Parcel Post		
		H	Customer Pickup		
		L	Contract Carrier		
		M	Motor (Common Carrier)		
		P	Private Carrier		
		U	Private Parcel Service		
	TD505	387	Routing	X	AN 1/35
			Free-form description of the routing or requested routing for shipment, or the originating carrier's identity		
			EDIFICE Usage: ADVISED.		
Not Used	TD506	368	Shipment/Order Status Code	X	ID 2/2
			Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction		
			Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	TD507	309	Location Qualifier	O	ID 1/2
			Code identifying type of location		
			Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	TD508	310	Location Identifier	X	AN 1/30
			Code which identifies a specific location		
	TD509	731	Transit Direction Code	O	ID 2/2
			The point of origin and point of direction		
			EDIFICE Usage: DEPENDING. Advised if TD510 and TD511 are used.		
	TD510	732	Transit Time Direction Qualifier	O	ID 2/2
			Code specifying the value of time used to measure the transit time		
			EDIFICE Usage: DEPENDING. Use if TD511 used. Working days are the seller's working days. The difference in companies' working calendars is a trading partner issue.		
		CD	Calendar Days (Includes weekends and Holidays)		



WD

Working Days (Excludes weekends and holidays)



	TD511	733	Transit Time The numeric amount of transit time EDIFICE Usage: DEPENDING. Transit days for the carrier specified. The transit time must be provided if this segment is used to change the default carrier that has been agreed upon by the trading partners.	X R 1/4
Not Used	TD512	284	Service Level Code Code indicating the level of transportation service or the billing service offered by the transportation carrier Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 2/2
Not Used	TD513	284	Service Level Code Code indicating the level of transportation service or the billing service offered by the transportation carrier Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 2/2
Not Used	TD514	284	Service Level Code Code indicating the level of transportation service or the billing service offered by the transportation carrier Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/2
Not Used	TD515	26	Country Code Code identifying the country	O ID 2/3



Segment: N1 Name

- Position:** 310
- Loop:** N1 Optional
- Level:** Heading
- Usage:** Optional
- Max Use:** 1
- Purpose:** To identify a party by type of organization, name, and code
- Syntax Notes:**
 - 1 At least one of N102 or N103 is required.
 - 2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

- Comments:**
- 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 - 2 N105 and N106 further define the type of entity in N101.

Notes: EDIFICE Usage: REQUIRED.

This segment is used to identify the parties involved in the transaction. It is encouraged that the trading partners codify all addresses within their system. The use of only the N1 segment with Bill-to and Ship-to values is encouraged.

Data Element Summary

Ref.	Data Element	Name	Attributes
M	N101	98 Entity Identifier Code	M ID 2/3
		Code identifying an organizational entity, a physical location, property or an individual	
		28 Subcontractor	
		AK Party to Whom Acknowledgment Should Be Sent	
		BT Bill-to-Party	
		BY Buying Party (Purchaser)	
		CN Consignee	
		DB Distributor Branch	
		DS Distributor	
		EN End User	
		MA Party for whom Item is Ultimately Intended	
		MF Manufacturer of Goods	
		PG Prime Contractor	
		RI Remit To	
		SE Selling Party	
		ST Ship To	
		SU Supplier/Manufacturer	
	N102	93 Name	X AN 1/60
		Free-form name	
		EDIFICE Usage: ADVISED.	



	N103	66	Identification Code Qualifier	X	ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)		
			EDIFICE Usage: DEPENDING. Required if N104 used.		
			1 D-U-N-S Number, Dun & Bradstreet		
			9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix		
			14 UCC/EAN Location Code Prefix		
			The first part of a 13 digit UCC/EAN Location Code within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system. A globally unique 3 to 10 digit code for the identification of a company		
			91 Assigned by Seller or Seller's Agent		
			92 Assigned by Buyer or Buyer's Agent		
	N104	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
			EDIFICE Usage: ADVISED.		
Not Used	N105	706	Entity Relationship Code	O	ID 2/2
			Code describing entity relationship		
			Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	N106	98	Entity Identifier Code	O	ID 2/3
			Code identifying an organizational entity, a physical location, property or an individual		
			Refer to 004010 Data Element Dictionary for acceptable code values.		

Segment: N2 Additional Name Information

Position: 320

Loop: N1 Optional

Level: Heading

Usage: Optional

Max Use: 2

Purpose: To specify additional names or those longer than 35 characters in length

Syntax Notes:

Semantic Notes:

Comments:

Notes: EDIFICE Usage: OPTIONAL. Use only when address information cannot be conveyed via an Identification Code on the N1 segment.

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
M	N201	93 Name Free-form name	M AN 1/60
	N202	93 Name Free-form name EDIFICE Usage: OPTIONAL.	O AN 1/60



Segment: N3 Address Information

Position: 330
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party

Syntax Notes:
Semantic Notes:
Comments:

Notes: EDIFICE Usage: OPTIONAL. Use only when address information cannot be conveyed via an Identification Code on the N1 segment.

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	N301	166	Address Information Address information	M AN 1/55
	N302	166	Address Information Address information EDIFICE Usage: OPTIONAL.	O AN 1/55

Segment: N4 Geographic Location

- Position:** 340
- Loop:** N1 Optional
- Level:** Heading
- Usage:** Optional
- Max Use:** >1
- Purpose:** To specify the geographic place of the named party
- Syntax Notes:** 1 If N406 is present, then N405 is required.
- Semantic Notes:**
- Comments:**
 - 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
 - 2 N402 is required only if city name (N401) is in the U.S. or Canada.
- Notes:** EDIFICE Usage: OPTIONAL. Use only when address information cannot be conveyed via an Identification Code on the N1 segment.

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
N401	19	City Name Free-form text for city name EDIFICE Usage: ADVISED.	O AN 2/30
N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency EDIFICE Usage: OPTIONAL.	O ID 2/2
N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States) EDIFICE Usage: ADVISED.	O ID 3/15
N404	26	Country Code Code identifying the country EDIFICE Usage: ADVISED.	O ID 2/3
Not Used	N405	Location Qualifier Code identifying type of location Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 1/2
Not Used	N406	Location Identifier Code which identifies a specific location	O AN 1/30



Segment: PER Administrative Communications Contact

Position: 360
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: >1
Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax Notes:**
- 1 If either PER03 or PER04 is present, then the other is required.
 - 2 If either PER05 or PER06 is present, then the other is required.
 - 3 If either PER07 or PER08 is present, then the other is required.

Semantic Notes:
Comments:

Notes: EDIFICE Usage: ADVISED. Electronic Industry use should relate only to the parties responsible for originating the purchase order.

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
M	PER01	366 Contact Function Code Code identifying the major duty or responsibility of the person or group named BD Buyer Name or Department CW Confirmed With EX Expeditor IC Information Contact RD Receiving Dock	M ID 2/2
	PER02	93 Name Free-form name EDIFICE Usage: ADVISED.	O AN 1/60
	PER03	365 Communication Number Qualifier Code identifying the type of communication number EDIFICE Usage: DEPENDING. Use if PER04 used. EM Electronic Mail TE Telephone TL Telex TX TWX	X ID 2/2
	PER04	364 Communication Number Complete communications number including country or area code when applicable EDIFICE Usage: ADVISED. If Communications Number Qualifier equals "TE" (Telephone), the proposed format is: 800-555-1212X1234.	X AN 1/80
Not Used	PER05	365 Communication Number Qualifier Code identifying the type of communication number Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 2/2
Not Used	PER06	364 Communication Number	X AN 1/80



Not Used	PER07	365	Complete communications number including country or area code when applicable Communication Number Qualifier	X	ID 2/2
Not Used	PER08	364	Code identifying the type of communication number Refer to 004010 Data Element Dictionary for acceptable code values. Communication Number	X	AN 1/80
Not Used	PER09	443	Complete communications number including country or area code when applicable Contact Inquiry Reference	O	AN 1/20
			Additional reference number or description to clarify a contact number		

Segment: PO1 Baseline Item Data

- Position:** 010
- Loop:** PO1 Mandatory
- Level:** Detail
- Usage:** Mandatory
- Max Use:** 1
- Purpose:** To specify basic and most frequently used line item data
- Syntax Notes:**
 - 1 If PO103 is present, then PO102 is required.
 - 2 If PO105 is present, then PO104 is required.
 - 3 If either PO106 or PO107 is present, then the other is required.
 - 4 If either PO108 or PO109 is present, then the other is required.
 - 5 If either PO110 or PO111 is present, then the other is required.
 - 6 If either PO112 or PO113 is present, then the other is required.
 - 7 If either PO114 or PO115 is present, then the other is required.
 - 8 If either PO116 or PO117 is present, then the other is required.
 - 9 If either PO118 or PO119 is present, then the other is required.
 - 10 If either PO120 or PO121 is present, then the other is required.
 - 11 If either PO122 or PO123 is present, then the other is required.
 - 12 If either PO124 or PO125 is present, then the other is required.

Semantic Notes:

- Comments:**
 - 1 See the Data Element Dictionary for a complete list of IDs.
 - 2 PO101 is the line item identification.
 - 3 PO106 through PO125 provide for ten different product/service IDs per each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

Notes: There is one PO1 segment for each different part number. A limit of 99 or fewer PO1 segments per order is strongly encouraged. The Product ID Qualifiers and Product ID should completely specify the parts being ordered.

Data Element Summary

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
PO101	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set EDIFICE Usage: DEPENDING. Line item number (Assigned Identity) is required for Stand-Alone Purchase Orders but optional for Blanket Purchase orders. EDIFICE strongly recommends using no more than 6 characters for this field.	O AN 1/20
PO102	330	Quantity Ordered Quantity ordered EDIFICE Usage: REQUIRED. The total quantity ordered for all the requested ship dates provided in the SCH segments.	X R 1/15



PO103	355	Unit or Basis for Measurement Code	O ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
		EDIFICE Usage: REQUIRED.	
		EA Each	
PO104	212	Unit Price	X R 1/17
		Price per unit of product, service, commodity, etc.	
		EDIFICE Usage: REQUIRED.	
PO105	639	Basis of Unit Price Code	O ID 2/2
		Code identifying the type of unit price for an item	
		EDIFICE Usage: REQUIRED.	
		CA Catalog	
		CT Contract	
		DI Distributor	
		HP Price per Hundred	
		PE Price per Each	
		QT Quoted	
		TE Contract Price per Each	
		TP Price per Thousand	
PO106	235	Product/Service ID Qualifier	X ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
		EDIFICE Usage: REQUIRED.	
		AB Assembly	
		BP Buyer's Part Number	
		DR Drawing Revision Number	
		EC Engineering Change Level	
		EN European Article Number (EAN) (2-5-5-1)	
		GS General Specification Number	
		MG Manufacturer's Part Number	
		PC Prime Contractor Part Number	
		PK Packaging Drawing	
		PN Company Part Number	
		PT Print or Drawing	
		UP U.P.C. Consumer Package Code (1-5-5-1)	
		VP Vendor's (Seller's) Part Number	
PO107	234	Product/Service ID	X AN 1/48
		Identifying number for a product or service	
		EDIFICE Usage: REQUIRED.	
		At least one occurrence of a combination of data elements 235 (Product/Service ID Qualifier) and 234 (Product/Service ID) is required.	
PO108	235	Product/Service ID Qualifier	X ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
		See code list under PO106.	
PO109	234	Product/Service ID	X AN 1/48
		Identifying number for a product or service	
PO110	235	Product/Service ID Qualifier	X ID 2/2
		Code identifying the type/source of the descriptive number used	



		in Product/Service ID (234) See code list under PO106.		
PO111	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
PO112	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) See code list under PO106.	X	ID 2/2
PO113	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
PO114	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) See code list under PO106.	X	ID 2/2
PO115	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
PO116	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) See code list under PO106.	X	ID 2/2
PO117	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
PO118	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) See code list under PO106.	X	ID 2/2
PO119	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
PO120	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) See code list under PO106.	X	ID 2/2
PO121	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
PO122	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) See code list under PO106.	X	ID 2/2
PO123	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
PO124	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) See code list under PO106.	X	ID 2/2
PO125	234	Product/Service ID Identifying number for a product or service	X	AN 1/48



Segment: PWK Paperwork

Position: 070
Loop: PO1 Mandatory
Level: Detail
Usage: Optional
Max Use: 25
Purpose: To identify the type or transmission or both of paperwork or supporting information

Syntax Notes: 1 If either PWK05 or PWK06 is present, then the other is required.

Semantic Notes:

- Comments:**
- 1 PWK05 and PWK06 may be used to identify the addressee by a code number.
 - 2 PWK07 may be used to indicate special information to be shown on the specified report.
 - 3 PWK08 may be used to indicate action pertaining to a report.

Notes: EDIFICE Usage: OPTIONAL. This segment is used to specify the method of delivery of Certificates of Compliance and the number of copies required.

Data Element Summary

Ref.	Data Element	Name	Attributes
M	PWK01	755 Report Type Code Code indicating the title or contents of a document, report or supporting item CP Certificate of Compliance (Material Certification)	M ID 2/2
	PWK02	756 Report Transmission Code Code defining timing, transmission method or format by which reports are to be sent EDIFICE Usage: ADVISED. WS With Shipment (With Package)	O ID 1/2
	PWK03	757 Report Copies Needed The number of copies of a report that should be sent to the addressee EDIFICE Usage: ADVISED.	O NO 1/2
Not Used	PWK04	98 Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/3
Not Used	PWK05	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 1/2
Not Used	PWK06	67 Identification Code	X AN 2/80



Code identifying a party or other code



Not Used	PWK07	352	Description A free-form description to clarify the related data elements and their content	O AN 1/80
Not Used	PWK08	C002	Actions Indicated	O
Not Used	C00201	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 1/2
Not Used	C00202	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2
Not Used	C00203	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2
Not Used	C00204	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2
Not Used	C00205	704	Paperwork/Report Action Code Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2
Not Used	PWK09	1525	Request Category Code Code indicating a type of request Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 1/2

Segment: PO4 Item Physical Details

Position: 090
Loop: PO1 Mandatory
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify the physical qualities, packaging, weights, and dimensions relating to the item

- Syntax Notes:**
- 1 If either PO402 or PO403 is present, then the other is required.
 - 2 If PO405 is present, then PO406 is required.
 - 3 If either PO406 or PO407 is present, then the other is required.
 - 4 If either PO408 or PO409 is present, then the other is required.
 - 5 If PO410 is present, then PO413 is required.
 - 6 If PO411 is present, then PO413 is required.
 - 7 If PO412 is present, then PO413 is required.
 - 8 If PO413 is present, then at least one of PO410 PO411 or PO412 is required.
 - 9 If PO417 is present, then PO416 is required.
 - 10 If PO418 is present, then PO404 is required.

- Semantic Notes:**
- 1 PO415 is used to indicate the relative layer of this package or range of packages within the layers of packaging. Relative Position 1 (value R1) is the innermost package.
 - 2 PO416 is the package identifier or the beginning package identifier in a range of identifiers.
 - 3 PO417 is the ending package identifier in a range of identifiers.
 - 4 PO418 is the number of packages in this layer.

- Comments:**
- 1 PO403 – The "Unit or Basis for Measure Code" in this segment position is for purposes of defining the pack (PO401) /size (PO402) measure which indicates the quantity in the inner pack unit. For example: If the carton contains 24 12-Ounce packages, it would be described as follows: Data element 356 = "24"; Data element 357 = "12"; Data element 355 = "OZ".
 - 2 PO413 defines the unit of measure for PO410, PO411, and PO412.

Notes: EDIFICE Usage: OPTIONAL. Packaging information is conveyed using PO405, Packaging Code, in the PO4 segment. This is a 5 digit, concatenated field with the first 3 digits for "packaging form" and the final 2 for "packaging material".

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
Not Used PO401	356	Pack	O N0 1/6

The number of inner containers, or number of eaches if there are no inner containers, per outer container



Not Used	PO402	357	Size	X R 1/8
Not Used	PO403	355	Size of supplier units in pack Unit or Basis for Measurement Code	X ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	
	PO404	103	Packaging Code	X AN 3/5
			Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required EDIFICE Usage: REQUIRED. These agreements apply to "secondary packaging", not items such as "surface mount", which are considered to be part specifications. This does not apply to shipping packaging, which is used in segment TD1. Part 1: BLK Bulk RAL Rail (Semiconductor) REL Reel TRY Tray Part 2: 90 Standard AMM Ammo Pack BLK Bulk RAL Rail (Semiconductor) REL Reel TRY Tray 90 Standard	
Not Used	PO405	187	Weight Qualifier	O ID 1/2
			Code defining the type of weight Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	PO406	384	Gross Weight per Pack	X R 1/9
			Numeric value of gross weight per pack	
Not Used	PO407	355	Unit or Basis for Measurement Code	X ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	PO408	385	Gross Volume per Pack	X R 1/9
			Numeric value of gross volume per pack	



Not Used	PO409	355	Unit or Basis for Measurement Code	X	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	PO410	82	Length	X	R 1/8
			Largest horizontal dimension of an object measured when the object is in the upright position		
Not Used	PO411	189	Width	X	R 1/8
			Shorter measurement of the two horizontal dimensions measured with the object in the upright position		
Not Used	PO412	65	Height	X	R 1/8
			Vertical dimension of an object measured when the object is in the upright position		
Not Used	PO413	355	Unit or Basis for Measurement Code	X	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	PO414	810	Inner Pack	O	N0 1/6
			The number of eaches per inner container		
Not Used	PO415	752	Surface/Layer/Position Code	O	ID 2/2
			Code indicating the product surface, layer or position that is being described Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	PO416	350	Assigned Identification	X	AN 1/20
			Alphanumeric characters assigned for differentiation within a transaction set		
Not Used	PO417	350	Assigned Identification	O	AN 1/20
			Alphanumeric characters assigned for differentiation within a transaction set		
Not Used	PO418	1470	Number	O	N0 1/9
			A generic number		



Segment: REF Reference Identification

- Position:** 100
- Loop:** PO1 Mandatory
- Level:** Detail
- Usage:** Optional
- Max Use:** >1
- Purpose:** To specify identifying information
- Syntax Notes:**
 - 1 At least one of REF02 or REF03 is required.
 - 2 If either C04003 or C04004 is present, then the other is required.
 - 3 If either C04005 or C04006 is present, then the other is required.
- Semantic Notes:**
 - 1 REF04 contains data relating to the value cited in REF02.

Comments:

Notes: EDIFICE Usage: OPTIONAL. This segment is used for reference numbers that are agreed upon by both trading partners. There is one reference number per segment. . At the line item level, the REF segment may also contain "spillover" identifiers that continue the list of identifiers in the PO1 segment

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification CJ Clause Number DQ Delivery Quote Number GC Government Contract Number GP Government Priority Number IT Internal Customer Number PH Priority Rating PR Price Quote Number RE Release Number While release number may be carried at the header level, it is recommended that release number be carried in an REF segment at the line item level.	M ID 2/3
			VN Vendor Order Number	
	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier EDIFICE Usage: REQUIRED.	X AN 1/30
Not Used	REF03	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80



Not Used	REF04	C040	Reference Identifier	O
			To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	
Not Used	C04001	128	Reference Identification Qualifier	M ID 2/3
			Code qualifying the Reference Identification Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	C04002	127	Reference Identification	M AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
Not Used	C04003	128	Reference Identification Qualifier	X ID 2/3
			Code qualifying the Reference Identification Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	C04004	127	Reference Identification	X AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
Not Used	C04005	128	Reference Identification Qualifier	X ID 2/3
			Code qualifying the Reference Identification Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	C04006	127	Reference Identification	X AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	

Segment: **SAC** Service, Promotion, Allowance, or Charge
Information

Position: 130
Loop: SAC Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

- Syntax Notes:**
- 1 At least one of SAC02 or SAC03 is required.
 - 2 If either SAC03 or SAC04 is present, then the other is required.
 - 3 If either SAC06 or SAC07 is present, then the other is required.
 - 4 If either SAC09 or SAC10 is present, then the other is required.
 - 5 If SAC11 is present, then SAC10 is required.
 - 6 If SAC13 is present, then at least one of SAC02 or SAC04 is required.
 - 7 If SAC14 is present, then SAC13 is required.
 - 8 If SAC16 is present, then SAC15 is required.

- Semantic Notes:**
- 1 If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
 - 2 SAC05 is the total amount for the service, promotion, allowance, or charge.
If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
 - 3 SAC08 is the allowance or charge rate per unit.
 - 4 SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
 - 5 SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
 - 6 SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
 - 7 SAC16 is used to identify the language being used in SAC15.

- Comments:**
- 1 SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02.
 - 2 In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" – Dollars in SAC09.

Notes: EDIFICE Usage: OPTIONAL. Used to specify inspection requirements and other special services or allowances in the electronics industry. If multiple inspections, services or allowances are required, multiple records are sent.



Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	SAC01	248	Allowance or Charge Indicator Code which indicates an allowance or charge for the service specified A Allowance C Charge N No Allowance or Charge	M ID 1/1
	SAC02	1300	Service, Promotion, Allowance, or Charge Code Code identifying the service, promotion, allowance, or charge EDIFICE Usage: REQUIRED. Other codes than those recommended by EDIFICE may be used by trading partner agreement. B020 Certificate of Conformance B030 Certificate of Origin D370 Government Inspection D870 Inspection E840 Notarized Affidavit G780 Ship to Stock Quality Audit G990 Source Inspection H000 Special Allowance	X ID 4/4
	SAC03	559	Agency Qualifier Code Code identifying the agency assigning the code values EDIFICE Usage: OPTIONAL. AX ANSI Accredited Standards Committee, X12	X ID 2/2
Not Used	SAC04	1301	Agency Service, Promotion, Allowance, or Charge Code Agency maintained code identifying the service, promotion, allowance, or charge	X AN 1/10
	SAC05	610	Amount Monetary amount EDIFICE Usage: DEPENDING. Use if a monetary amount is associated with the charge or allowance.	O N2 1/15
Not Used	SAC06	378	Allowance/Charge Percent Qualifier Code indicating on what basis allowance or charge percent is calculated Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 1/1
Not Used	SAC07	332	Percent Percent expressed as a percent	X R 1/6
Not Used	SAC08	118	Rate Rate expressed in the standard monetary denomination for the currency specified	O R 1/9
Not Used	SAC09	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code	X ID 2/2



values.



Not Used	SAC10	380	Quantity	X	R 1/15
			Numeric value of quantity		
Not Used	SAC11	380	Quantity	O	R 1/15
			Numeric value of quantity		
	SAC12	331	Allowance or Charge Method of Handling Code	O	ID 2/2
			Code indicating method of handling for an allowance or charge		
			EDIFICE Usage: ADVISED.		
			06 Charge to be Paid by Customer		
Not Used	SAC13	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
Not Used	SAC14	770	Option Number	O	AN 1/20
			A unique number identifying available promotion or allowance options when more than one is offered		
Not Used	SAC15	352	Description	X	AN 1/80
			A free-form description to clarify the related data elements and their content		
Not Used	SAC16	819	Language Code	O	ID 2/3
			Code designating the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639)		



Segment: SCH Line Item Schedule

- Position:** 295
- Loop:** SCH Optional
- Level:** Detail
- Usage:** Optional
- Max Use:** 1
- Purpose:** To specify the data for scheduling a specific line-item
- Syntax Notes:**
 - 1 If SCH03 is present, then SCH04 is required.
 - 2 If SCH08 is present, then at least one of SCH09 or SCH10 is required.
 - 3 If SCH09 is present, then SCH08 is required.
 - 4 If SCH10 is present, then SCH08 is required.
- Semantic Notes:**
 - 1 SCH12 is the schedule identification.
- Comments:**
 - 1 SCH05 specifies the interpretation to be used for SCH06 and SCH07.
- Notes:** EDIFICE Usage: ADVISED. Optional if Purchase Order Type is Blanket Order with Estimated Quantities/No Firm Deliveries. Some trading partners may require at least one "dummy" SCH segment for this type of blanket order.

The SCH always communicates the buyer's item schedule in the electronics industry.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	SCH01	380	Quantity Numeric value of quantity	M R 1/15
M	SCH02	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken EA Each	M ID 2/2
Not Used	SCH03	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/3
Not Used	SCH04	93	Name Free-form name	X AN 1/60

M	SCH05	374	Date/Time Qualifier Code specifying type of date or time, or both date and time	M ID 3/3
			002 Delivery Requested	
			010 Requested Ship	
			036 Expiration Date coverage expires	
			Use when generating a "dummy" SCH segment for Blanket Order with Estimated Quantities/No Firm Deliveries.	
			037 Ship Not Before	
			038 Ship No Later	
			063 Do Not Deliver After	
			064 Do Not Deliver Before	
			112 Buyers Dock	
M	SCH06	373	Date Date expressed as CCYYMMDD	M DT 8/8
Not Used	SCH07	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	O TM 4/8
Not Used	SCH08	374	Date/Time Qualifier Code specifying type of date or time, or both date and time Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 3/3
Not Used	SCH09	373	Date Date expressed as CCYYMMDD	X DT 8/8
Not Used	SCH10	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X TM 4/8
Not Used	SCH11	326	Request Reference Number Reference number or RFQ number to use to identify a particular transaction set and query (additional reference number or description which can be used with contract number)	O AN 1/45
Not Used	SCH12	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O AN 1/20

Segment: **TD5 Carrier Details (Routing Sequence/Transit Time)**

Position: 297
Loop: SCH Optional
Level: Detail
Usage: Optional
Max Use: 12
Purpose: To specify the carrier and sequence of routing and provide transit time information

Syntax Notes:

- 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required.
- 2 If TD502 is present, then TD503 is required.
- 3 If TD507 is present, then TD508 is required.
- 4 If TD510 is present, then TD511 is required.
- 5 If TD513 is present, then TD512 is required.
- 6 If TD514 is present, then TD513 is required.
- 7 If TD515 is present, then TD512 is required.

Semantic Notes: 1 TD515 is the country where the service is to be performed.

Comments: 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

Notes: EDIFICE Usage: OPTIONAL.

It is RECOMMENDED that this data be communicated when the trading partners allow a change to the carrier via EDI.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
TD501	133		Routing Sequence Code Code describing the relationship of a carrier to a specific shipment movement EDIFICE Usage: DEPENDING. Use Routing Sequence Code when explicitly specifying each carrier and sequence.	O ID 1/2
			O Origin Carrier (Air, Motor, or Ocean)	



	TD502	66	Identification Code Qualifier	X	ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)		
			EDIFICE Usage: REQUIRED.		
			1 D-U-N-S Number, Dun & Bradstreet		
			2 Standard Carrier Alpha Code (SCAC)		
			8 UCC/EAN Global Product Identification Prefix		
			The first part of a UCC/EAN Product Identification Code within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system; A globally unique 3 to 10 digit code for the identification of the company assigning the remainder of the ID code, such as U.P.C., EAN-13, SCC-14, EAN-14 or SSCC-18		
			9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix		
			91 Assigned by Seller or Seller's Agent		
			92 Assigned by Buyer or Buyer's Agent		
	TD503	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
			EDIFICE Usage: REQUIRED.		
	TD504	91	Transportation Method/Type Code	X	ID 1/2
			Code specifying the method or type of transportation for the shipment		
			EDIFICE Usage: ADVISED.		
			A Air		
			AE Air Express		
			B Barge		
			BP Book Postal		
			D Parcel Post		
			H Customer Pickup		
			L Contract Carrier		
			M Motor (Common Carrier)		
			P Private Carrier		
			U Private Parcel Service		
	TD505	387	Routing	X	AN 1/35
			Free-form description of the routing or requested routing for shipment, or the originating carrier's identity		
			EDIFICE Usage: ADVISED.		
Not Used	TD506	368	Shipment/Order Status Code	X	ID 2/2
			Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction		
			Refer to 004010 Data Element Dictionary for acceptable code values.		
Not Used	TD507	309	Location Qualifier	O	ID 1/2
			Code identifying type of location		
			Refer to 004010 Data Element Dictionary for acceptable code		



Not Used	TD508	310	values. Location Identifier	X	AN 1/30
	TD509	731	Code which identifies a specific location Transit Direction Code The point of origin and point of direction EDIFICE Usage: DEPENDING. Advised if TD510 and TD511 are used.	O	ID 2/2
	TD510	732	SB Seller to Buyer Transit Time Direction Qualifier Code specifying the value of time used to measure the transit time EDIFICE Usage: DEPENDING. Use if TD511 used. Working days are the seller's working days. The difference in companies' working calendars is a trading partner issue. CW Calendar Weeks (7 Day) WD Working Days (Excludes weekends and holidays)	O	ID 2/2
	TD511	733	Transit Time The numeric amount of transit time EDIFICE Usage: DEPENDING. Transit days for the carrier specified. The transit time must be provided if this segment is used to change the default carrier that has been agreed upon by the trading partners.	X	R 1/4
Not Used	TD512	284	Service Level Code Code indicating the level of transportation service or the billing service offered by the transportation carrier Refer to 004010 Data Element Dictionary for acceptable code values.	X	ID 2/2
Not Used	TD513	284	Service Level Code Code indicating the level of transportation service or the billing service offered by the transportation carrier Refer to 004010 Data Element Dictionary for acceptable code values.	X	ID 2/2
Not Used	TD514	284	Service Level Code Code indicating the level of transportation service or the billing service offered by the transportation carrier Refer to 004010 Data Element Dictionary for acceptable code values.	O	ID 2/2
Not Used	TD515	26	Country Code Code identifying the country	O	ID 2/3

Segment: **SLN** Subline Item Detail

Position:	470
Loop:	SLN Optional
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify product subline detail item data
Syntax Notes:	<ol style="list-style-type: none">1 If either SLN04 or SLN05 is present, then the other is required.2 If SLN07 is present, then SLN06 is required.3 If SLN08 is present, then SLN06 is required.4 If either SLN09 or SLN10 is present, then the other is required.5 If either SLN11 or SLN12 is present, then the other is required.6 If either SLN13 or SLN14 is present, then the other is required.7 If either SLN15 or SLN16 is present, then the other is required.8 If either SLN17 or SLN18 is present, then the other is required.9 If either SLN19 or SLN20 is present, then the other is required.10 If either SLN21 or SLN22 is present, then the other is required.11 If either SLN23 or SLN24 is present, then the other is required.12 If either SLN25 or SLN26 is present, then the other is required.13 If either SLN27 or SLN28 is present, then the other is required.
Semantic Notes:	<ol style="list-style-type: none">1 SLN01 is the identifying number for the subline item.2 SLN02 is the identifying number for the subline level. The subline level is analogous to the level code used in a bill of materials.3 SLN03 is the configuration code indicating the relationship of the subline item to the baseline item.4 SLN08 is a code indicating the relationship of the price or amount to the associated segment.
Comments:	<ol style="list-style-type: none">1 See the Data Element Dictionary for a complete list of IDs.2 SLN01 is related to (but not necessarily equivalent to) the baseline item number. Example: 1.1 or 1A might be used as a subline number to relate to baseline number 1.3 SLN09 through SLN28 provide for ten different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.
Notes:	EDIFICE USAGE: Optional.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SLN01	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set Identifying numbers for the subline item. Related to (but not necessarily equivalent to) the baseline item number. Example: 1.1 or 1A might be used as a subline number to relate to baseline number 1.	M AN 1/20
	SLN02	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set Line number related to bill of materials.	O AN 1/20
Must Use	SLN03	662	Relationship Code Code indicating the relationship between entities Line number related to bill of materials. Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 1/1
	SLN04	380	Quantity Numeric value of quantity	X R 1/15
	SLN05	C001	Composite Unit of Measure To identify a composite unit of measure (See Figures Appendix for examples of use)	X
Must Use	C00101	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 2/2
Not Used	C00102	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00103	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00104	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/2
Not Used	C00105	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00106	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10



Not Used	C00107	355	Unit or Basis for Measurement Code	O ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	C00108	1018	Exponent	O R 1/15
			Power to which a unit is raised	
Not Used	C00109	649	Multiplier	O R 1/10
			Value to be used as a multiplier to obtain a new value	
Not Used	C00110	355	Unit or Basis for Measurement Code	O ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	C00111	1018	Exponent	O R 1/15
			Power to which a unit is raised	
Not Used	C00112	649	Multiplier	O R 1/10
			Value to be used as a multiplier to obtain a new value	
Not Used	C00113	355	Unit or Basis for Measurement Code	O ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	C00114	1018	Exponent	O R 1/15
			Power to which a unit is raised	
Not Used	C00115	649	Multiplier	O R 1/10
			Value to be used as a multiplier to obtain a new value	
	SLN06	212	Unit Price	X R 1/17
			Price per unit of product, service, commodity, etc.	
Not Used	SLN07	639	Basis of Unit Price Code	O ID 2/2
			Code identifying the type of unit price for an item Refer to 004010 Data Element Dictionary for acceptable code values.	
	SLN08	662	Relationship Code	O ID 1/1
			Code indicating the relationship between entities Refer to 004010 Data Element Dictionary for acceptable code values.	
	SLN09	235	Product/Service ID Qualifier	X ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234) EDIFICE USAGE: Required.	



SLN10	234	Product/Service ID Identifying number for a product or service EDIFICE USAGE: Required.	X	AN 1/48
SLN11	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
SLN12	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
SLN13	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
SLN14	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
SLN15	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
SLN16	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
SLN17	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
SLN18	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
SLN19	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
SLN20	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
SLN21	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
SLN22	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
SLN23	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
SLN24	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
SLN25	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
SLN26	234	Product/Service ID Identifying number for a product or service	X	AN 1/48
SLN27	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
SLN28	234	Product/Service ID Identifying number for a product or service	X	AN 1/48



Segment: CTT Transaction Totals

Position: 010
Loop: CTT Optional
Level: Summary
Usage: Optional
Max Use: 1
Purpose: To transmit a hash total for a specific element in the transaction set
Syntax Notes: 1 If either CTT03 or CTT04 is present, then the other is required.
 2 If either CTT05 or CTT06 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment is intended to provide hash totals to validate transaction completeness and correctness.
Notes: EDIFICE Usage: ADVISED.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	CTT01	354	Number of Line Items Total number of line items in the transaction set The number of PO1 segments present in the transaction set.	M N0 1/6
	CTT02	347	Hash Total Sum of values of the specified data element. All values in the data element will be summed without regard to decimal points (explicit or implicit) or signs. Truncation will occur on the left most digits if the sum is greater than the maximum size of the hash total of the data element. Example: -.0018 First occurrence of value being hashed. .18 Second occurrence of value being hashed. 1.8 Third occurrence of value being hashed. 18.01 Fourth occurrence of value being hashed. ----- 1855 Hash total prior to truncation. 855 Hash total after truncation to three-digit field. EDIFICE Usage: OPTIONAL For example, if the has total number is 1234567.8901 (11 characters), the value sent in CTT02 would be: "234567.8901".	O R 1/10
Not Used	CTT03	81	Weight Numeric value of weight	X R 1/10
Not Used	CTT04	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 2/2
Not Used	CTT05	183	Volume Value of volumetric measure	X R 1/8



Not Used	CTT06	355	Unit or Basis for Measurement Code	X ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 004010 Data Element Dictionary for acceptable code values.	
Not Used	CTT07	352	Description	O AN 1/80
			A free-form description to clarify the related data elements and their content	



Segment: SE Transaction Set Trailer

Position: 030

Loop:

Level: Summary

Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
M	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set The control number is assigned by the sender. It should be sequentially assigned within each functional group to aid in error recovery and research. The control number in the SE segment (SE02) must be identical to the control number in the ST segment for each transaction.	M AN 4/9

850 PURCHASE ORDER EXAMPLES

850 Example 1 – Basic Purchase Order

This is an example of a discrete, stand-alone purchase order for an established partnership. Because the partnership is established, the buyer can send codes for many items. For example the buyer can send an address code for the Ship-To address, rather than the full address. This example conforms to EDIFICE Order Model 1.

Example 1 Summary

HEADER SECTION	
ST*850*000000001'	This is a purchase order, and the transaction set control number is 000000001.
BEG*00*SA*CA223598**20000106*K93101'	This is an original stand-alone order. The PO number is CA223598, the order date is January 6, 2000 and the contract number is K93101.
TAX*9933325567*****3'	The order is for resale (tax exempt, and the Tax ID number is 9933325567.
FOB*PC****02*FOB'	Freight is prepaid and is FOB.
ITD*01*2*10**10**30'	Terms are basic based on delivery date with a 10% discount if paid within 10 days, net 30.
TD5*O*2*FDXA*A*AIR'	The origin carrier is Federal Express and the shipment is to go by air.
N1*BT*ELECTRIC FACTORY*01*002344986'	The bill-to party is Electric Factory, and their DUNS number is 002344986.
N1*ST*ELECTRIC FACTORY*01*002344986'	The ship-to party is Electric Factory, and their DUNS number is 002344986.
PER*BD*GLORIA BAUER*TE*408-555-4442'	The buyer contact is Gloria Bauer and her telephone number is 408-555-4442.
DETAIL SECTION	
PO1*1*2500*EA*15.25*CT*BP*AG125542*EC*A'	The line item number is 1. The total order quantity is 2500 and the unit of measure is 'Each'. The unit price of 15.25 is based on a contract. The buyer's part number is AG125542, and the Engineering Change level is A.
SCH*2500*EA***010*20000429'	The requested ship date for 2500 units is April 29, 2000.
SUMMARY SECTION	
CTT*1*2500	There is one line item in the transaction set, and the sum of the PO102 order quantities is 2500.
SE*13*000000001'	There are 13 segments in transaction set 000000001, including the SE and ST.



850 Example 2 – BLANKET PURCHASE ORDER, ESTIMATED QUANTITY, NO SCHEDULES USED

In this example, the blanket purchase order is for an estimated quantity, with no schedules (schedules will be sent via releases or forecasts). The trading partner does not require a "dummy" SCH segment. This example conforms to EDIFICE Order Model 2.

Example 2 Summary

HEADER SECTION	
ST*850*000000001'	This is a purchase order, and the transaction set control number is 000000001.
BEG*00*BE*CA2302026**19990629*99-001'	This is a blanket PO with estimated total quantities and a PO number of CA2302026. It was created on June 29, 1999 and the contract number is 99-0001.
CUR*BY*USD'	The order (buyer's) currency is U.S. Dollars.
TAX*9933325567*****3'	The buyer's tax ID number is 9933325567; the purchased goods are tax exempt, for resale.
DTM*036*19991231'	The expiration date of the blanket PO is December 31, 1999.
TD5*O*2*FDXA*A*****SB*WD*5'	The origin carrier is Federal Express and the shipment is going by air; transit time from seller to buyer is 5 working days.
N1*BT*ELECTRIC FACTORY*1*002344986'	The bill-to party is Electric Factory, and their DUNS number is 002344986.
N1*ST*ELECTRIC FACTORY*1*002344986'	The ship-to party is Electric Factory, and their DUNS number is 002344986.
PER*BD*GLORIA DEI*TE*415-555-4442'	The buyer contact is Gloria Dei and her telephone number is 415-555-4442.
DETAIL SECTION	
PO1**33000*EA*.123*CT*BP*AG125542*EC*C'	No item ID is assigned; the estimated total quantity for the item is 33000 and the unit of measure is 'Each'. The unit price is .123 and is based on a contract. The buyer's part number is AG125542 and the Engineering Change level is C.
PO4*****REL90'	The secondary packaging is tape-and-reel, standard.
SUMMARY SECTION	
CTT*1'	There is one line item in the transaction set.
SE*13*000000001'	There are 13 segments in transaction set 000000001 including the ST and SE segments.

850 Example 3 – BLANKET PURCHASE ORDER, ESTIMATED QUANTITY, DUMMY SCHEDULE USED

In this example, the blanket purchase order is for an estimated quantity, with no schedules (schedules will be sent via releases or forecasts). The trading partner needs at least one "dummy" SCH segment sent. The date on the "dummy" SCH segment is the expiration date of the blanket order. This example conforms to EDIFICE Order Model 2.

Example 3 Summary

HEADER SECTION	
ST*850*000000001'	This is a purchase order, and the transaction set control number is 000000001.
BEG*00*BE*CA2302026**19990629*99-001'	This is a blanket PO with estimated quantities and a dummy SCH to convey the expiration date of the blanket PO. The PO number is CA2302026. It was created on June 29, 1999 and the contract number is 99-0001.
CUR*BY*USD'	The order (buyer's) currency is U.S. Dollars.
TAX*9933325567*****3'	The buyer's tax ID number is 9933325567; the purchased goods are tax exempt, for resale.
DTM*036*19991231'	The expiration date of the blanket PO is December 31, 1999.
TD5*O*2*FDXA*A*****SB*WD*5'	The origin carrier is Federal Express and the shipment is going by air; transit time from seller to buyer is 5 working days.
N1*BT*ELECTRIC FACTORY*1*002344986'	The bill-to party is Electric Factory and their DUNS number is 002344986.
N1*ST*ELECTRIC FACTORY*1*002344986'	The ship-to party is Electric Factory and their DUNS number is 002344986.
PER*BD*GLORIA DEI*TE*415-555-4442'	The buyer contact is Gloria Dei and her telephone number is 415-555-4442.
DETAIL SECTION	
PO1**33000*EA*400*CT*BP*AG125542*EC*C'	No item ID is assigned; the estimated total quantity for the item is 33000 and the unit of measure is 'Each'. The unit price is 4.00 and is based on a contract. The Buyer's part number is AG125542 and the Engineering Change level is C.
PO4*****REL90'	The secondary packaging is tape-and-reel, standard.
SCH*33000*EA****036*19991231'	The 'dummy' delivery schedule reflects the total line item quantity and the date that the blanket order expires, December 31, 1999.
SUMMARY SECTION	
CTT*1'	There is one line item in the transaction set.
SE*14*000000001'	There are 14 segments in transaction set 000000001 including the ST and SE segments.

