



The Network for B2B Integration in High Tech Industries

EDIFICE PIP Implementation Guideline

PIP 3A1 Request Quote V02_01_00

PIP 3A15 Notify of Quote Request V01_00_00

EPIG 3A1_V02_01_00 / 3A15_V01_00_00 QuoteRequest ED01

Copyright (c) EDIFICE 2012

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without prior permission of EDIFICE.

Notwithstanding the fact that the utmost care has been observed in the collecting, drawing up and formulating of data, EDIFICE can under no circumstances be held liable for errors, omissions or misinterpretations as a result of the information compiled in the guidelines.

EDIFICE

The Network for B2B Integration in High Tech Industries

EDIFICE secretariat

Dora Cresens

Tiensestraat 12

B-3320 Hoegaarden

Belgium

Tel: +32 16 437 415

Email: Dora.Cresens@edifice.org

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND



Id Usage Element		
Pip3A1QuoteRequest		
1	1..1	fromRole
1	1..1	PartnerRoleDescription
2	1..1	ContactInformation
3	1..1	contactName
3	1..1	FreeFormText
4	1..1	EmailAddress
6	1..1	telephoneNumber
6	1..1	CommunicationsNumber
7	1..1	GlobalPartnerRoleClassificationCode
8	1..1	PartnerDescription
9	1..1	BusinessDescription
10	1..1	GlobalBusinessIdentifier
11	0..1	GlobalSupplyChainCode
12	1..1	GlobalPartnerClassificationCode
13	1..1	GlobalDocumentFunctionCode
14	1..1	Quote
18	0..1	comments
18	1..1	FreeFormText
19	0..unbounded	distributedBy
19	1..1	PartnerLocationDescription
20	1..1	BusinessDescription
21	0..1	businessName
21	1..1	FreeFormText
22	0..1	GlobalBusinessIdentifier
23	0..unbounded	PartnerBusinessIdentification
24	1..1	ProprietaryBusinessIdentifier
25	1..1	ProprietaryDomainIdentifier
26	0..1	ProprietaryIdentifierAuthority
27	1..1	GlobalPartnerClassificationCode
28	0..1	PhysicalLocation
29	0..1	GlobalLocationIdentifier
30	0..unbounded	PartnerLocationIdentification
31	1..1	ProprietaryDomainIdentifier
32	0..1	ProprietaryIdentifierAuthority
33	1..1	ProprietaryLocationIdentifier
34	0..1	PhysicalAddress
35	0..1	addressLine1
35	1..1	FreeFormText
36	0..1	addressLine2
36	1..1	FreeFormText
37	0..1	addressLine3
37	1..1	FreeFormText
38	0..1	cityName
38	1..1	FreeFormText
39	0..1	GlobalCountryCode
40	0..1	NationalPostalCode
41	0..1	postOfficeBoxIdentifier
41	1..1	FreeFormText
42	0..1	regionName
42	1..1	FreeFormText
43	1..unbounded	DocumentReference
44	0..1	DateTimeStamp
45	1..1	GlobalDocumentReferenceTypeCode
46	0..1	GlobalPartnerRoleClassificationCode
47	0..1	LineNumber
48	1..1	ProprietaryDocumentIdentifier
49	0..1	RevisionNumber
60	1..1	GlobalQuoteTypeCode
66	0..unbounded	QuoteCustomerInformation
67	0..1	customerProjectIdentifier
67	1..1	ProprietaryReferenceIdentifier
68	1..1	GlobalCustomerTypeCode
69	1..1	GlobalQuoteStatusCode
70	1..1	PartnerDescription
71	1..1	BusinessDescription

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND



Id	Usage	Element
72	0..1	businessName
72	1..1	FreeFormText
73	0..1	GlobalBusinessIdentifier
74	0..unbounded	PartnerBusinessIdentification
75	1..1	ProprietaryBusinessIdentifier
76	1..1	ProprietaryDomainIdentifier
77	0..1	ProprietaryIdentifierAuthority
78	0..1	ContactInformation
79	1..1	contactName
79	1..1	FreeFormText
80	1..1	EmailAddress
81	0..1	facsimileNumber
81	1..1	CommunicationsNumber
82	0..1	telephoneNumber
82	1..1	CommunicationsNumber
83	1..1	GlobalPartnerClassificationCode
84	0..1	PhysicalLocation
85	0..1	GlobalLocationIdentifier
86	0..unbounded	PartnerLocationIdentification
87	1..1	ProprietaryDomainIdentifier
89	1..1	ProprietaryLocationIdentifier
90	0..1	PhysicalAddress
91	0..1	addressLine1
91	1..1	FreeFormText
92	0..1	addressLine2
92	1..1	FreeFormText
93	0..1	addressLine3
93	1..1	FreeFormText
94	0..1	cityName
94	1..1	FreeFormText
95	0..1	GlobalCountryCode
96	0..1	NationalPostalCode
97	0..1	postOfficeBoxIdentifier
97	1..1	FreeFormText
98	0..1	regionName
98	1..1	FreeFormText
99	1..unbounded	QuoteLineItem
100	0..1	comments
100	1..1	FreeFormText
101	0..1	designRegistrationIdentifier
101	1..1	ProprietaryReferenceIdentifier
102	0..unbounded	DocumentReference
103	0..1	DateTimeStamp
104	1..1	GlobalDocumentReferenceTypeCode
105	0..1	GlobalPartnerRoleClassificationCode
106	0..1	LineNumber
107	1..1	ProprietaryDocumentIdentifier
108	0..1	RevisionNumber
110	1..1	GlobalProductUnitOfMeasureCode
113	1..1	isSubstituteProductAcceptable
113	1..1	AffirmationIndicator
114	1..1	LineNumber
115	1..1	ProductIdentification
117	0..unbounded	PartnerProductIdentification
118	1..1	GlobalPartnerClassificationCode
119	1..1	ProprietaryProductIdentifier
120	0..1	revisionIdentifier
120	1..1	FreeFormText
121	0..unbounded	QuoteCompetitorReference
122	1..1	PartnerDescription
123	1..1	BusinessDescription
124	0..1	businessName
124	1..1	FreeFormText
125	0..1	GlobalBusinessIdentifier
126	0..unbounded	PartnerBusinessIdentification
127	1..1	ProprietaryBusinessIdentifier

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND



Id	Usage	Element	
128	1..1		ProprietaryDomainIdentifier
129	0..1		ProprietaryIdentifierAuthority
135	1..1		GlobalPartnerClassificationCode
151	0..1		ProductIdentification
152	0..1		GlobalProductIdentifier
153	0..unbounded		PartnerProductIdentification
154	1..1		GlobalPartnerClassificationCode
155	1..1		ProprietaryProductIdentifier
156	0..1		revisionIdentifier
156	1..1		FreeFormText
157	0..1		unitPrice
157	1..1		ProductPricing
158	1..1		FinancialAmount
159	1..1		GlobalCurrencyCode
160	0..1		GlobalMonetaryAmountTypeCode
161	0..1		InvoiceChargeTypeCode
162	1..1		MonetaryAmount
163	1..1		GlobalPriceTypeCode
197	1..1		requestedQuantity
197	1..1		QuoteQuantity
198	1..1		QuantityTransportationSchedule
199	0..1		GlobalTransportEventCode
200	1..unbounded		QuantitySchedule
201	0..1		DateStamp
202	1..1		ProductQuantity
227	0..unbounded		requestedUnitPrice
227	1..1		ProductPricing
228	1..1		FinancialAmount
229	1..1		GlobalCurrencyCode
230	0..1		GlobalMonetaryAmountTypeCode
231	0..1		InvoiceChargeTypeCode
232	1..1		MonetaryAmount
233	1..1		GlobalPriceTypeCode
234	0..1		RequoteLineStatus
235	1..1		GlobalRequoteActionCode
236	1..unbounded		requoteReference
236	1..1		DocumentReference
237	0..1		DateTimeStamp
238	1..1		GlobalDocumentReferenceTypeCode
239	0..1		GlobalPartnerRoleClassificationCode
240	0..1		LineNumber
241	1..1		ProprietaryDocumentIdentifier
242	0..1		RevisionNumber
243	0..1		shipTo
243	1..1		PartnerLocationDescription
244	1..1		BusinessDescription
245	0..1		businessName
245	1..1		FreeFormText
246	0..1		GlobalBusinessIdentifier
247	0..unbounded		PartnerBusinessIdentification
248	1..1		ProprietaryBusinessIdentifier
249	1..1		ProprietaryDomainIdentifier
250	0..1		ProprietaryIdentifierAuthority
251	1..1		GlobalPartnerClassificationCode
252	0..1		PhysicalLocation
253	0..1		GlobalLocationIdentifier
254	0..unbounded		PartnerLocationIdentification
255	1..1		ProprietaryDomainIdentifier
256	0..1		ProprietaryIdentifierAuthority
257	1..1		ProprietaryLocationIdentifier
258	0..1		PhysicalAddress
259	0..1		addressLine1
259	1..1		FreeFormText
260	0..1		addressLine2
260	1..1		FreeFormText
261	0..1		addressLine3

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND



Id	Usage	Element
261	1..1	FreeFormText
262	0..1	cityName
262	1..1	FreeFormText
263	0..1	GlobalCountryCode
264	0..1	NationalPostalCode
265	0..1	postOfficeBoxIdentifier
265	1..1	FreeFormText
266	0..1	regionName
266	1..1	FreeFormText
267	0..1	TaxExemptStatus
268	1..1	isTaxExempt
268	1..1	AffirmationIndicator
269	0..1	TaxExemption
270	1..1	GlobalTaxExemptionCode
271	1..1	taxExemptionCertificationIdentifier
271	1..1	ProprietaryReferenceIdentifier
272	0..1	requestedResponseDate
272	1..1	DatePeriod
273	0..1	beginDate
273	1..1	DateStamp
274	0..1	endDate
274	1..1	DateStamp
282	0..unbounded	respondTo
282	1..1	PartnerDescription
283	1..1	BusinessDescription
284	0..1	businessName
284	1..1	FreeFormText
285	0..1	GlobalBusinessIdentifier
286	0..unbounded	PartnerBusinessIdentification
287	1..1	ProprietaryBusinessIdentifier
288	1..1	ProprietaryDomainIdentifier
289	0..1	ProprietaryIdentifierAuthority
290	0..1	ContactInformation
291	1..1	contactName
291	1..1	FreeFormText
292	1..1	EmailAddress
293	0..1	facsimileNumber
293	1..1	CommunicationsNumber
294	0..1	telephoneNumber
294	1..1	CommunicationsNumber
295	1..1	GlobalPartnerClassificationCode
296	0..1	PhysicalLocation
297	0..1	GlobalLocationIdentifier
298	0..unbounded	PartnerLocationIdentification
299	1..1	ProprietaryDomainIdentifier
300	0..1	ProprietaryIdentifierAuthority
301	1..1	ProprietaryLocationIdentifier
302	0..1	PhysicalAddress
303	0..1	addressLine1
303	1..1	FreeFormText
304	0..1	addressLine2
304	1..1	FreeFormText
305	0..1	addressLine3
305	1..1	FreeFormText
306	0..1	cityName
306	1..1	FreeFormText
307	0..1	GlobalCountryCode
308	0..1	NationalPostalCode
309	0..1	postOfficeBoxIdentifier
309	1..1	FreeFormText
310	0..1	regionName
310	1..1	FreeFormText
316	1..1	thisDocumentGenerationDateTime
316	1..1	DateTimeStamp
317	1..1	thisDocumentIdentifier
317	1..1	ProprietaryDocumentIdentifier

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND



Id	Usage	Element
318	1..1	toRole
318	1..1	PartnerRoleDescription
324	1..1	GlobalPartnerRoleClassificationCode
325	1..1	PartnerDescription
326	1..1	BusinessDescription
327	1..1	GlobalBusinessIdentifier
328	0..1	GlobalSupplyChainCode
329	1..1	GlobalPartnerClassificationCode



Element / Attribute	Usage	Description
Pip3A1QuoteRequest		
1 fromRole	1..1	Definition: The role initiating a business document exchange.
1 PartnerRoleDescription	1..1	Definition: The collection of business properties that describe a business partners' role in a partner interface process.
2 ContactInformation	1..1	Definition: The collection of business properties that provide communication and address information for contacting a person, organization or business. Note: Not used elements: 5 facsimileNumber
3 contactName	1..1	Definition: Name of the contact person(s) within the organization. Note: This is the person requesting the quote In case this is the Technical contact then use the 282 respondTo structure to specify the Business contact
3 FreeFormText	1..1	Definition: Unformatted text.
4 EmailAddress	1..1	Definition: Electronic mail address.
6 telephoneNumber	1..1	Definition: The numerical schema designed to achieve contact via telephone.
6 CommunicationsNumber	1..1	Definition: The electro-technical communication number, e.g., telephone number, facsimile number, pager number.
7 GlobalPartnerRoleClassificationCode	1..1	Definition: Code identifying a party's role in the supply chain. Constraint: Only GlobalPartnerRoleClassificationCode equal to "Buyer" is allowed. Note: Preferred Value: Product Distributor Customer
8 PartnerDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.



Element / Attribute	Usage	Description
9 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location.
10 GlobalBusinessIdentifier	1..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet.
11 GlobalSupplyChainCode	0..1	Definition: Code identifying the supply chain for the partner's function. Note: Preferred Value: Electronic Components
12 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Note: Preferred Value: Distributor
Restricted Entity Instance		
	Contract Manufacturer	The party responsible for the services rendered.
		Distribution Center Product distributor in supply chain.
		Distributor Product distributor in supply chain.
		End User Product end user in supply chain.
		Manufacturer Product manufacturer in supply chain.
	Original Equipment Manufac	Product manufacturer of original equipment in the supply chain.
		Warehouser Product warehouser in supply chain.
13 GlobalDocumentFunctionCode	1..1	Definition: Code identifying the function of a document as either a request or a response. Constraint: Only GlobalDocumentFunctionCode Equal to "Request" is allowed.
Restricted Entity Instance		
	Request	The business document is a request for a business action to be performed by a partner.



Element / Attribute	Usage	Description
14 Quote	1..1	Definition: The collection of business properties that describe an offer to supply a quantity of products at an agreed price and schedule. Note: Not used elements: 15 CarrierInformation 50 financedBy 61 governmentContractIdentifier 62 PriceCondition 275 requoteReference 282 respondTo 311 TaxExemptStatus
18 comments	0..1	Definition: Free form textual description of a general nature.
18 FreeFormText	1..1	Definition: Unformatted text.
19 distributedBy	0..unbounded	Definition: The party who supplies products to retailers.
19 PartnerLocationDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, where they are physically located and their function in a supply chain.
20 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location. Constraint: At least one business identifier must be provided: businessName, Global Business Identifier or at least one entry in Partner Business Identification.
21 businessName	0..1	Definition: The name of a business entity.
21 FreeFormText	1..1	Definition: Unformatted text.
22 GlobalBusinessIdentifier	0..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet.



Element / Attribute	Usage	Description
23 PartnerBusinessIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business entity. Note: At least one iteration required to identify the Trading Partner or Trading Partner Branch on proprietary codes unless 30 PartnerLocationIdentifier is used
24 ProprietaryBusinessIdentifier	1..1	Definition: A unique business identifier assigned and administered by a private authority.
25 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
26 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
27 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Note: Preferred Value: Distributor
Restricted Entity Instance		
Contract Manufacturer		The party responsible for the services rendered.
Distribution Center		Product distributor in supply chain.
Distributor		Product distributor in supply chain.
End User		Product end user in supply chain.
Manufacturer		Product manufacturer in supply chain.
Original Equipment Manufac		Product manufacturer of original equipment in the supply chain.
Warehouser		Product warehouser in supply chain.
28 PhysicalLocation	0..1	Definition: The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification. Constraint: If used, at least one location specification must be provided: Global Location Identifier, Partner Location Identification, or Physical Address.
29 GlobalLocationIdentifier	0..1	Definition: Location uniquely identified by the DUNS +4 number.



Element / Attribute	Usage	Description
30 PartnerLocationIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business location. Note: In case 23 PartnerBusinessIdentification is not used then this is the alternative
31 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
32 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
33 ProprietaryLocationIdentifier	1..1	Definition: A unique location identifier assigned and administered by a private authority.
34 PhysicalAddress	0..1	Definition: The actual physical location of an entity as prescribed by local postal authorities, including country identification as it relates to the party or a product. Constraint: If PhysicalAddress is used then at least one associated element is required. Note: Typically not used
35 addressLine1	0..1	Definition: The first line of a physical address.
35 FreeFormText	1..1	Definition: Unformatted text.
36 addressLine2	0..1	Definition: The second line of a physical address.
36 FreeFormText	1..1	Definition: Unformatted text.
37 addressLine3	0..1	Definition: The third line of a physical address.
37 FreeFormText	1..1	Definition: Unformatted text.
38 cityName	0..1	Definition: The name of a city.
38 FreeFormText	1..1	Definition: Unformatted text.
39 GlobalCountryCode	0..1	Definition: Code identifying the two character country code specified in ISO 3166-1993.



Element / Attribute	Usage	Description
40 NationalPostalCode	0..1	Definition: Code identifying geographic location as specified by a national postal code.
41 postOfficeBoxIdentifier	0..1	Definition: The proprietary identity of a physical address, located at a post office, designed solely to accept and receive mail.
41 FreeFormText	1..1	Definition: Unformatted text.
42 regionName	0..1	Definition: The name of a state or province within a country.
42 FreeFormText	1..1	Definition: Unformatted text.
43 DocumentReference	1..unbounded	Definition: The collection of business properties that allows the description of multiple proprietary documents and applicable line number references. Note: Up to 3 iterations one for each Trading Partner's quote/document number one if the Authorisation life time needs to be discussed
44 DateTimeStamp	0..1	Definition: Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss
45 GlobalDocumentReferenceTypeCode	1..1	Definition: Code identifying the type of business document used for referencing within another business document. Note: Preferred Value: Quote Use "Delivery Note" for Authorisation life time
46 GlobalPartnerRoleClassificationCode	0..1	Definition: Code identifying a party's role in the supply chain. Note: Preferred Value: Product Distributor Product Supplier



Element / Attribute	Usage	Description
Restricted Entity Instance		
	Product Distributor	The party authorized by a Product Supplier to purchase goods and services from the Product Supplier and resell to customers.
	Product Supplier	This partner role supplies product to customers in the supply chain.
	Seller	An organization that sells products to partners in the supply chain.
	Supplier	This partner role supplies product to customers in the supply chain.
47 LineNumber	0..1	Definition: Number of the line in the document.
48 ProprietaryDocumentIdentifier	1..1	Definition: Unique identifier, i.e. a numeric value or alphanumeric value, for a business document. Note: This will be the Quote/Document number of each Trading Partner
49 RevisionNumber	0..1	Definition: An incremental number used to identify changes. Note: In combination with Delivery Note this is used as the Authorisation life time in days
60 GlobalQuoteTypeCode	1..1	Definition: Code identifying category specification for a quote. Note: Preferred Value: Ship from stock and debit Contract Quote is related to consignment
Restricted Entity Instance		
	Bid for Buy	Customer ready to purchase, looking for best price.
	Budgetary Quote	Quote to determine if project is economically feasible
	Contract Quote	Based on previously negotiated contract pricing
	Ship from stock and debit	Partner has potential to book business if provided authorization to deviate from standard cost.



Element / Attribute	Usage	Description
66 QuoteCustomerInformation	0..unbounded	Definition: The collection of business properties that describe the customer who uses a quote business document. Note: Iterations when there are End Customer and Ultimate Customer. The End Customer is mandatory. Required information 72 businessName 75 ProprietaryBusinessIdentifier
67 customerProjectIdentifier	0..1	Definition: The unique identification number that identifies a project for a given customer.
67 ProprietaryReferenceIdentifier	1..1	Definition: A unique reference identifier for goods, services or business documents.
68 GlobalCustomerTypeCode	1..1	Definition: Code identifying the type of end user.
69 GlobalQuoteStatusCode	1..1	Definition: Code identifying whether business has been secured by the end customer. Note: Preferred Value: Undetermined
Restricted Entity Instance		
	Undetermined	
70 PartnerDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.
71 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location.
72 businessName	0..1	Definition: The name of a business entity.
72 FreeFormText	1..1	Definition: Unformatted text.
73 GlobalBusinessIdentifier	0..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet.



Element / Attribute	Usage	Description
74 PartnerBusinessIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business entity. Note: Used to give the Customer reference in the Distributor's system
75 ProprietaryBusinessIdentifier	1..1	Definition: A unique business identifier assigned and administered by a private authority.
76 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
77 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
78 ContactInformation	0..1	Definition: The collection of business properties that provide communication and address information for contacting a person, organization or business.
79 contactName	1..1	Definition: Name of the contact person(s) within the organization.
79 FreeFormText	1..1	Definition: Unformatted text.
80 EmailAddress	1..1	Definition: Electronic mail address.
81 facsimileNumber	0..1	Definition: The numerical schema designed to achieve contact via facsimile.
81 CommunicationsNumber	1..1	Definition: The electro-technical communication number, e.g., telephone number, facsimile number, pager number.
82 telephoneNumber	0..1	Definition: The numerical schema designed to achieve contact via telephone.
82 CommunicationsNumber	1..1	Definition: The electro-technical communication number, e.g., telephone number, facsimile number, pager number.



Element / Attribute	Usage	Description
83 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Note: Preferred Value: End User Contract Manufacturer
84 PhysicalLocation	0..1	Definition: The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification.
85 GlobalLocationIdentifier	0..1	Definition: Location uniquely identified by the DUNS +4 number.
86 PartnerLocationIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business location.
87 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
89 ProprietaryLocationIdentifier	1..1	Definition: A unique location identifier assigned and administered by a private authority.
90 PhysicalAddress	0..1	Definition: The actual physical location of an entity as prescribed by local postal authorities, including country identification as it relates to the party or a product.
91 addressLine1	0..1	Definition: The first line of a physical address.
91 FreeFormText	1..1	Definition: Unformatted text.
92 addressLine2	0..1	Definition: The second line of a physical address.
92 FreeFormText	1..1	Definition: Unformatted text.
93 addressLine3	0..1	Definition: The third line of a physical address.
93 FreeFormText	1..1	Definition: Unformatted text.
94 cityName	0..1	Definition: The name of a city.
94 FreeFormText	1..1	Definition: Unformatted text.
95 GlobalCountryCode	0..1	Definition: Code identifying the two character country code specified in ISO 3166-1993.



Element / Attribute	Usage	Description
96 NationalPostalCode	0..1	Definition: Code identifying geographic location as specified by a national postal code. Note: If provided allow for one character codes This differs from the RosettaNet standard but is a real world requirement ie. Ireland
97 postOfficeBoxIdentifier	0..1	Definition: The proprietary identity of a physical address, located at a post office, designed solely to accept and receive mail.
97 FreeFormText	1..1	Definition: Unformatted text.
98 regionName	0..1	Definition: The name of a state or province within a country.
98 FreeFormText	1..1	Definition: Unformatted text.
99 QuoteLineItem	1..unbounded	Definition: The collection of business properties that describe a product entry in a quote business document. Note: Not used elements: 109 GlobalGovernmentPriorityRatingCode 111 GlobalStockIndicatorCode 112 governmentContractIdentifier 164 QuoteCustomerInformation 203 requestedShipFrom When sending a request to update an existing Quote always include ALL line items.
100 comments	0..1	Definition: Free form textual description of a general nature.
100 FreeFormText	1..1	Definition: Unformatted text.
101 designRegistrationIdentifier	0..1	Definition: A proprietary unique identifier for a design registration.
101 ProprietaryReferenceIdentifier	1..1	Definition: A unique reference identifier for goods, services or business documents. Note: Supplier reference



Element / Attribute	Usage	Description
102 DocumentReference	0..unbounded	Definition: The collection of business properties that allows the description of multiple proprietary documents and applicable line number references. Note: Iterations for each party's line number
103 DateTimeStamp	0..1	Definition: Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss
104 GlobalDocumentReferenceTypeCode	1..1	Definition: Code identifying the type of business document used for referencing within another business document. Note: Preferred Value: Quote
105 GlobalPartnerRoleClassificationCode	0..1	Definition: Code identifying a party's role in the supply chain. Note: Preferred Value: Product Distributor Product Supplier
Restricted Entity Instance		
	Product Distributor	The party authorized by a Product Supplier to purchase goods and services from the Product Supplier and resell to customers.
	Product Supplier	This partner role supplies product to customers in the supply chain.
	Seller	An organization that sells products to partners in the supply chain.
	Supplier	This partner role supplies product to customers in the supply chain.
106 LineNumber	0..1	Definition: Number of the line in the document.



Element / Attribute	Usage	Description
107 ProprietaryDocumentIdentifier	1..1	Definition: Unique identifier, i.e. a numeric value or alphanumeric value, for a business document. Note: Alternative if the Quote/Document Number wasn't given in 48 ProprietaryDocumentIdentifier
108 RevisionNumber	0..1	Definition: An incremental number used to identify changes.
110 GlobalProductUnitOfMeasureCode	1..1	Definition: Code identifying a product unit of measure. Note: Preferred Value: Each
113 isSubstituteProductAcceptable	1..1	Definition: Indicates whether the requesting party will accept a substitute product for the product requested.
113 AffirmationIndicator	1..1	Definition: Used to indicate "Yes", "No" statements. Note: Preferred Value: No
114 LineNumber	1..1	Definition: Number of the line in the document. Note: This is the Distributor's line number
115 ProductIdentification	1..1	Definition: The collection of business properties that describe proprietary and global identifier information regarding a product. Constraint: One instance of either "GlobalProductIdentifier" or "PartnerProductIdentification" is mandatory. Note: Not used elements: 116 GlobalProductIdentifier
117 PartnerProductIdentification	0..unbounded	Definition: The collection of business properties that describe proprietary part information.
118 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Note: Preferred Value: Manufacturer
119 ProprietaryProductIdentifier	1..1	Definition: An internal identifier used to identify a product.
120 revisionIdentifier	0..1	Definition: Free form text that identifies a revision to a proprietary serial number.
120 FreeFormText	1..1	Definition: Unformatted text.



Element / Attribute	Usage	Description
121 QuoteCompetitorReference	0..unbounded	Definition: The collection of business properties that describe a competitor's product and pricing for purposes within a quote business document. Note: This is mandatory with Ship and Debit Quote with some EDIFICE members so it is recommended to always populate
122 PartnerDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain. Note: Not used elements: 130 ContactInformation 136 PhysicalLocation
123 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location.
124 businessName	0..1	Definition: The name of a business entity.
124 FreeFormText	1..1	Definition: Unformatted text.
125 GlobalBusinessIdentifier	0..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet. Note: Competitor DUNS number
126 PartnerBusinessIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business entity.
127 ProprietaryBusinessIdentifier	1..1	Definition: A unique business identifier assigned and administered by a private authority.
128 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
129 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.



Element / Attribute	Usage	Description
135 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Note: Not used by TI
151 ProductIdentification	0..1	Definition: The collection of business properties that describe proprietary and global identifier information regarding a product. Constraint: One instance of either "GlobalProductIdentifier" or "PartnerProductIdentification" is mandatory.
152 GlobalProductIdentifier	0..1	Definition: Global unique product identifier. RosettaNet has adopted the Global Trade Identification Number (GTIN).
153 PartnerProductIdentification	0..unbounded	Definition: The collection of business properties that describe proprietary part information.
154 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Note: Preferred Value: Manufacturer
155 ProprietaryProductIdentifier	1..1	Definition: An internal identifier used to identify a product. Note: Competitor's part number, required when 121 QuoteCompetitor Reference structure is used
156 revisionIdentifier	0..1	Definition: Free form text that identifies a revision to a proprietary serial number.
156 FreeFormText	1..1	Definition: Unformatted text.
157 unitPrice	0..1	Definition: Agreed upon sale price for each unit ordered. Note: Competitor's cost price
157 ProductPricing	1..1	Definition: The collection of business properties that describe the type of pricing and financial amount for a product.
158 FinancialAmount	1..1	Definition: The collection of business properties that describe the monetary amount defined by a specified currency.
159 GlobalCurrencyCode	1..1	Definition: Code identifying the three character currency code specified in ISO 4217-1995.
160 GlobalMonetaryAmountTypeCode	0..1	Definition: Code identifying whether the monetary amount is a debit or credit.



Element / Attribute	Usage	Description
161 InvoiceChargeTypeCode	0..1	Definition: Code identifying the values for the types of charges contained in an invoice.
162 MonetaryAmount	1..1	Definition: Magnitude of currency amount. Note: Competitor's cost price, required when 121 QuoteCompetitorReference structure is used
163 GlobalPriceTypeCode	1..1	Definition: Code identifying the pricing qualifier for a product. Note: Preferred Value: RCS
197 requestedQuantity	1..1	Definition: The quantity of product requested.
197 QuoteQuantity	1..1	Definition: The collection of business properties that describe the quantities associated with a product quote.
198 QuantityTransportationSchedule	1..1	Definition: The collection of business properties that describe product quantity and associated schedules, for a given transportation event.
199 GlobalTransportEventCode	0..1	Definition: Code identifying an event during the transportation of a shipment.
200 QuantitySchedule	1..unbounded	Definition: The collection of business properties that describe product quantity and associated schedules.
201 DateStamp	0..1	Definition: Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
202 ProductQuantity	1..1	Definition: A quantity specifying the number of product units.
227 requestedUnitPrice	0..unbounded	Definition: The price requested for a unit of product.
227 ProductPricing	1..1	Definition: The collection of business properties that describe the type of pricing and financial amount for a product.
228 FinancialAmount	1..1	Definition: The collection of business properties that describe the monetary amount defined by a specified currency.



Element / Attribute	Usage	Description
229 GlobalCurrencyCode	1..1	Definition: Code identifying the three character currency code specified in ISO 4217-1995.
230 GlobalMonetaryAmountTypeCode	0..1	Definition: Code identifying whether the monetary amount is a debit or credit.
231 InvoiceChargeTypeCode	0..1	Definition: Code identifying the values for the types of charges contained in an invoice.
232 MonetaryAmount	1..1	Definition: Magnitude of currency amount.
233 GlobalPriceTypeCode	1..1	Definition: Code identifying the pricing qualifier for a product. Note: Preferred Value: RCS = requested cost RSP or Suggested Resale Price = requested resale
Restricted Entity Instance		
	RCS	Requested cost - Reseller's requested cost to the manufacturer.
	RSP	Resale - Price the distributor is authorized to use for sale to their customer.
234 RequoteLineStatus	0..1	Definition: The collection of business properties that describe a previous quote's identification and status for a given entry on the prior quote. Note: Required for quote changes
235 GlobalRequoteActionCode	1..1	Definition: Code identifying the type of action to be taken for a given line item on a quote.
Restricted Entity Instance		
	Added	
	Change	
	Deleted	
	No action	
236 requoteReference	1..unbounded	Definition: The document reference for a previous quote.



Element / Attribute	Usage	Description
236 DocumentReference	1..1	Definition: The collection of business properties that allows the description of multiple proprietary documents and applicable line number references. Note: This is an alternative to structure 102 DocumentReference
237 DateTimeStamp	0..1	Definition: Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss
238 GlobalDocumentReferenceTypeCode	1..1	Definition: Code identifying the type of business document used for referencing within another business document.
239 GlobalPartnerRoleClassificationCode	0..1	Definition: Code identifying a party's role in the supply chain.
240 LineNumber	0..1	Definition: Number of the line in the document.
241 ProprietaryDocumentIdentifier	1..1	Definition: Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.
242 RevisionNumber	0..1	Definition: An incremental number used to identify changes.
243 shipTo	0..1	Definition: The partner and/or location to which the product must be delivered.
243 PartnerLocationDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, where they are physically located and their function in a supply chain.
244 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location. Constraint: At least one business identifier must be provided: businessName, Global Business Identifier or at least one entry in Partner Business Identification.
245 businessName	0..1	Definition: The name of a business entity.



Element / Attribute	Usage	Description
245 FreeFormText	1..1	Definition: Unformatted text.
246 GlobalBusinessIdentifier	0..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet.
247 PartnerBusinessIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business entity.
248 ProprietaryBusinessIdentifier	1..1	Definition: A unique business identifier assigned and administered by a private authority.
249 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
250 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
251 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain.
252 PhysicalLocation	0..1	Definition: The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification. Constraint: If used, at least one location specification must be provided: Global Location Identifier, Partner Location Identification, or Physical Address.
253 GlobalLocationIdentifier	0..1	Definition: Location uniquely identified by the DUNS +4 number.
254 PartnerLocationIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business location.
255 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
256 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.



Element / Attribute	Usage	Description
257 ProprietaryLocationIdentifier	1..1	Definition: A unique location identifier assigned and administered by a private authority.
258 PhysicalAddress	0..1	Definition: The actual physical location of an entity as prescribed by local postal authorities, including country identification as it relates to the party or a product. Constraint: If PhysicalAddress is used then at least one associated element is required.
259 addressLine1	0..1	Definition: The first line of a physical address.
259 FreeFormText	1..1	Definition: Unformatted text.
260 addressLine2	0..1	Definition: The second line of a physical address.
260 FreeFormText	1..1	Definition: Unformatted text.
261 addressLine3	0..1	Definition: The third line of a physical address.
261 FreeFormText	1..1	Definition: Unformatted text.
262 cityName	0..1	Definition: The name of a city.
262 FreeFormText	1..1	Definition: Unformatted text.
263 GlobalCountryCode	0..1	Definition: Code identifying the two character country code specified in ISO 3166-1993.
264 NationalPostalCode	0..1	Definition: Code identifying geographic location as specified by a national postal code.
265 postOfficeBoxIdentifier	0..1	Definition: The proprietary identity of a physical address, located at a post office, designed solely to accept and receive mail.
265 FreeFormText	1..1	Definition: Unformatted text.
266 regionName	0..1	Definition: The name of a state or province within a country.
266 FreeFormText	1..1	Definition: Unformatted text.
267 TaxExemptStatus	0..1	Definition: The collection of business properties that describe tax exemption conditions.
268 isTaxExempt	1..1	Definition: Indicates whether a product is exempt from taxation.



Element / Attribute	Usage	Description
268 AffirmationIndicator	1..1	Definition: Used to indicate "Yes", "No" statements.
269 TaxExemption	0..1	Definition: The collection of business properties that describe tax exemption type and identification information. Constraint: Mandatory if isTaxExempt.AffirmationIndicator is equal to "yes".
270 GlobalTaxExemptionCode	1..1	Definition: Code identifying the type of tax exemption for a product or service.
271 taxExemptionCertificationIdentifier	1..1	Definition: The unique identifier that represents the authorization for a product or service's tax exempt status.
271 ProprietaryReferenceIdentifier	1..1	Definition: A unique reference identifier for goods, services or business documents.
272 requestedResponseDate	0..1	Definition: The date for which a response has been requested to be transmitted. Constraint: If used, at least one occurrence of beginDate.DateStamp or endDate.DateStamp is required.
272 DatePeriod	1..1	Definition: The collection of business properties that specify the number of days by a start and end date stamp.
273 beginDate	0..1	Definition: The start date of a date period.
273 DateStamp	1..1	Definition: Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
274 endDate	0..1	Definition: The end date of a date period.
274 DateStamp	1..1	Definition: Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
282 respondTo	0..unbounded	Definition: The party to whom a responding business document must be sent when it is not equal to the fromRole.PartnerDescription.



Element / Attribute	Usage	Description
282 PartnerDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain. Note: If used specify the Business contact here
283 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location. Constraint: At least one business identifier must be provided: businessName, Global Business Identifier or at least one entry in Partner Business Identification.
284 businessName	0..1	Definition: The name of a business entity.
284 FreeFormText	1..1	Definition: Unformatted text.
285 GlobalBusinessIdentifier	0..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet.
286 PartnerBusinessIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business entity.
287 ProprietaryBusinessIdentifier	1..1	Definition: A unique business identifier assigned and administered by a private authority.
288 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
289 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
290 ContactInformation	0..1	Definition: The collection of business properties that provide communication and address information for contacting a person, organization or business.
291 contactName	1..1	Definition: Name of the contact person(s) within the organization.
291 FreeFormText	1..1	Definition: Unformatted text.
292 EmailAddress	1..1	Definition: Electronic mail address.



Element / Attribute	Usage	Description
293 facsimileNumber	0..1	Definition: The numerical schema designed to achieve contact via facsimile.
293 CommunicationsNumber	1..1	Definition: The electro-technical communication number, e.g., telephone number, facsimile number, pager number.
294 telephoneNumber	0..1	Definition: The numerical schema designed to achieve contact via telephone.
294 CommunicationsNumber	1..1	Definition: The electro-technical communication number, e.g., telephone number, facsimile number, pager number.
295 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain.
296 PhysicalLocation	0..1	Definition: The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification. Constraint: If used, at least one location specification must be provided: Global Location Identifier, Partner Location Identification, or Physical Address.
297 GlobalLocationIdentifier	0..1	Definition: Location uniquely identified by the DUNS +4 number.
298 PartnerLocationIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business location.
299 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
300 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
301 ProprietaryLocationIdentifier	1..1	Definition: A unique location identifier assigned and administered by a private authority.



Element / Attribute	Usage	Description
302 PhysicalAddress	0..1	Definition: The actual physical location of an entity as prescribed by local postal authorities, including country identification as it relates to the party or a product. Constraint: If PhysicalAddress is used then at least one associated element is required.
303 addressLine1	0..1	Definition: The first line of a physical address.
303 FreeFormText	1..1	Definition: Unformatted text.
304 addressLine2	0..1	Definition: The second line of a physical address.
304 FreeFormText	1..1	Definition: Unformatted text.
305 addressLine3	0..1	Definition: The third line of a physical address.
305 FreeFormText	1..1	Definition: Unformatted text.
306 cityName	0..1	Definition: The name of a city.
306 FreeFormText	1..1	Definition: Unformatted text.
307 GlobalCountryCode	0..1	Definition: Code identifying the two character country code specified in ISO 3166-1993.
308 NationalPostalCode	0..1	Definition: Code identifying geographic location as specified by a national postal code.
309 postOfficeBoxIdentifier	0..1	Definition: The proprietary identity of a physical address, located at a post office, designed solely to accept and receive mail.
309 FreeFormText	1..1	Definition: Unformatted text.
310 regionName	0..1	Definition: The name of a state or province within a country.
310 FreeFormText	1..1	Definition: Unformatted text.
316 thisDocumentGenerationDateTime	1..1	Definition: The date-time stamp indicating when this business document was generated.



Element / Attribute	Usage	Description
316 DateTimeStamp	1..1	Definition: Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss
317 thisDocumentIdentifier	1..1	Definition: The information that identifies the business document being sent. This identifier is used to represent the specific business document associated with the defined business process.
317 ProprietaryDocumentIdentifier	1..1	Definition: Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.
318 toRole	1..1	Definition: The role receiving the document in a business document exchange.
318 PartnerRoleDescription	1..1	Definition: The collection of business properties that describe a business partners' role in a partner interface process. Note: Not used elements: 319 ContactInformation
324 GlobalPartnerRoleClassificationCode	1..1	Definition: Code identifying a party's role in the supply chain. Constraint: Only GlobalPartnerRoleClassificationCode equal to "Seller" is allowed. Note: Preferred Value: Seller
325 PartnerDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.
326 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location.
327 GlobalBusinessIdentifier	1..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet.



Element / Attribute	Usage	Description
328 GlobalSupplyChainCode	0..1	Definition: Code identifying the supply chain for the partner's function. Note: Preferred Value: Electronic components
329 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Note: Preferred Value: Manufacturer

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Pip3A1QuoteRequest****Children**

fromRole	<i>The role initiating a business document exchange.</i>
GlobalDocumentFunctionCode	<i>Code identifying the function of a document as either a request or a response.</i>
Quote	<i>The collection of business properties that describe an offer to supply a quantity of products at an agreed price and schedule.</i>
thisDocumentGenerationDateTime	<i>The date-time stamp indicating when this business document was generated.</i>
thisDocumentIdentifier	<i>The information that identifies the business document being sent. This identifier is used to represent the specific business document associated with the defined business process.</i>
toRole	<i>The role receiving the document in a business document exchange.</i>

addressLine1**Definition**

The first line of a physical address.

Children

FreeFormText	<i>Unformatted text.</i>
--------------	--------------------------

Used in

34	PhysicalAddress
90	PhysicalAddress
258	PhysicalAddress
302	PhysicalAddress

addressLine2**Definition**

The second line of a physical address.

Children

FreeFormText	<i>Unformatted text.</i>
--------------	--------------------------

Used in

34	PhysicalAddress
90	PhysicalAddress
258	PhysicalAddress
302	PhysicalAddress

addressLine3

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Definition**

The third line of a physical address.

ChildrenFreeFormText *Unformatted text.***Used in**

34 PhysicalAddress

90 PhysicalAddress

258 PhysicalAddress

302 PhysicalAddress

AffirmationIndicator

Type	String	Min	2
Repr	X(3)	Max	3

Definition

Used to indicate "Yes", "No" statements.

Used in

113 isSubstituteProductAcceptable

268 isTaxExempt

beginDate**Definition**

The start date of a date period.

Children

DateStamp *Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ*

Used in

272 DatePeriod

BusinessDescription**Definition**

The collection of business properties that describe a business identity and location.

Children

businessName	<i>The name of a business entity.</i>
GlobalBusinessIdentifier	<i>A unique business identifier. The DUNS number is specified by RosettaNet.</i>
GlobalSupplyChainCode	<i>Code identifying the supply chain for the partner's function.</i>
PartnerBusinessIdentification	<i>The collection of business properties that allow for the proprietary</i>

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND



Children

identification of a business entity.

Used in

8 PartnerDescription
19 PartnerLocationDescription
70 PartnerDescription
122 PartnerDescription
243 PartnerLocationDescription
282 PartnerDescription
325 PartnerDescription

businessName

Definition

The name of a business entity.

Children

FreeFormText *Unformatted text.*

Used in

20 BusinessDescription
71 BusinessDescription
123 BusinessDescription
244 BusinessDescription
283 BusinessDescription

cityName

Definition

The name of a city.

Children

FreeFormText *Unformatted text.*

Used in

34 PhysicalAddress
90 PhysicalAddress
258 PhysicalAddress
302 PhysicalAddress

comments

Definition

Free form textual description of a general nature.

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Children**FreeFormText *Unformatted text.***Used in**14 Quote
99 QuoteLineItem**CommunicationsNumber**

Type	String	Min	1
Repr	X(30)	Max	30

Definition

The electro-technical communication number, e.g., telephone number, facsimile number, pager number.

Used in6 telephoneNumber
81 facsimileNumber
82 telephoneNumber
293 facsimileNumber
294 telephoneNumber**ContactInformation****Definition**

The collection of business properties that provide communication and address information for contacting

Children

contactName	<i>Name of the contact person(s) within the organization.</i>
EmailAddress	<i>Electronic mail address.</i>
facsimileNumber	<i>The numerical schema designed to achieve contact via facsimile.</i>
telephoneNumber	<i>The numerical schema designed to achieve contact via telephone.</i>

Used in1 PartnerRoleDescription
70 PartnerDescription
282 PartnerDescription**contactName****Definition**

Name of the contact person(s) within the organization.

ChildrenFreeFormText *Unformatted text.***Used in**

2 ContactInformation

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Used in**

78 ContactInformation

290 ContactInformation

customerProjectIdentifier**Definition**

The unique identification number that identifies a project for a given customer.

Children

ProprietaryReferenceIdentifier

*A unique reference identifier for goods, services or business documents.***Used in**

66 QuoteCustomerInformation

DatePeriod**Definition**

The collection of business properties that specify the number of days by a start and end date stamp.

Children

beginDate

The start date of a date period.

endDate

*The end date of a date period.***Used in**

272 requestedResponseDate

DateStamp

Type	Date
Repr	9(8)X

Min	9
Max	9

Definition

Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day ident

Used in

200 QuantitySchedule

273 beginDate

274 endDate

DateTimeStamp

Type	DateTime
Repr	9(8)X9(6)V9(3)X

Min	13
Max	20

Definition

Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Used in**

43 DocumentReference
 102 DocumentReference
 236 DocumentReference
 316 thisDocumentGenerationDateTime

designRegistrationIdentifier**Definition**

A proprietary unique identifier for a design registration.

Children

ProprietaryReferenceIdentifier	<i>A unique reference identifier for goods, services or business documents.</i>
--------------------------------	---

Used in

99 QuoteLineItem

distributedBy**Definition**

The party who supplies products to retailers.

Children

PartnerLocationDescription	<i>The collection of business properties that describe a business partners' identity, where they are physically located and their function in a supply chain.</i>
----------------------------	---

Used in

14 Quote

DocumentReference**Definition**

The collection of business properties that allows the description of multiple proprietary documents and ap

Children

DateTimeStamp	<i>Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss</i>
GlobalDocumentReferenceTypeCode	<i>Code identifying the type of business document used for referencing within another business document.</i>

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Children**

GlobalPartnerRoleClassificationCode	<i>Code identifying a party's role in the supply chain.</i>
LineNumber	<i>Number of the line in the document.</i>
ProprietaryDocumentIdentifier	<i>Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.</i>
RevisionNumber	<i>An incremental number used to identify changes.</i>

Used in

14	Quote
99	QuoteLineItem
236	requoteReference

EmailAddress

Type	String	Min	1
-------------	--------	------------	---

Definition

Electronic mail address.

Used in

2	ContactInformation
78	ContactInformation
290	ContactInformation

endDate**Definition**

The end date of a date period.

Children

DateStamp	<i>Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ</i>
-----------	--

Used in

272	DatePeriod
-----	------------

facsimileNumber**Definition**

The numerical schema designed to achieve contact via facsimile.

Children

CommunicationsNumber	<i>The electro-technical communication number, e.g., telephone number, facsimile number, pager number.</i>
----------------------	--

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Used in**

78 ContactInformation

290 ContactInformation

FinancialAmount**Definition**

The collection of business properties that describe the monetary amount defined by a specified currency.

Children

GlobalCurrencyCode *Code identifying the three character currency code specified in ISO 4217-1995.*

GlobalMonetaryAmountTypeCode *Code identifying whether the monetary amount is a debit or credit.*
 InvoiceChargeTypeCode *Code identifying the values for the types of charges contained in an invoice.*

MonetaryAmount *Magnitude of currency amount.*

Used in

157 ProductPricing

227 ProductPricing

FreeFormText**Type** String**Min** 1**Definition**

Unformatted text.

Attributes

xml:lang

Used in

3 contactName

18 comments

21 businessName

35 addressLine1

36 addressLine2

37 addressLine3

38 cityName

41 postOfficeBoxIdentifier

42 regionName

72 businessName

79 contactName

91 addressLine1

92 addressLine2

93 addressLine3

94 cityName

97 postOfficeBoxIdentifier

98 regionName

100 comments

120 revisionIdentifier

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Used in**

124 businessName
 156 revisionIdentifier
 245 businessName
 259 addressLine1
 260 addressLine2
 261 addressLine3
 262 cityName
 265 postOfficeBoxIdentifier
 266 regionName
 284 businessName
 291 contactName
 303 addressLine1
 304 addressLine2
 305 addressLine3
 306 cityName
 309 postOfficeBoxIdentifier
 310 regionName

fromRole**Definition**

The role initiating a business document exchange.

Children

PartnerRoleDescription *The collection of business properties that describe a business partners' role in a partner interface process.*

Used in

Pip3A1QuoteRequest

GlobalBusinessIdentifier

Type	Integer	Min	9
Repr	9(9)	Max	9

Definition

A unique business identifier. The DUNS number is specified by RosettaNet.

Used in

9 BusinessDescription
 20 BusinessDescription
 71 BusinessDescription
 123 BusinessDescription
 244 BusinessDescription
 283 BusinessDescription
 326 BusinessDescription

Type	String	Min	2
Repr	X(2)	Max	2



GlobalCountryCode

Definition

Code identifying the two character country code specified in ISO 3166-1993.

Entity Instances

AD	ANDORRA
AE	UNITED ARAB EMIRATES
AF	AFGHANISTAN
AG	ANTIGUA AND BARBUDA
AI	ANGUILLA
AL	ALBANIA
AM	ARMENIA
AN	NETHERLANDS ANTILLES
AO	ANGOLA
AQ	ANTARCTICA
AR	ARGENTINA
AS	AMERICAN SAMOA
AT	AUSTRIA
AU	AUSTRALIA
AW	ARUBA
AZ	AZERBAIJAN
BA	BOSNIA AND HERZEGOVINA
BB	BARBADOS
BD	BANGLADESH
BE	BELGIUM
BF	BURKINA FASO
BG	BULGARIA
BH	BAHRAIN
BI	BURUNDI
BJ	BENIN
BM	BERMUDA
BN	BRUNEI DARUSSALAM
BO	BOLIVIA
BR	BRAZIL
BS	BAHAMAS
BT	BHUTAN
BV	BOUVET ISLAND
BW	BOTSWANA
BY	BELARUS
BZ	BELIZE
CA	CANADA
CC	COCOS (KEELING) ISLANDS
CF	CENTRAL AFRICAN REPUBLIC
CG	CONGO
CH	SWITZERLAND
CI	CÔTE D'IVOIRE
CK	COOK ISLANDS
CL	CHILE
CM	CAMEROON
CN	CHINA
CO	COLOMBIA
CR	COSTA RICA
CU	CUBA
CV	CAPE VERDE

**Entity Instances**

CX	CHRISTMAS ISLAND
CY	CYPRUS
CZ	CZECH REPUBLIC
DE	GERMANY
DJ	DJIBOUTI
DK	DENMARK
DM	DOMINICA
DO	DOMINICAN REPUBLIC
DZ	ALGERIA
EC	ECUADOR
EE	ESTONIA
EG	EGYPT
EH	WESTERN SAHARA
ER	ERITREA
ES	SPAIN
ET	ETHIOPIA
FI	FINLAND
FJ	FIJI
FK	FALKLAND ISLANDS (MALVINAS)
FM	MICRONESIA, FEDERATED STATES
FO	FAROE ISLANDS
FR	FRANCE
GA	GABON
GB	UNITED KINGDOM
GD	GRENADA
GE	GEORGIA
GF	FRENCH GUIANA
GH	GHANA
GI	GIBRALTAR
GL	GREENLAND
GM	GAMBIA
GN	GUINEA
GP	GUADELOUPE
GQ	EQUATORIAL GUINEA
GR	GREECE
GS	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS
GT	GUATEMALA
GU	GUAM
GW	GUINEA-BISSAU
GY	GUYANA
HK	HONG KONG
HM	HEARD ISLAND AND MCDONALD ISLANDS
HN	HONDURAS
HR	CROATIA
HT	HAITI
HU	HUNGARY
ID	INDONESIA
IE	IRELAND
IL	ISRAEL
IN	INDIA
IO	BRITISH INDIAN OCEAN TERRITORY
IQ	IRAQ
IR	IRAN, ISLAMIC REPUBLIC OF
IS	ICELAND
IT	ITALY

**Entity Instances**

JM	JAMAICA
JO	JORDAN
JP	JAPAN
KE	KENYA
KG	KYRGYSTAN
KH	CAMBODIA
KI	KIRIBATI
KM	COMOROS
KN	SAINT KITTS AND NEVIS
KP	KOREA, DEMOCRATIC PEOPLE'S REP. OF
KR	KOREA, REPUBLIC OF
KW	KUWAIT
KY	CAYMAN ISLANDS
KZ	KAZAKSTAN
LA	LAO PEOPLE'S DEMOCRATIC REPUBLIC
LB	LEBANON
LC	SAINT LUCIA
LI	LIECHTENSTEIN
LK	SRI LANKA
LR	LIBERIA
LS	LESOTHO
LT	LITHUANIA
LU	LUXEMBOURG
LV	LATVIA
LY	LIBYAN ARAB JAMAHIRIYA
MA	MOROCCO
MC	MONACO
MD	MOLDOVA, REPUBLIC OF
MG	MADAGASCAR
MH	MARSHALL ISLANDS
MK	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF
ML	MALI
MM	MYANMAR
MN	MONGOLIA
MO	MACAU
MP	NORTHERN MARIANA ISLANDS
MQ	MARTINIQUE
MR	MAURITANIA
MS	MONTSERRAT
MT	MALTA
MU	MAURITIUS
MV	MALDIVES
MW	MALAWI
MX	MEXICO
MY	MALAYSIA
MZ	MOZAMBIQUE
NA	NAMIBIA
NC	NEW CALEDONIA
NE	NIGER
NF	NORFOLK ISLAND
NG	NIGERIA
NI	NICARAGUA
NL	NETHERLANDS
NO	NORWAY
NP	NEPAL

**Entity Instances**

NR	NAURU
NT	NEUTRAL ZONE
NU	NIUE
NZ	NEW ZEALAND
OM	OMAN
PA	PANAMA
PE	PERU
PF	FRENCH POLYNESIA
PG	PAPUA NEW GUINEA
PH	PHILIPPINES
PK	PAKISTAN
PL	POLAND
PM	SAINT PIERRE AND MIQUELON
PN	PITCAIRN
PR	PUERTO RICO
PT	PORTUGAL
PW	PALAU
PY	PARAGUAY
QA	QATAR
RE	REUNION
RO	ROMANIA
RU	RUSSIAN FEDERATION
RW	RWANDA
SA	SAUDI ARABIA
SB	SOLOMON ISLANDS
SC	SEYCHELLES
SD	SUDAN
SE	SWEDEN
SG	SINGAPORE
SH	SAINT HELENA
SI	SLOVENIA
SJ	SVALBARD AND JAN MAYEN ISLANDS
SK	SLOVAKIA
SL	SIERRA LEONE
SM	SAN MARINO
SN	SENEGAL
SO	SOMALIA
SR	SURINAME
ST	SAO TOME AND PRINCIPE
SV	EL SALVADOR
SY	SYRIAN ARAB REPUBLIC
SZ	SWAZILAND
TC	TURKS AND CAICOS ISLANDS
TD	CHAD
TF	FRENCH SOUTHERN TERRITORIES
TG	TOGO
TH	THAILAND
TJ	TAJIKISTAN
TK	TOKELAU
TM	TURKMENISTAN
TN	TUNISIA
TO	TONGA
TP	EAST TIMOR
TR	TURKEY
TT	TRINIDAD AND TOBAGO

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

TV	TUVALU
TW	TAIWAN, PROVINCE OF CHINA
TZ	TANZANIA, UNITED REPUBLIC OF
UA	UKRAINE
UG	UGANDA
UM	UNITED STATES MINOR OUTLYING ISLANDS
US	UNITED STATES
UY	URUGUAY
UZ	UZBEKISTAN
VA	HOLY SEE (VATICAN CITY STATE)
VC	SAINT VINCENT AND THE GRENADINES
VE	VENEZUELA
VG	VIRGIN ISLANDS (BRITISH)
VI	VIRGIN ISLANDS (U.S.)
VN	VIET NAM
VU	VANUATU
WF	WALLIS AND FUTUNA ISLANDS
WS	SAMOA
YE	YEMEN
YT	MAYOTTE
YU	YUGOSLAVIA
ZA	SOUTH AFRICA
ZM	ZAMBIA
ZR	ZAIRE
ZW	ZIMBABWE

Used in

34 PhysicalAddress
 90 PhysicalAddress
 258 PhysicalAddress
 302 PhysicalAddress

GlobalCurrencyCode

Type	String	Min	3
Repr	X(3)	Max	3

Definition

Code identifying the three character currency code specified in ISO 4217-1995.

Entity Instances

ADP	ANDORRA (multiple)
AED	UNITED ARAB EMIRATES
AFA	AFGHANISTAN
ALL	ALBANIA
AMD	ARMENIA
ANG	NETHERLANDS ANTILLES
AON	ANGOLA (multiple)
AOR	ANGOLA (multiple)
ARS	ARGENTINA
ATS	AUSTRIA
AUD	TUVALU
AWG	ARUBA
AZM	AZERBAIJAN

**Entity Instances**

BAM	BOSNIA AND HERZEGOVINA
BBD	BARBADOS
BDT	BANGLADESH
BEF	BELGIUM
BGL	BULGARIA
BHD	BAHRAIN
BIF	BURUNDI
BMD	BERMUDA
BND	BRUNEI DARUSSALAM
BOB	BOLIVIA (multiple)
BOV	BOLIVIA (multiple)
BRL	BRAZIL
BSD	BAHAMAS
BTN	BHUTAN (multiple)
BWP	BOTSWANA
BYB	BELARUS
BZD	BELIZE
CAD	CANADA
CHF	SWITZERLAND
CLP	CHILE
CNY	CHINA
COP	COLOMBIA
CRC	COSTA RICA
CUP	CUBA
CVE	CAPE VERDE
CYP	CYPRUS
CZK	CZECH REPUBLIC
DEM	GERMANY
DJF	DJIBOUTI
DKK	GREENLAND
DOP	DOMINICAN REPUBLIC
DZD	ALGERIA
ECS	ECUADOR
EEK	ESTONIA
EGP	EGYPT
ERN	ERITREA
ESP	SPAIN
ETB	ETHIOPIA
EUR	EUROPEAN UNION
FIM	FINLAND
FJD	FIJI
FKP	FALKLAND ISLANDS(MALVINAS)
FRF	FRENCH SOUTHERN TERRITORIES
GBP	UNITED KINGDOM
GEL	GEORGIA
GHC	GHANA
GIP	GIBRALTAR
GMD	GAMBIA
GNF	GUINEA
GRD	GREECE
GTQ	GUATEMALA
GWP	GUINEA-BISSAU
GYP	GUYANA
HKD	HONG KONG
HNL	HONDURAS

**Entity Instances**

HRK	CROATIA
HTG	HAITI
HUF	HUNGARY
IDR	INDONESIA
IEP	IRELAND
ILS	ISRAEL
INR	BHUTAN (multiple)
IQD	IRAQ
IRR	IRAN (ISLAMIC REPUBLIC OF)
ISK	ICELAND
ITL	VATICAN CITY STATE (HOLY SEE)
JMD	JAMAICA
JOD	JORDAN
JPY	JAPAN
KES	KENYA
KGS	KYRGYZSTAN
KHR	CAMBODIA
KMF	COMOROS
KPW	KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF
KRW	KOREA, REPUBLIC OF
KWD	KUWAIT
KYD	CAYMAN ISLANDS
KZT	KAZAKHSTAN
LAK	LAO PEOPLE'S DEMOCRATIC REPUBLIC
LBP	LEBANON
LKR	SRI LANKA
LRD	LIBERIA
LTL	LITHUANIA
LUF	LUXEMBOURG
LVL	LATVIA
LYD	LIBYAN ARAB JAMAHIRIYA
MAD	WESTERN SAHARA
MDL	MOLDOVA, REPUBLIC OF
MGF	MADAGASCAR
MKD	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF
MMK	MYANMAR
MNT	MONGOLIA
MOP	MACAU
MRO	MAURITANIA
MTL	MALTA
MUR	MAURITIUS
MVR	MALDIVES
MWK	MALAWI
MXN	MEXICO
MYR	MALAYSIA
MZM	MOZAMBIQUE
NGN	NIGERIA
NIO	NICARAGUA
NLG	NETHERLANDS
NOK	BOUVET ISLAND
NPR	NEPAL
NZD	COOK ISLANDS
OMR	OMAN
PAB	PANAMA
PEN	PERU

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

PGK	PAPUA NEW GUINEA
PHP	PHILIPPINES
PKR	PAKISTAN
PLN	POLAND
PTE	PORTUGAL
PYG	PARAGUAY
QAR	QATAR
ROL	ROMANIA
RUR	RUSSIAN FEDERATION
RWF	RWANDA
SAR	SAUDI ARABIA
SBD	SOLOMON ISLANDS
SCR	SEYCHELLES
SDD	SUDAN
SEK	SWEDEN
SGD	SINGAPORE
SHP	SAINT HELENA
SIT	SLOVENIA
SKK	SLOVAKIA
SLL	SIERRA LEONE
SOS	SOMALIA
SRG	SURINAME
STD	SAO TOME AND PRINCIPE
SVC	EL SALVADOR
SYP	SYRIAN ARAB REPUBLIC
SZL	SWAZILAND
THB	THAILAND
TJR	TAJIKISTAN
TMM	TURKMENISTAN
TND	TUNISIA
TOP	TONGA
TPE	EAST TIMOR
TRL	TURKEY
TTD	TRINIDAD AND TOBAGO
TWD	TAIWAN, PROVINCE OF CHINA
TZS	TANZANIA, UNITED REPUBLIC OF
UAH	UKRAINE
UGX	UGANDA
USD	UNITED STATES
UYU	URUGUAY
UZS	UZBEKISTAN
VEB	VENEZUELA
VND	VIETNAM
VUV	VANUATU
WST	SAMOA
XAF	CONGO
XCD	GRENADA
XDR	INTERNATIONAL MONETARY FUND
XOF	TOGO
XPF	NEW CALEDONIA
XPR	FRENCH POLYNESIA
YER	YEMEN
YUM	YUGOSLAVIA
ZAR	NAMIBIA
ZMK	ZAMBIA

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

ZRN	ZAIRE
ZWD	ZIMBABWE

Used in

158	FinancialAmount
228	FinancialAmount

GlobalCustomerTypeCode

Type	String	Min	1
-------------	--------	------------	---

Definition

Code identifying the type of end user.

Entity Instances

End Customer
Ultimate Customer

Used in

66	QuoteCustomerInformation
----	--------------------------

GlobalDocumentFunctionCode

Type	String	Min	1
-------------	--------	------------	---

Definition

Code identifying the function of a document as either a request or a response.

Entity Instances

Request	<i>The business document is a request for a business action to be performed by a partner.</i>
Response	<i>The business document is a response to a requesting partner.</i>

Used in

Pip3A1QuoteRequest

GlobalDocumentReferenceTypeCode

Type	String	Min	1
-------------	--------	------------	---

Definition

Code identifying the type of business document used for referencing within another business document.

Entity Instances

ASP Claim	<i>The unique identifier assigned by the ASP for a warranty claim.</i>
ASP Part Return	<i>The unique identifier assigned by the ASP for a part return.</i>
ASP PartOrder	<i>The unique identifier assigned by the ASP for a part order.</i>
ASP Requisition	<i>The unique identifier assigned by the ASP to reference a work order.</i>
Catalog	<i>Product Catalog.</i>

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

Commercial Invoice	
Component Failure Analysis Request Number	<i>Failure Analysis request document that will accompany the product providing characteristics of the component failure.</i>
Consumption Reference	<i>Unique consumption reference number identifying the product consumption issue i.e. one-to-one relationship with physical flow.</i>
Contract	
Credit Memo	<i>Traditional credit note or memo.</i>
Customer Batch Number	<i>Product batch number of customer.</i>
Customer Order Number	<i>In a virtual sourcing relationship, a third party trading partner is supplying a part to a customer on behalf of another company that has taken the order for the customer. In this case a Customer Order Number is associated to the request for material that is sent to the virtual trading partners.</i>
Customs Number	<i>Customs clearance number.</i>
Debit Memo	<i>Traditional debit note or memo.</i>
Delivery Note	
Discontinuation	<i>Discontinuation Notice.</i>
Drawing #	
Fulfillment Order	<i>Sales order or transfer order fulfilling demand out of a facility (outbound shipment).</i>
Invoice	
Master Event Number	
Model Number	
OEM Claim	<i>The unique identifier assigned by the OEM for a warranty claim.</i>
OEM Part Order	<i>The unique identifier assigned by the OEM for a part order.</i>
OEM Part Return	<i>The unique identifier assigned by the OEM for a part return.</i>
Original Invoice	<i>Refers to previously issued invoice.</i>
Original SBI Invoice	<i>Refers to previously issued self-billing invoice.</i>
Packing List/Packing Slip	<i>Unique number that identifies packing form prior to shipment.</i>
Product Failure Analysis Request Number	<i>Failure Analysis request document that will accompany the product providing characteristics of the product failure.</i>
Production Order Number	<i>Production order number for material release.</i>
Purchase Order	
Purchase Order IN	
Purchase Order OUT	
Quote	
RMA - Returned Material Authorization	
Receipt	<i>Document identifying the receipt of materials or products into a facility against a purchase order or transfer order (inbound shipment).</i>
Replenishment Order	<i>Purchase order or transfer order replenishing inventory into a facility (inbound shipment).</i>
Requisition	
Rework Purchase Order	<i>Purchase order for materials or product returned to and reworked by a supplier.</i>
SNCL	<i>Shipset Number on Code List</i>
Sales Order	
Scheduling Agreement	<i>Similar to contracts. Contains the quantity of an article that is to be ordered from a vendor and the price for article or service that is to be procured.</i>
Self Billing Credit Memo	<i>Credit Memo used in self-billing scenario.</i>
Self Billing Debit Memo	<i>Debit Memo used in self-billing scenario.</i>
Self Billing Invoice	<i>Invoice in self billing scenario.</i>
Serial Number	

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

Service Order	<i>A document that gives a repair provider the necessary authorization to repair or upgrade a product either at the customer site or at the repair provider's site.</i>
Shipping Reference Identifier	<i>A document that contains the shipping reference number which allows the product to be tracked within the outsourced logistic providers network.</i>
Spec #	
Supplier Batch Number	<i>Product batch number of supplier.</i>
Transfer Order	<i>Order which results in materials or products being moved from one facility to another (outbound shipment and inbound shipment).</i>
Warranty Claim	<i>Denotes a warranty claim.</i>
Waybill	
Work Order	

Used in

43 DocumentReference
 102 DocumentReference
 236 DocumentReference

GlobalLocationIdentifier

Type	String	Min	10
Repr	9(9)X(4)	Max	13

Definition

Location uniquely identified by the DUNS +4 number.

Used in

28 PhysicalLocation
 84 PhysicalLocation
 252 PhysicalLocation
 296 PhysicalLocation

GlobalMonetaryAmountTypeCode

Type	String	Min	1
-------------	--------	------------	---

Definition

Code identifying whether the monetary amount is a debit or credit.

Entity Instances

Credit
 Debit
 Zero Remit

Used in

158 FinancialAmount
 228 FinancialAmount

Type	String	Min	1
-------------	--------	------------	---



GlobalPartnerClassificationCode

Definition

Code identifying a partner's function in the supply chain.

Entity Instances

Broker	<i>Representative of a third party.</i>
Carrier	<i>Product carrier for transporting goods in supply chain.</i>
Contract Manufacturer	<i>The party responsible for the services rendered.</i>
Customs Broker	<i>Product customs broker in supply chain.</i>
Distribution Center	<i>Product distributor in supply chain.</i>
Distributor	<i>Product distributor in supply chain.</i>
End User	<i>Product end user in supply chain.</i>
End User Government	<i>End user government.</i>
Financier	<i>Financial service provider in supply chain</i>
Freight Forwarder	<i>Product freight forwarder for transporting goods in supply chain.</i>
Manufacturer	<i>Product manufacturer in supply chain.</i>
Original Equipment Manufacturer	<i>Product manufacturer of original equipment in the supply chain.</i>
Reseller	<i>The party who buys goods from a manufacturer and resells them to customers unchanged.</i>
Retailer	<i>Product retailer in supply chain.</i>
Service Provider	<i>A provider of services such as repair, diagnoses, maintenance, installation or removal of a unit.</i>
Shopper	<i>Product shopper in supply chain.</i>
Warehouser	<i>Product warehouser in supply chain.</i>

Used in

8	PartnerDescription
19	PartnerLocationDescription
70	PartnerDescription
117	PartnerProductIdentification
122	PartnerDescription
153	PartnerProductIdentification
243	PartnerLocationDescription
282	PartnerDescription
325	PartnerDescription

GlobalPartnerRoleClassificationCode

Type String

Min 1

Definition

Code identifying a party's role in the supply chain.

Entity Instances

Account Supplier	<i>Any trading partner that buys or sells products/services from customers and/or vendors.</i>
Account User	<i>Any trading partner that requires an account to buy or sell products/services.</i>
Anonymous Buyer	<i>A requestor of information that chooses to remain anonymous.</i>
Appointment Provider	<i>The stakeholder(s) in the shipment delivery activity.</i>
Authorized Service Provider	<i>The Service Provider authorized by an OEM to perform service on a unit.</i>

**Entity Instances**

Authorizer	<i>The partner role that provides product authorization, from a product owner or manufacturer, for a reselling organization to resell a product.</i>
Buyer	<i>An employee or organization that buys products for a partner type in the supply chain.</i>
Catalog Distributor	<i>The partner role that distributes catalog information to catalog producers and buyers.</i>
Catalog Producer	<i>The partner role that produces catalog information for a partner type in the supply chain.</i>
Change Requester	<i>A party who has an interest in requesting a review of a possible change to the component. The requester may be any party including customers and suppliers.</i>
Change Review Forum	<i>A party who has responsibility for the review of Engineering Change Requests and the drafting and review of Engineering Change Orders. The Change Review Forum is assumed to be at the company that has responsibility for the engineering aspects of the component affected by the change.</i>
Claim Requester	<i>The owner of the shipments who is responsible for the intact delivery.</i>
Consignee	<i>The receiver of the shipment.</i>
Consumption Notification Provider	<i>Trading Partner role responsible for sending the notification of material consumption by a production location</i>
Consumption Notification User	<i>Trading Partner role responsible for receiving and processing the notification of material consumption thereby invoicing the customer for consumed material</i>
Credit Provider	<i>This partner role is responsible for providing credit information about potential customers.</i>
Credit Reference Requester	<i>This partner role is responsible for requesting credit information about potential customers.</i>
Customer	<i>This partner role creates a demand for a product or service.</i>
Customer Manager	<i>This partner role manages the relationship with the business customers.</i>
Decision Stakeholder	<i>The party (such as suppliers, customers and others) who is responsible for the review and approval of the Engineering Change Approval Request. The stakeholders may be from multiple organizations.</i>
Delivery Appointment Provider	<i>A party that receives a request for a change to a previously scheduled delivery appointment.</i>
Delivery Appointment Requester	<i>A party that requests a change to a previously scheduled delivery appointment.</i>
Demand Creator	<i>The partner role that identifies the opportunity, submits design registration, provides engineering support to advance the opportunity towards design win, and generates revenue by satisfying customer demand for a product.</i>
Design Engineering Information Receiver	<i>This partner role uses technical information for updating enterprise databases (such as electronic catalog systems), design or test engineering, and manufacturing.</i>
Design Engineering Information Sender	<i>This partner role distributes the design engineering information of the agreed types in the agreed amounts at the agreed times.</i>
Exception Identifier	<i>The party/organization that monitors and identifies exceptions based on predefined exception criteria and sends notifications of the identified exceptions. In a collaborative forecasting process, the Exception Definer may be the Forecast Owner, Forecast Recipient, Forecast Reply Recipient and/or an external party.</i>
Exception Recipient	<i>The party/organization requiring visibility to an exception and</i>



Entity Instances

	<i>receiving notifications on the identified exceptions. In a collaborative forecasting process, the Exception Recipient may be the Forecast Owner, Forecast Recipient and/or Forecast Reply Recipient. The Exception Identifier may send a notification for a specific exception to multiple Exception Recipients.</i>
Failure Report Administrator	<i>An employee or organizational entity that receives and processes PIP Failure Notifications.</i>
Financing Processor	<i>The organization that processes the request for financing.</i>
Forecast Owner	<i>The party/organization that monitors and identifies exceptions based on predefined exception criteria and sends notifications of the identified exceptions. In a collaborative forecasting process, the Exception Identifier may be the Forecast Owner, Forecast Recipient, Forecast Reply Recipient and/or an external party.</i>
Forecast Recipient	<i>The party that receives a strategic or order forecast.</i>
Forecast Reply Recipient	<i>The party that receives a forecast reply. The Recipient can be the original forecast owner or other forecast partner (Please refer to the GlobalPartnerClassificationCode).</i>
Implementation Plan Creator	<i>The partner role that creates, maintains and manages an implementation plan associated with an Engineering Change Order.</i>
In-transit Information User	<i>The party who receives shipment status information.</i>
Initiator	<i>The party that starts the data exchange.</i>
Integrator	<i>The organization responsible for the production of the product. Change requests are communicated back to the Qualification Owner.</i>
Inventory Information Provider	<i>An organization that owns or holds inventory and provides information about this inventory to partners in the supply chain. This may be a distributor, contract manufacturer, supplier or OEM reporting inventory that they hold and/or own.</i>
Inventory Information User	<i>An employee or organization that uses information about inventory.</i>
Invoice Provider	<i>The organization that generates the invoice.</i>
Invoice Receiver	<i>The organization being invoiced.</i>
Invoice Reject Provider	<i>The organization that rejects an invoice.</i>
Invoice Reject Receiver	<i>The organization being issued an Invoice Reject Notification.</i>
Marketing Activity Information User	<i>The party who uses information about Marketing Activities. This party might include distributors, and retail operations.</i>
Marketing Activity Initiator	<i>The partner role that distributes information about marketing activities being sponsored by the organization.</i>
Material Release Information Provider	<i>Trading Partner role responsible for triggering release of materials to a delivery location</i>
Material Release Information User	<i>Trading Partner role responsible for receiving trigger to release material to a delivery location and shipping material to delivery location</i>
PIP Failure Notifier	<i>An organizational process that automatically notifies the appropriate Failure Report Administrator of a PIP process failure.</i>
Payee	<i>The party receiving a payment.</i>
Payer	<i>The party issuing a payment.</i>
Product Distributor	<i>The party authorized by a Product Supplier to purchase goods and services from the Product Supplier and resell to customers.</i>
Product Information Distributor	<i>The partner role that distributes new product information to product information users and buyers.</i>
Product Information Subscriber	<i>The business partner that subscribes to product information from other business partners.</i>
Product Information User	<i>The partner role that uses product information to create or update enterprise systems and online promotion systems such as electronic</i>



Entity Instances

Product Provider	<i>catalog systems. The partner role that creates a differentiated product, owns the registration process and creates a list of eligible products for use in design registration.</i>
Product Supplier	<i>This partner role supplies product to customers in the supply chain.</i>
Qualification Owner	<i>The organization responsible for the qualification of manufacturers and suppliers of parts for the product. The Qualification Owner defines and maintains the AML for the product.</i>
Quality Data Provider	<i>The party responsible for sending the Repair Quality Data. The Provider, through various means, learns of product or product component defect(s).</i>
Quality Data User	<i>The party who receives the repair and/or test data. The User analyzes the data and incorporates findings into its business model.</i>
Receiver	<i>The intended recipient of products or business information. The Receiver may verify receipt if prescribed.</i>
Responder	<i>The party that replies to the initiators message.</i>
Return Provider	<i>The party responsible for authorizing and/or processing the return.</i>
Return Receiver	<i>A third-party or warehousing operation responsible for receiving returns, inspecting the package contents and comparing to the issued RMA to assure the contents are what was authorized on the RMA.</i>
Return Requester	<i>Any party wishing to return a product. This role could be played by a large end-user such as the Government Services Administration (GSA), a distributor, or a reseller.</i>
Sales Facilitator	<i>This partner role facilitates the sale of product between partners in the supply chain.</i>
Sales Lead Originator	<i>The party assigning a sales lead to another party.</i>
Sales Lead Processor	<i>The party who receives the sales lead. This party is responsible for accepting or rejecting the lead, and if accepted, reports the status of the lead.</i>
Sales Marketing Claim Processor	<i>The partner role that processes the claim and/or remits compensation to the Sales Marketing Claimant.</i>
Sales Marketing Claimant	<i>The partner role that requests reimbursement from a Sales Marketing Claim Processor.</i>
Sales Marketing Program Reimbursement Recipient	<i>The partner role that receives status on a previously submitted sales marketing claim, or who receives reimbursement without submitting a claim.</i>
Sales Marketing Program Reimbursers	<i>The partner role that is currently processing a sales marketing claim, (or providing a payment without a claim submitted) and who provides information on the status of the claim processing.</i>
Self-Billing Invoice Provider	<i>The party that generates the self-billing invoice plus being invoiced. It can re-issue the self-billing invoice.</i>
Self-Billing Invoice Receiver	<i>The organization that provides the services or goods. The organization that receives the payment.</i>
Seller	<i>An organization that sells products to partners in the supply chain.</i>
Service Provider	<i>A provider that performs a service such as repair, diagnose, maintain, install or remove on a unit.</i>
Shipment Information User	<i>The party who receives shipment status information.</i>
Shipment Requester	<i>The party requesting transportation services.</i>
ShipmentController	<i>The party who is authorized to make decisions regarding a shipment while in-transit.</i>
Shipper	<i>The party who relinquishes (assigns) a shipment to a transport service provider.</i>
Shipping Provider	<i>The organization responsible for performing the shipping logistics for the Shipper. The Shipping Provider ships products from one</i>

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

	<i>location to another as requested by the shipping order and informs the Shipper when the shipment has been sent.</i>
Solution Provider	<i>The party that may architect, configure, engineer, sell, or determine the fulfillment of the configured solution to partners in the supply chain.</i>
Solution Requester	<i>This party that creates a demand for a product or service, or has contracted with a Solution Provider for the manufacture or fulfillment of a product(s).</i>
Specification Provider	<i>The partner role that creates or passes on manufacturing specifications. This may be a Solution Provider, an OEM who is sub-contracting manufacturing tasks like fabrication or assembly, or another party.</i>
Specification User	<i>The partner role that uses a manufacturing specification. This might be a sub-contract assembler or fabricator.</i>
Stakeholder	<i>The party that is required to implement an Engineering Change Order. The Stakeholder may include all levels of suppliers, customers or other parties. The Stakeholder may represent multiple organizations. The Stakeholder may draft and/or be responsible for completing tasks in an implementation plan.</i>
Status Requester	<i>The functional partner role, that could be a Product Provider, that creates a differentiated product, owns the registration process and creates a list of eligible products, or who is responsible for identifying the opportunity (that is, it could be a Demand Creator).</i>
Status Responder	<i>The organizational partner role, that could be a Product Provider, that creates a differentiated product, owns the registration process and creates a list of eligible products, or who is responsible for identifying the opportunity (that is, it could be a Demand Creator).</i>
Supplier	<i>This partner role supplies product to customers in the supply chain.</i>
Tender Information User	<i>The stakeholder(s) in the tendering activity.</i>
Transport Service Provider	<i>The party that provides transportation services for a Shipment Requester.</i>
Warranty Provider	<i>The provider who honors the warranty terms and reimburses the Authorized Service Provider for a service event performed under the terms of the warranty.</i>

Used in

1 PartnerRoleDescription
 43 DocumentReference
 102 DocumentReference
 236 DocumentReference
 318 PartnerRoleDescription

GlobalPriceTypeCode

Type String

Min 1

Definition

Code identifying the pricing qualifier for a product.

Entity Instances

ACS	<i>Authorized Cost - The negotiated cost agreed upon between the supplier and distributor at the time the "debit" is authorized.</i>
ASP	<i>Average selling price - Manufacturer's published price</i>

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

CP	<i>Catalog price - Book (the supplier's published cost at the time of transaction) or Published Price.</i>
CS	<i>Cost - Price for which the distributor purchased the parts.</i>
Contract	<i>Contractual negotiated volume prices, customer specific.</i>
Contract Manufacturing	<i>Third party manufacturers.</i>
Disti	<i>Disti Cost; Quantity Price books.</i>
Education	<i>The price offered for purchases to support educational contracts or builds.</i>
Exception	<i>Pricing that does not conform to a rule or generalization; special offers.</i>
General	<i>Standard pricing.</i>
Government	<i>The price offered to government contracts or builds.</i>
MUS	<i>Minimum unit sale - Manufacturer's requirement of total dollar value for design opportunity</i>
Market Pricing	<i>Contractual negotiated volume prices, distributor specific.</i>
OEM Volume Pricing	<i>Original equipment manufacturer's price per volume ordered.</i>
RCS	<i>Requested cost - Reseller's requested cost to the manufacturer.</i>
RSP	<i>Resale - Price the distributor is authorized to use for sale to their customer.</i>
SRSP	<i>Manufacturer's recommendation for unit pricing</i>
Samples	<i>Price offered for sample orders.</i>
Suggested Resale Price	<i>The recommended resale price; including MSRP.</i>
TOC	<i>Total Other Charges - Suggested resale price - The sum total of all distributor added charges to the customer for value added services, including but not limited to programming, tape and reel, labeling, date coding, kitting and in-house assembly.</i>
Threshold Price	<i>The price offered once a certain order volume is reached.</i>

Used in

157 ProductPricing
227 ProductPricing

GlobalProductIdentifier

Type	String	Min	14
Repr	9(14)	Max	14

Definition

Global unique product identifier. RosettaNet has adopted the Global Trade Identification Number (GTIN).

Used in

151 ProductIdentification

GlobalProductUnitOfMeasureCode

Type	String	Min	1
-------------	--------	------------	---

Definition

Code identifying a product unit of measure.

Entity Instances

10 Kilogram Drum
15 Kilogram Drum

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND



Entity Instances

20 Foot Container
25 Kilogram Bulk Bag
40 Foot Container
50 Pound Bag
55 Gallon Drum
100 Board Feet
100 Pound Drum
115 Kilogram Drum
300 Kilogram Bulk Bag
500 Kilogram Bulk Bag
10,000 Gallon Tankcar
10-pack
100-Pack
1000-pack
20,000 Gallon Tankcar
20-Pack
50-pack
Acre
Actual Pounds
Aluminum Pounds Only
Ampere
Bag
Bale
Ball
Band
Bar
Barrel
Barrel, Imperial
Barrels Per Day
Barrels Per Minute
Base Box
Base Weight
Basket
Batch
Batt
Batting Pound
Beam
Becquerel/kilogram
Belt
Billet
Bin
Block
Board
Board Feet
Bolt
Bottle
Box
British Thermal Unit (BTU)
British Thermal Units (BTUs) Per
Cubic Foot
British Thermal Units (BTUs) Per
Pound
Bucket
Bulk
Bulk Car Load



Entity Instances

Bulk Pack
Bundle
Bunks
Bushel
Bushel, Dry Imperial
Calorie
Can
Candela
Canister
Car
Carat
Carboy
Card
Carload
Carton
Cartridge
Case
Cask
Cassette
Catchweight
Cell
Centiliter
Centimeter
Centipoise (CPS)
Chains (Land Survey)
Chest
Coil
Coil Group
Composite Product Pounds (Total Weight)
Cone
Connector
Container
Cover
Crate
Cubic Foot
Cubic centimeter
Cubic centimeter/second
Cubic inch
Cubic yard
Cubicmeter
Cup
Cycles
Cylinder
Day
Deal
Decimeter
Degree Celsius
Degree Fahrenheit
Dep. Factor
Die
Disk (Disc)
Dispenser
Display
Dozen



Entity Instances

Dram
Drum
Dry Pounds
Each
Electrical Capacitance
Fluid Ounce
Fluid Ounce (Imperial)
Fluid Ounce US
Foot
Fuel Usage (Gallons)
Gage Systems
Gallon
Gigajoules
Gill (Imperial)
Grain
Gram
Gram/Cubic Centimeter
Gram/square meter
Grams Per 100 Centimeters
Grams Per 100 Grams
Grams Per Cubic Centimeter
Grams Per Kilogram
Grams Per Liter
Grams Per Milliliter
Grams Per Square Centimeter
Grams Per Square Meter
Great Gross (Dozen Gross)
Gross
Gross Barrels
Gross Gallons
Gross Kilogram
Gross Ton
Gross Yard
Group
Half Gallon
Half Hour
Half Liter
Hank
Heat lots
Hectare
Hectoliter
Hectopascal
Hertz
Hour
Hours
Hundred Boxes
Hundred Count
Hundred Sheets
Hundredth of a Carat
Imperial Gallons
Inch
Jar
Joint
Joule
Keg

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND



Entity Instances

Kelvin
Kiloampere
Kilobecquerel/Kilogram
Kilogram
Kilogram per cubic meter
Kilogram/Kilogram
Kilogram/square meter
Kilogramm pro Sekunde
Kilohertz
Kilojoule
Kilometer
Kilometer/hour
Kiloohm
Kilovolt
Kilowatt
Kilowatt-hour
Kit
Kubikdezimeter
Kubikmeter pro Sekunde
Lifts
Link
Liquid Pounds
Liter
Load
Lot
Lug
Mat
Megagram
Megagrams Per Hour
Megahertz
Megapascal
Megawatt
Meter
Meter pro Quadratsekunde
Meters per second
Micrograms Per Cubic Meter
Micrometer
Microsecond
Mikrogram/cubic meter
Mile
Milliampere
Millibar
Milligram/Liter
Milligram/cubic meter
Milligram/kilogram
Milligrams Per Cubic Meter
Milligrams Per Square Meter
Millijoule
Milliliter
Millimeter
Millimeter H2O
Millimol
Millimol/kilogram
Million BTU's
Millipascal seconds

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND



Entity Instances

Millisecond
 Millitesla
 Millivolt
 Milliwatt
 Minute
 Miter
 Mol
 Mol/kilogram
 Month
 Multichip
 Nanometer
 Nanosecond
 Net Barrels
 Net Gallons
 Net Imperial Gallons
 Net Liters
 Newton
 Ohm
 One
 One Thousand Pieces
 Ounce
 Pack (PAK)
 Package
 Packet
 Pad
 Pail
 Pair
 Pallet
 Pallet (Lift)
 Pallet/Unit Load
 Pallette
 Panel
 Parcel
 Parts per billion (US)
 Parts per million
 Pascal
 Pascal second
 Pennyweight
 Per Hundred Pieces
 Percent
 Percent Per 1000 Hours
 Percent Weight
 Percentage
 Piece
 Pint - US liquid
 Pint U.S. Dry
 Plate
 Pound
 Pounds Per 1000 Square Feet
 Pounds Per Foot
 Pounds Per Gallon
 Pounds Per Piece of Product
 Pounds Per Pound of Product
 Pounds Per Thousand
 Quart - US liquid

When 2 or more dies (chips) are merged into one package.

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND



Entity Instances

Rack
 Ream of 500 Sheets
 Reel
 Ring
 Rod
 Roll
 SET
 Sack
 Second
 Sheet
 Sheet-Metric measure
 Shipment
 Shot
 Skein
 Skid
 Sleeve
 Slip Sheet
 Spool
 Square
 Square Yard
 Square foot
 Square inch
 Square kilometer
 Square meter
 Square meter/second
 Square mile
 Square millimeter
 Statute Mile
 Stick
 Strip
 Super Bulk Bag
 Tablet
 Tank
 Tank Truck
 Tesla
 Thousand
 Ton
 Tonne
 Torr
 Tote
 Track Foot
 Trailer
 Train
 Tray
 Troy
 Troy OZ
 Truckload
 Tube
 US gallon
 US pound
 US ton
 Unitless Unit of Measure
 Vial
 Volt
 WF

Mask Set (SET)

Wafer (WF)

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

Wafer
Watt
Week
Wrap
Yard
Year

Used in

99 QuoteLineItem

GlobalQuoteStatusCode**Type** String**Min** 1**Definition**

Code identifying whether business has been secured by the end customer.

Entity Instances

Closed lost
Closed won
Undetermined

Used in

66 QuoteCustomerInformation

GlobalQuoteTypeCode**Type** String**Min** 1**Definition**

Code identifying category specification for a quote.

Entity Instances

BOM Quote	<i>Complete list of parts provided for a specified project, "total package" pricing provided.</i>
Bid for Bid	<i>Quote for project not ready for purchase, budgetary pricing.</i>
Bid for Buy	<i>Customer ready to purchase, looking for best price.</i>
Blanket Quote	<i>Secures pricing for complete parts lists</i>
Budgetary Quote	<i>Quote to determine if project is economically feasible</i>
Competitive Quote	<i>Competitor pricing has been provided</i>
Contract Quote	<i>Based on previously negotiated contract pricing</i>
Quote with reservations	<i>quote to hold product for specified delivery.</i>
Rebid for buy	<i>Customer requesting requote, possibly looking for better pricing/delivery</i>
Repair	
Rework	
Service	
Ship from stock and debit	<i>Partner has potential to book business if provided authorization to deviate from standard cost.</i>

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Used in**

14 Quote

GlobalRequoteActionCode**Type** String**Min** 1**Definition**

Code identifying the type of action to be taken for a given line item on a quote.

Entity Instances

Added
Change
Deleted
No action
Re-issue

Used in

234 RequoteLineStatus

GlobalSupplyChainCode**Type** String**Min** 1**Definition**

Code identifying the supply chain for the partner's function.

Entity Instances

Electronic Components	<i>The electronic components supply chain.</i>
Information Technology	<i>The information technology supply chain.</i>
Semiconductor Manufacturing	<i>The semiconductor manufacturing supply chain.</i>

Used in

9 BusinessDescription
326 BusinessDescription

GlobalTaxExemptionCode**Type** String**Min** 1**Definition**

Code identifying the type of tax exemption for a product or service.

Entity Instances

Agriculture
Direct pay ID
Disabled
Disabled veteran
Exempt - Provincial sales tax
Exempt - for export
Exempt - for resale

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

Exempt - from county property tax
 Exempt - from local property tax
 Exempt - from school property tax
 Exempt - from state property tax
 Exempt - goods and services tax
 Exempt - letter on file
 Exempt - local service
 Exempt - not for resale
 Exempt - per State law
 Exempt - sale to U.S. government
 Exempt - toll service
 Homestead
 Labor taxable - material exempt
 Material taxable - labor exempt
 Non-homestead
 Not exempt - for resale
 Not exempt - not for resale
 Not taxable
 Open space
 Other property tax exemption
 Over 65
 Recurring exempt
 Totally exempt
 Usage exempt
 Working farm

Used in

269 TaxExemption

GlobalTransportEventCode**Type** String**Min** 1**Definition**

Code identifying an event during the transportation of a shipment.

Entity Instances

Dock	<i>The event representing when the product should arrive on the recipient's dock.</i>
Pickup	<i>The event representing when the product is scheduled to be picked up from the shipper's dock.</i>
Ship	<i>The event representing when the product is requested to ship.</i>

Used in

198 QuantityTransportationSchedule

InvoiceChargeTypeCode**Type** String**Min** 1**Definition**

Code identifying the values for the types of charges contained in an invoice.

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Entity Instances**

Allowances and Charges
 Custom Charges
 Deposit Amount
 Freight Charges
 Handling Charges
 Quantity Discount

Used in

158 FinancialAmount
 228 FinancialAmount

isSubstituteProductAcceptable**Definition**

Indicates whether the requesting party will accept a substitute product for the product requested.

Children

AffirmationIndicator *Used to indicate "Yes", "No" statements.*

Used in

99 QuoteLineItem

isTaxExempt**Definition**

Indicates whether a product is exempt from taxation.

Children

AffirmationIndicator *Used to indicate "Yes", "No" statements.*

Used in

267 TaxExemptStatus

LineNumber

Type	String	Min	1
Repr	X(6)	Max	6

Definition

Number of the line in the document.

Used in

43 DocumentReference
 99 QuoteLineItem
 102 DocumentReference
 236 DocumentReference



MonetaryAmount

Type	Real	Min	1
Repr	9(13)V9(7)	Max	21

Definition

Magnitude of currency amount.

Used in

158 FinancialAmount
228 FinancialAmount

NationalPostalCode

Type	String	Min	3
Repr	X(15)	Max	15

Definition

Code identifying geographic location as specified by a national postal code.

Used in

34 PhysicalAddress
90 PhysicalAddress
258 PhysicalAddress
302 PhysicalAddress

PartnerBusinessIdentification
Definition

The collection of business properties that allow for the proprietary identification of a business entity.

Children

ProprietaryBusinessIdentifier	<i>A unique business identifier assigned and administered by a private authority.</i>
ProprietaryDomainIdentifier	<i>A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.</i>
ProprietaryIdentifierAuthority	<i>A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.</i>

Used in

20 BusinessDescription
71 BusinessDescription
123 BusinessDescription
244 BusinessDescription
283 BusinessDescription

PartnerDescription

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Definition**

The collection of business properties that describe a business partners' identity, their contact information,

Children

BusinessDescription	<i>The collection of business properties that describe a business identity and location.</i>
ContactInformation	<i>The collection of business properties that provide communication and address information for contacting a person, organization or business.</i>
GlobalPartnerClassificationCode	<i>Code identifying a partner's function in the supply chain.</i>
PhysicalLocation	<i>The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification.</i>

Used in

1 PartnerRoleDescription
 66 QuoteCustomerInformation
 121 QuoteCompetitorReference
 282 respondTo
 318 PartnerRoleDescription

PartnerLocationDescription

Definition

The collection of business properties that describe a business partners' identity, where they are physically

Children

BusinessDescription	<i>The collection of business properties that describe a business identity and location.</i>
GlobalPartnerClassificationCode	<i>Code identifying a partner's function in the supply chain.</i>
PhysicalLocation	<i>The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification.</i>

Used in

19 distributedBy
 243 shipTo

PartnerLocationIdentification

Definition

The collection of business properties that allow for the proprietary identification of a business location.

Children

ProprietaryDomainIdentifier	<i>A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.</i>
ProprietaryIdentifierAuthority	<i>A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.</i>

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Children**

ProprietaryLocationIdentifier

A unique location identifier assigned and administered by a private authority.

Used in

28 PhysicalLocation

84 PhysicalLocation

252 PhysicalLocation

296 PhysicalLocation

PartnerProductIdentification**Definition**

The collection of business properties that describe proprietary part information.

Children

GlobalPartnerClassificationCode

Code identifying a partner's function in the supply chain.

ProprietaryProductIdentifier

An internal identifier used to identify a product.

revisionIdentifier

Free form text that identifies a revision to a proprietary serial number.

Used in

115 ProductIdentification

151 ProductIdentification

PartnerRoleDescription**Definition**

The collection of business properties that describe a business partners' role in a partner interface process.

Children

ContactInformation

The collection of business properties that provide communication and address information for contacting a person, organization or business.

GlobalPartnerRoleClassificationCode

Code identifying a party's role in the supply chain.

PartnerDescription

The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.

Used in

1 fromRole

318 toRole

PhysicalAddress

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Definition**

The actual physical location of an entity as prescribed by local postal authorities, including country identification.

Children

addressLine1	<i>The first line of a physical address.</i>
addressLine2	<i>The second line of a physical address.</i>
addressLine3	<i>The third line of a physical address.</i>
cityName	<i>The name of a city.</i>
GlobalCountryCode	<i>Code identifying the two character country code specified in ISO 3166-1993.</i>
NationalPostalCode	<i>Code identifying geographic location as specified by a national postal code.</i>
postOfficeBoxIdentifier	<i>The proprietary identity of a physical address, located at a post office, designed solely to accept and receive mail.</i>
regionName	<i>The name of a state or province within a country.</i>

Used in

28 PhysicalLocation
 84 PhysicalLocation
 252 PhysicalLocation
 296 PhysicalLocation

PhysicalLocation

Definition

The collection of business properties that identify and describe the actual physical location of an entity as

Children

GlobalLocationIdentifier	<i>Location uniquely identified by the DUNS +4 number.</i>
PartnerLocationIdentification	<i>The collection of business properties that allow for the proprietary identification of a business location.</i>
PhysicalAddress	<i>The actual physical location of an entity as prescribed by local postal authorities, including country identification as it relates to the party or a product.</i>

Used in

19 PartnerLocationDescription
 70 PartnerDescription
 243 PartnerLocationDescription
 282 PartnerDescription

postOfficeBoxIdentifier

Definition

The proprietary identity of a physical address, located at a post office, designed solely to accept and receive

Children

FreeFormText	<i>Unformatted text.</i>
--------------	--------------------------

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Used in**

34 PhysicalAddress
 90 PhysicalAddress
 258 PhysicalAddress
 302 PhysicalAddress

ProductIdentification

Definition

The collection of business properties that describe proprietary and global identifier information regarding

Children

GlobalProductIdentifier	<i>Global unique product identifier. RosettaNet has adopted the Global Trade Identification Number (GTIN).</i>
PartnerProductIdentification	<i>The collection of business properties that describe proprietary part information.</i>

Used in

99 QuoteLineItem
 121 QuoteCompetitorReference

ProductPricing

Definition

The collection of business properties that describe the type of pricing and financial amount for a product.

Children

FinancialAmount	<i>The collection of business properties that describe the monetary amount defined by a specified currency.</i>
GlobalPriceTypeCode	<i>Code identifying the pricing qualifier for a product.</i>

Used in

157 unitPrice
 227 requestedUnitPrice

ProductQuantity

Type Real**Min** 1**Definition**

A quantity specifying the number of product units.

Used in

200 QuantitySchedule

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**ProprietaryBusinessIdentifier****Type** String**Min** 1**Definition**

A unique business identifier assigned and administered by a private authority.

Used in

23 PartnerBusinessIdentification
 74 PartnerBusinessIdentification
 126 PartnerBusinessIdentification
 247 PartnerBusinessIdentification
 286 PartnerBusinessIdentification

ProprietaryDocumentIdentifier**Type** String**Min** 1**Definition**

Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.

Used in

43 DocumentReference
 102 DocumentReference
 236 DocumentReference
 317 thisDocumentIdentifier

ProprietaryDomainIdentifier**Type** String**Min** 1**Definition**

A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business

Used in

23 PartnerBusinessIdentification
 30 PartnerLocationIdentification
 74 PartnerBusinessIdentification
 86 PartnerLocationIdentification
 126 PartnerBusinessIdentification
 247 PartnerBusinessIdentification
 254 PartnerLocationIdentification
 286 PartnerBusinessIdentification
 298 PartnerLocationIdentification

ProprietaryIdentifierAuthority**Type** String**Min** 1**Definition**

A unique name that identifies an organization or business entity that is responsible for managing one or

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Used in**

23 PartnerBusinessIdentification
 30 PartnerLocationIdentification
 74 PartnerBusinessIdentification
 126 PartnerBusinessIdentification
 247 PartnerBusinessIdentification
 254 PartnerLocationIdentification
 286 PartnerBusinessIdentification
 298 PartnerLocationIdentification

ProprietaryLocationIdentifier**Type** String**Min** 1**Definition**

A unique location identifier assigned and administered by a private authority.

Used in

30 PartnerLocationIdentification
 86 PartnerLocationIdentification
 254 PartnerLocationIdentification
 298 PartnerLocationIdentification

ProprietaryProductIdentifier**Type** String**Min** 1**Definition**

An internal identifier used to identify a product.

Used in

117 PartnerProductIdentification
 153 PartnerProductIdentification

ProprietaryReferenceIdentifier**Type** String
Repr X(255)**Min** 1
Max 255**Definition**

A unique reference identifier for goods, services or business documents.

Used in

67 customerProjectIdentifier
 101 designRegistrationIdentifier
 271 taxExemptionCertificationIdentifier

QuantitySchedule

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND

**Definition**

The collection of business properties that describe product quantity and associated schedules.

Children

DateStamp	<i>Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ</i>
ProductQuantity	<i>A quantity specifying the number of product units.</i>

Used in

198 QuantityTransportationSchedule

QuantityTransportationSchedule

Definition

The collection of business properties that describe product quantity and associated schedules, for a given

Children

GlobalTransportEventCode	<i>Code identifying an event during the transportation of a shipment.</i>
QuantitySchedule	<i>The collection of business properties that describe product quantity and associated schedules.</i>

Used in

197 QuoteQuantity

Quote

Definition

The collection of business properties that describe an offer to supply a quantity of products at an agreed

Children

CarrierInformation	<i>The collection of business properties that describe a carrier's identification.</i>
comments	<i>Free form textual description of a general nature.</i>
distributedBy	<i>The party who supplies products to retailers.</i>
DocumentReference	<i>The collection of business properties that allows the description of multiple proprietary documents and applicable line number references.</i>
financedBy	<i>The party who is the financier.</i>
GlobalGovernmentPriorityRatingCode	<i>If a contract number exists and PO type is Government, a priority rating code is required.</i>
GlobalQuoteTypeCode	<i>Code identifying category specification for a quote.</i>
governmentContractIdentifier	<i>The unique number that identifies a government contract.</i>
PriceCondition	<i>The collection of business properties that define information for special pricing conditions.</i>
QuoteCustomerInformation	<i>The collection of business properties that describe the customer who uses a quote business document.</i>
QuoteLineItem	<i>The collection of business properties that describe a product entry</i>

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Children**

requestedResponseDate	<i>in a quote business document. The date for which a response has been requested to be transmitted.</i>
quoteReference	<i>The document reference for a previous quote.</i>
respondTo	<i>The party to whom a responding business document must be sent when it is not equal to the fromRole.PartnerDescription.</i>
TaxExemptStatus	<i>The collection of business properties that describe tax exemption conditions.</i>

Used in

Pip3A1QuoteRequest

QuoteCompetitorReference

Definition

The collection of business properties that describe a competitor's product and pricing for purposes within

Children

PartnerDescription	<i>The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.</i>
ProductIdentification	<i>The collection of business properties that describe proprietary and global identifier information regarding a product.</i>
unitPrice	<i>Agreed upon sale price for each unit ordered.</i>

Used in

99 QuoteLineItem

QuoteCustomerInformation

Definition

The collection of business properties that describe the customer who uses a quote business document.

Children

customerProjectIdentifier	<i>The unique identification number that identifies a project for a given customer.</i>
GlobalCustomerTypeCode	<i>Code identifying the type of end user.</i>
GlobalQuoteStatusCode	<i>Code identifying whether business has been secured by the end customer.</i>
PartnerDescription	<i>The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.</i>

Used in

14 Quote



QuoteLineItem

Definition

The collection of business properties that describe a product entry in a quote business document.

Children

comments	<i>Free form textual description of a general nature.</i>
designRegistrationIdentifier	<i>A proprietary unique identifier for a design registration.</i>
DocumentReference	<i>The collection of business properties that allows the description of multiple proprietary documents and applicable line number references.</i>
GlobalGovernmentPriorityRatingCode	<i>If a contract number exists and PO type is Government, a priority rating code is required.</i>
GlobalProductUnitOfMeasureCode	<i>Code identifying a product unit of measure.</i>
GlobalStockIndicatorCode	<i>Code identifying the amount of stock available at the time of the quote.</i>
governmentContractIdentifier	<i>The unique number that identifies a government contract.</i>
isSubstituteProductAcceptable	<i>Indicates whether the requesting party will accept a substitute product for the product requested.</i>
LineNumber	<i>Number of the line in the document.</i>
ProductIdentification	<i>The collection of business properties that describe proprietary and global identifier information regarding a product.</i>
QuoteCompetitorReference	<i>The collection of business properties that describe a competitor's product and pricing for purposes within a quote business document.</i>
QuoteCustomerInformation	<i>The collection of business properties that describe the customer who uses a quote business document.</i>
requestedQuantity	<i>The quantity of product requested.</i>
requestedShipFrom	<i>The DUNS or DUNS + 4 number of the location where the product is requested to be shipped from.</i>
requestedUnitPrice	<i>The price requested for a unit of product.</i>
RequoteLineStatus	<i>The collection of business properties that describe a previous quote's identification and status for a given entry on the prior quote.</i>
shipTo	<i>The partner and/or location to which the product must be delivered.</i>
TaxExemptStatus	<i>The collection of business properties that describe tax exemption conditions.</i>

Used in

14 Quote

QuoteQuantity

Definition

The collection of business properties that describe the quantities associated with a product quote.

Children

QuantityTransportationSchedule	<i>The collection of business properties that describe product quantity and associated schedules, for a given transportation event.</i>
--------------------------------	---

Used in

197 requestedQuantity



regionName

Definition

The name of a state or province within a country.

Children

FreeFormText *Unformatted text.*

Used in

34 PhysicalAddress
90 PhysicalAddress
258 PhysicalAddress
302 PhysicalAddress

requestedQuantity

Definition

The quantity of product requested.

Children

QuoteQuantity *The collection of business properties that describe the quantities associated with a product quote.*

Used in

99 QuoteLineItem

requestedResponseDate

Definition

The date for which a response has been requested to be transmitted.

Children

DatePeriod *The collection of business properties that specify the number of days by a start and end date stamp.*

Used in

14 Quote

requestedUnitPrice

Definition

The price requested for a unit of product.

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND



Children

ProductPricing

The collection of business properties that describe the type of pricing and financial amount for a product.

Used in

99 QuoteLineItem

RequoteLineStatus

Definition

The collection of business properties that describe a previous quote's identification and status for a given

Children

GlobalRequoteActionCode

Code identifying the type of action to be taken for a given line item on a quote.

requoteReference

The document reference for a previous quote.

Used in

99 QuoteLineItem

requoteReference

Definition

The document reference for a previous quote.

Children

DocumentReference

The collection of business properties that allows the description of multiple proprietary documents and applicable line number references.

Used in

234 RequoteLineStatus

respondTo

Definition

The party to whom a responding business document must be sent when it is not equal to the fromRole.Pa

Children

PartnerDescription

The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.

Used in

14 Quote



revisionIdentifier

Definition

Free form text that identifies a revision to a proprietary serial number.

Children

FreeFormText *Unformatted text.*

Used in

117 PartnerProductIdentification
153 PartnerProductIdentification

RevisionNumber

Type String

Min 1

Definition

An incremental number used to identify changes.

Used in

43 DocumentReference
102 DocumentReference
236 DocumentReference

shipTo

Definition

The partner and/or location to which the product must be delivered.

Children

PartnerLocationDescription *The collection of business properties that describe a business partners' identity, where they are physically located and their function in a supply chain.*

Used in

99 QuoteLineItem

TaxExemption

Definition

The collection of business properties that describe tax exemption type and identification information.

Children

GlobalTaxExemptionCode *Code identifying the type of tax exemption for a product or service.*



Children

taxExemptionCertificationIdentifier *The unique identifier that represents the authorization for a product or service's tax exempt status.*

Used in

267 TaxExemptStatus

taxExemptionCertificationIdentifier

Definition

The unique identifier that represents the authorization for a product or service's tax exempt status.

Children

ProprietaryReferenceIdentifier *A unique reference identifier for goods, services or business documents.*

Used in

269 TaxExemption

TaxExemptStatus

Definition

The collection of business properties that describe tax exemption conditions.

Children

isTaxExempt *Indicates whether a product is exempt from taxation.*
TaxExemption *The collection of business properties that describe tax exemption type and identification information.*

Used in

99 QuoteLineItem

telephoneNumber

Definition

The numerical schema designed to achieve contact via telephone.

Children

CommunicationsNumber *The electro-technical communication number, e.g., telephone number, facsimile number, pager number.*

Used in

2 ContactInformation
78 ContactInformation
290 ContactInformation



thisDocumentGenerationDateTime

Definition

The date-time stamp indicating when this business document was generated.

Children

DateTimeStamp

Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss

Used in

Pip3A1QuoteRequest

thisDocumentIdentifier

Definition

The information that identifies the business document being sent. This identifier is used to represent the

Children

ProprietaryDocumentIdentifier

Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.

Used in

Pip3A1QuoteRequest

toRole

Definition

The role receiving the document in a business document exchange.

Children

PartnerRoleDescription

The collection of business properties that describe a business partners' role in a partner interface process.

Used in

Pip3A1QuoteRequest

unitPrice

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_ QuoteRequest, 2012-2 ED01; 1; INBOUND

**Definition**

Agreed upon sale price for each unit ordered.

Children

ProductPricing

The collection of business properties that describe the type of pricing and financial amount for a product.

Used in

121 QuoteCompetitorReference

xsd:string**Used in**

6 CommunicationsNumber
 24 ProprietaryBusinessIdentifier
 25 ProprietaryDomainIdentifier
 26 ProprietaryIdentifierAuthority
 31 ProprietaryDomainIdentifier
 32 ProprietaryIdentifierAuthority
 33 ProprietaryLocationIdentifier
 44 DateTimeStamp
 48 ProprietaryDocumentIdentifier
 49 RevisionNumber
 67 ProprietaryReferenceIdentifier
 75 ProprietaryBusinessIdentifier
 76 ProprietaryDomainIdentifier
 77 ProprietaryIdentifierAuthority
 81 CommunicationsNumber
 82 CommunicationsNumber
 87 ProprietaryDomainIdentifier
 89 ProprietaryLocationIdentifier
 101 ProprietaryReferenceIdentifier
 103 DateTimeStamp
 107 ProprietaryDocumentIdentifier
 108 RevisionNumber
 113 AffirmationIndicator
 119 ProprietaryProductIdentifier
 127 ProprietaryBusinessIdentifier
 128 ProprietaryDomainIdentifier
 129 ProprietaryIdentifierAuthority
 155 ProprietaryProductIdentifier
 201 DateTimeStamp
 202 ProductQuantity
 241 ProprietaryDocumentIdentifier
 242 RevisionNumber
 248 ProprietaryBusinessIdentifier
 249 ProprietaryDomainIdentifier
 250 ProprietaryIdentifierAuthority
 255 ProprietaryDomainIdentifier
 256 ProprietaryIdentifierAuthority
 257 ProprietaryLocationIdentifier
 268 AffirmationIndicator

Pip3A1QuoteRequest

Version: EPIG3A1_V02_01_00_QuoteRequest, 2012-2 ED01; 1; INBOUND



Used in

271 ProprietaryReferenceIdentifier
273 DateStamp
274 DateStamp
287 ProprietaryBusinessIdentifier
288 ProprietaryDomainIdentifier
289 ProprietaryIdentifierAuthority
293 CommunicationsNumber
294 CommunicationsNumber
299 ProprietaryDomainIdentifier
300 ProprietaryIdentifierAuthority
301 ProprietaryLocationIdentifier
317 ProprietaryDocumentIdentifier
more than 50 occurrences...