



The European B2B Forum for the Electronics Industry

## EDIFICE PIP Implementation Guideline

### PIP® 5C4 Registration Status Notification V.01.04.00

## Issue EPIG5C4\_V01\_04\_00\_RegistrationStatusNotification ED01

Copyright ©EDIFICE 2005

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without prior permission of EDIFICE.

Notwithstanding the fact that the utmost care has been observed in the collecting, drawing up and formulating of data, EDIFICE can under no circumstances be held liable for errors, omissions or misinterpretations as a result of the information compiled in the guidelines.

EDIFICE  
The European B2B Forum for the Electronics Industry  
EDIFICE secretariat  
Dora Cresens  
Tiensestraat 2  
B-3320 Hoegaarden  
Belgium  
Tel: +32 16 76 54 40  
Fax: +32 16 76 53 58  
Email: [Dora.Cresens@edifice.org](mailto:Dora.Cresens@edifice.org)

Element / Attribute	Usage	Description
<b>Pip5C4RegistrationStatusNotification</b>		
1 DesignStatusNotification	1..1	<p><b>Definition:</b> The collection of business properties that describe design status notification information.</p> <p><b>Note:</b> The PIP specifies the choice between Core Product structure (described in one data sheet) and Device structure (orderable parts). The actual choice of the structure to be used is recommended by the Supplier.</p>
2 DesignRegistrationInformation	1..unbounded	<p><b>Definition:</b> The collection of business properties that describe a product's registration requirements for a Design Win process.</p>
3 designEngagementDate	0..1	<p><b>Definition:</b> The date a product design is approved and/or expires for a supplier.</p> <p><b>Constraint:</b> Mandatory when GlobalRegistrationStatusCode is equal to "Accepted".</p> <p><b>Note:</b> Optional - validity period of the design</p>
3 DatePeriod	1..1	<p><b>Definition:</b> The collection of business properties that specify the number of days by a start and end date stamp.</p>
4 beginDate	1..1	<p><b>Definition:</b> The start date of a date period.</p> <p><b>Constraint:</b> Mandatory when GlobalRegistrationStatusCode is equal to "Accepted".</p>
4 DateStamp	1..1	<p><b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ</p>
5 endDate	1..1	<p><b>Definition:</b> The end date of a date period.</p> <p><b>Constraint:</b> Mandatory when GlobalRegistrationStatusCode is equal to "Accepted".</p>
5 DateStamp	1..1	<p><b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ</p>

Element / Attribute	Usage	Description
6 DesignProjectInformation	1..1	<b>Definition:</b> The collection of business properties that compose a product design project.
7 DesignAssemblyInformation	1..unbounded	<b>Definition:</b> The collection of business properties that describe a product design board / assembly.
8 assemblyComments	0..1	<b>Definition:</b> Free form textual description regarding product assembly information. <b>Note:</b> Provided by provider
8 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
9 demandCreatorTrackingIdentifier	1..1	<b>Definition:</b> The proprietary unique identifier that represents a design registration request for a Demand Creator. <b>Note:</b> Assembly identifier provided by Requestor - ref of assembly/part of the requestor eg ref name of a board
9 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.
10 DesignPartInformation	0..unbounded	<b>Definition:</b> The collection of business properties that describe a product part for a product design registration.
12 CoreProductRegistration		<b>Definition:</b> The collection of business properties that describe the registration of a core product. <b>Note:</b> The PIP specifies the choice between Core Product structure (described in one data sheet) and Device structure (orderable parts). The actual choice of the structure to be used is recommended by the Supplier. Core data block
14 DeviceProductRegistration	0..unbounded	<b>Definition:</b> The collection of business properties that describe the registration of a core product. <b>Note:</b> Device within core
23 ProductIdentification	1..1	<b>Definition:</b> The collection of business properties that describe proprietary and global identifier information regarding a product. <b>Constraint:</b> One instance of either "GlobalProductIdentifier" or "PartnerProductIdentification" is mandatory.

Element / Attribute	Usage	Description
25 PartnerProductIdentification	0..unbounded	<b>Definition:</b> The collection of business properties that describe proprietary part information.
26 GlobalPartnerClassificationCode	1..1	<b>Definition:</b> Code identifying a partner's function in the supply chain.
	<b>Restricted Entity Instance</b>	
	<b>Manufacturer</b>	Product manufacturer in supply chain.
27 ProprietaryProductIdentifier	1..1	<b>Definition:</b> An internal identifier used to identify a product. <b>Note:</b> Manufacturer Part Number
28 revisionIdentifier	0..1	<b>Definition:</b> Free form text that identifies a revision to a proprietary serial number.
28 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
29 productProviderLeadDescription	0..1	<b>Definition:</b> Description of a lead generated by the product provider and provided to the demand creator.
29 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
30 productProviderLeadTrackingIdentifier	0..1	<b>Definition:</b> A proprietary identifier communicated from the product provider to the demand creator for the purpose of identifying and tracking supplier generated leads.
30 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.
31 RegistrationStatus	1..1	<b>Definition:</b> The collection of business properties that describe the registration status of a product. <b>Note:</b> Registration status for core structure at device level
32 DesignWinStatusReasonCode	0..1	<b>Definition:</b> Code identifying the reason for the disposition of a Design Registration Request or the status of a particular Design Registration assigned by the product provider or requested by the demand creator.

Element / Attribute	Usage	Description
33 designWinStatusReasonCodeExplanation	0..1	<b>Definition:</b> Further explanation provided by the Product Provider or the Demand Creator to clarify/explain the particular DesignWinStatusReasonCode. <b>Constraint:</b> DesignWinStatusReasonCode must be present in order to include designWinStatusReasonCodeExplanation. FreeFormText and the data present in designWinStatusReasonCodeExplanation.FreeFormText must relate directly to the DesignWinStatusReasonCode indicated.
33 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
34 GlobalRegistrationStatusCode	1..1	<b>Definition:</b> Code identifying the registration status of a design; namely, the acknowledgment, collaboration and continuation on the submitted supplier part business opportunity between a supplier (manufacture representative) and a distributor.
35 registrationStatusDate	1..1	<b>Definition:</b> The date stamp when the registration status was generated.
35 DateStamp	1..1	<b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
36 suggestedResalePrice	0..1	<b>Definition:</b> Represents the suggested market price the customer should pay the distributor for the product. <b>Note:</b> used by some partners - provider suggested price to requestor
36 ProductPricing	1..1	<b>Definition:</b> The collection of business properties that describe the type of pricing and financial amount for a product.
37 FinancialAmount	1..1	<b>Definition:</b> The collection of business properties that describe the monetary amount defined by a specified currency.
38 GlobalCurrencyCode	1..1	<b>Definition:</b> Code identifying the three character currency code specified in ISO 4217-1995.
41 MonetaryAmount	1..1	<b>Definition:</b> Magnitude of currency amount.
42 GlobalPriceTypeCode	1..1	<b>Definition:</b> Code identifying the pricing qualifier for a product.
<b>Restricted Entity Instance</b>		
<b>Suggested Resale Price</b>		The recommended resale price; including MSRP.

Element / Attribute	Usage	Description
50 ProductIdentification	1..1	<b>Definition:</b> The collection of business properties that describe proprietary and global identifier information regarding a product. <b>Constraint:</b> One instance of either "GlobalProductIdentifier" or "PartnerProductIdentification" is mandatory. <b>Note:</b> If the Core structure is used, this block is used to identify the Core product
52 PartnerProductIdentification	0..unbounded	<b>Definition:</b> The collection of business properties that describe proprietary part information.
53 GlobalPartnerClassificationCode	1..1	<b>Definition:</b> Code identifying a partner's function in the supply chain.
<b>Restricted Entity Instance</b>		
54 ProprietaryProductIdentifier	1..1	<b>Manufacturer</b> Product manufacturer in supply chain. <b>Definition:</b> An internal identifier used to identify a product. <b>Note:</b> Manufacturer core product
56 productProviderLeadDescription	0..1	<b>Definition:</b> Description of a lead generated by the product provider and provided to the demand creator.
56 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
57 productProviderLeadTrackingIdentifier	0..1	<b>Definition:</b> A proprietary identifier communicated from the product provider to the demand creator for the purpose of identifying and tracking supplier generated leads.
57 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.
58 registrationBonusPercent	0..1	<b>Definition:</b> The amount that the manufacturer will pay the distributor upon successfully winning a design expressed as a percentage.
59 RegistrationStatus	1..1	<b>Definition:</b> The collection of business properties that describe the registration status of a product. <b>Note:</b> Registration status block at core level It is recommended to use this block for the supplier to inform about the current status

Element / Attribute	Usage	Description
60 DesignWinStatusReasonCode	0..1	<b>Definition:</b> Code identifying the reason for the disposition of a Design Registration Request or the status of a particular Design Registration assigned by the product provider or requested by the demand creator.
61 designWinStatusReasonCodeExplanation	0..1	<b>Definition:</b> Further explanation provided by the Product Provider or the Demand Creator to clarify/explain the particular DesignWinStatusReasonCode. <b>Constraint:</b> DesignWinStatusReasonCode must be present in order to include designWinStatusReasonCodeExplanation. FreeFormText and the data present in designWinStatusReasonCodeExplanation.FreeFormText must relate directly to the DesignWinStatusReasonCode indicated.
61 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
62 GlobalRegistrationStatusCode	1..1	<b>Definition:</b> Code identifying the registration status of a design; namely, the acknowledgment, collaboration and continuation on the submitted supplier part business opportunity between a supplier (manufacture representative) and a distributor.
63 registrationStatusDate	1..1	<b>Definition:</b> The date stamp when the registration status was generated.
63 DateStamp	1..1	<b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
64 suggestedResalePrice	0..1	<b>Definition:</b> Represents the suggested market price the customer should pay the distributor for the product. <b>Note:</b> used by some partners - provider suggested price to requestor
64 ProductPricing	1..1	<b>Definition:</b> The collection of business properties that describe the type of pricing and financial amount for a product.
65 FinancialAmount	1..1	<b>Definition:</b> The collection of business properties that describe the monetary amount defined by a specified currency.
66 GlobalCurrencyCode	1..1	<b>Definition:</b> Code identifying the three character currency code specified in ISO 4217-1995.

Element / Attribute	Usage	Description
69 MonetaryAmount	1..1	<b>Definition:</b> Magnitude of currency amount.
70 GlobalPriceTypeCode	1..1	<b>Definition:</b> Code identifying the pricing qualifier for a product.
71 DeviceProductRegistration		<p><b>Definition:</b> The collection of business properties that describe the registration of a core product.</p> <p><b>Note:</b> The PIP specifies the choice between Core Product structure (described in one data sheet) and Device structure (orderable parts). The actual choice of the structure to be used is recommended by the Supplier. If the Device structure is used, this block is used to identify the Device</p>
80 ProductIdentification	1..1	<p><b>Definition:</b> The collection of business properties that describe proprietary and global identifier information regarding a product.</p> <p><b>Constraint:</b> One instance of either "GlobalProductIdentifier" or "PartnerProductIdentification" is mandatory.</p>
82 PartnerProductIdentification	0..unbounded	<b>Definition:</b> The collection of business properties that describe proprietary part information.
83 GlobalPartnerClassificationCode	1..1	<b>Definition:</b> Code identifying a partner's function in the supply chain.
<b>Restricted Entity Instance</b>		
<b>Manufacturer</b>		
84 ProprietaryProductIdentifier	1..1	<p><b>Definition:</b> An internal identifier used to identify a product.</p> <p><b>Note:</b> Manufacturer part number</p>
85 revisionIdentifier	0..1	<b>Definition:</b> Free form text that identifies a revision to a proprietary serial number.
85 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
86 productProviderLeadDescription	0..1	<p><b>Definition:</b> Description of a lead generated by the product provider and provided to the demand creator.</p> <p><b>Note:</b> Manufacturer identify opportunity to Disti</p>
86 FreeFormText	1..1	<b>Definition:</b> Unformatted text.



Element / Attribute	Usage	Description
87 productProviderLeadTrackingIdentifier	0..1	<b>Definition:</b> A proprietary identifier communicated from the product provider to the demand creator for the purpose of identifying and tracking supplier generated leads. <b>Note:</b> the manufacturer identified opportunity to distributor
87 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.
89 RegistrationStatus	1..1	<b>Definition:</b> The collection of business properties that describe the registration status of a product. <b>Note:</b> Registration status block at core level It is recommended to use this block for the supplier to inform about the current status
90 DesignWinStatusReasonCode	0..1	<b>Definition:</b> Code identifying the reason for the disposition of a Design Registration Request or the status of a particular Design Registration assigned by the product provider or requested by the demand creator. <b>Note:</b> Mandatory if denied or pending for globalRegistrationStatusCode
91 designWinStatusReasonCodeExplanation	0..1	<b>Definition:</b> Further explanation provided by the Product Provider or the Demand Creator to clarify/explain the particular DesignWinStatusReasonCode. <b>Constraint:</b> DesignWinStatusReasonCode must be present in order to include designWinStatusReasonCodeExplanation. FreeFormText and the data present in designWinStatusReasonCodeExplanation.FreeFormText must relate directly to the DesignWinStatusReasonCode indicated.
91 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
92 GlobalRegistrationStatusCode	1..1	<b>Definition:</b> Code identifying the registration status of a design; namely, the acknowledgment, collaboration and continuation on the submitted supplier part business opportunity between a supplier (manufacture representative) and a distributor.
93 registrationStatusDate	1..1	<b>Definition:</b> The date stamp when the registration status was generated.

Element / Attribute	Usage	Description
93 DateStamp	1..1	<b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
94 suggestedResalePrice	0..1	<b>Definition:</b> Represents the suggested market price the customer should pay the distributor for the product. <b>Note:</b> used by some partners - provider suggested price to requestor
94 ProductPricing	1..1	<b>Definition:</b> The collection of business properties that describe the type of pricing and financial amount for a product.
95 FinancialAmount	1..1	<b>Definition:</b> The collection of business properties that describe the monetary amount defined by a specified currency.
96 GlobalCurrencyCode	1..1	<b>Definition:</b> Code identifying the three character currency code specified in ISO 4217-1995.
99 MonetaryAmount	1..1	<b>Definition:</b> Magnitude of currency amount.
100 GlobalPriceTypeCode	1..1	<b>Definition:</b> Code identifying the pricing qualifier for a product. <b>Note:</b> average
<b>Restricted Entity Instance</b>		
<b>Suggested Resale Price</b> The recommended resale price; including MSRP.		
101 demandCreatorTrackingIdentifier	1..1	<b>Definition:</b> The proprietary unique identifier that represents a design registration request for a Demand Creator. <b>Note:</b> Project identification number assigned by distributor
101 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.
102 DesignRegistrationIdentification	0..1	<b>Definition:</b> The collection of business properties that describe design registration identification. <b>Note:</b> Optional

Element / Attribute	Usage	Description
103 designRegistrationIdentifier	0..1	<b>Definition:</b> A proprietary unique identifier for a design registration. <b>Constraint:</b> Mandatory when GlobalRegistrationStatusCode is equal to "Approved". <b>Note:</b> Project identification number assigned by supplier at part level
103 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents. <b>Note:</b> Number assigned by provider
104 designRegistrationRevision	0..1	<b>Definition:</b> Indicates a new or updated design registration. <b>Constraint:</b> Mandatory if GlobalDesignRegistrationNotificationCode is "Update". <b>Note:</b> e.g. sequential number
104 RevisionNumber	1..1	<b>Definition:</b> An incremental number used to identify changes.
105 effectiveRegistrationDate	0..1	<b>Definition:</b> The date registration becomes effective. <b>Note:</b> Optional - validity period of the part inside the design
105 DatePeriod	1..1	<b>Definition:</b> The collection of business properties that specify the number of days by a start and end date stamp. <b>Note:</b> Date defined by supplier for the validity period of the Design registration
106 beginDate	1..1	<b>Definition:</b> The start date of a date period. <b>Constraint:</b> Mandatory when GlobalRegistrationStatusCode is equal to "Accepted".
106 DateStamp	1..1	<b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
107 endDate	0..1	<b>Definition:</b> The end date of a date period. <b>Constraint:</b> Mandatory when GlobalRegistrationStatusCode is equal to "Accepted".

Element / Attribute	Usage	Description
107 DateStamp	1..1	<b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
108 GlobalDesignRegistrationNotificationCode	1..1	<b>Definition:</b> Code identifying the purpose of a design registration notification, e.g. an initial notification or an update.
<b>Restricted Entity Instance</b>		
<b>Initial</b>		The first-time response or notification regarding design registration status.
<b>Update</b>		An updated response or notification regarding design registration status.
112 productProviderComments	0..1	<b>Definition:</b> Free form textual description provided for Product Provider. <b>Note:</b> Comment from provider to requestor about this part
112 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
113 productProviderFieldApplicationEngineer	0..1	<b>Definition:</b> The product provider Field Application Engineer. <b>Note:</b> This block identifies the Manufacturer FAE responsible for this product
113 ContactInformation	1..1	<b>Definition:</b> The collection of business properties that provide communication and address information for contacting a person, organization or business.
114 contactName	1..1	<b>Definition:</b> Name of the contact person(s) within the organization.
114 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
115 EmailAddress	0..1	<b>Definition:</b> Electronic mail address. <b>Note:</b> Mandatory
132 telephoneNumber	0..1	<b>Definition:</b> The numerical schema designed to achieve contact via telephone. <b>Note:</b> Mandatory
132 CommunicationsNumber	1..1	<b>Definition:</b> The electro-technical communication number, e.g., telephone number, facsimile number, pager number.

Element / Attribute	Usage	Description
133 productProviderSalesRepresentative	0..1	<b>Definition:</b> The product provider sales representative. <b>Note:</b> This block identifies the Manufacturer SalesRep responsible for this product
133 ContactInformation	1..1	<b>Definition:</b> The collection of business properties that provide communication and address information for contacting a person, organization or business.
134 contactName	1..1	<b>Definition:</b> Name of the contact person(s) within the organization.
134 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
135 EmailAddress	0..1	<b>Definition:</b> Electronic mail address. <b>Note:</b> Mandatory
152 telephoneNumber	0..1	<b>Definition:</b> The numerical schema designed to achieve contact via telephone. <b>Note:</b> Mandatory
152 CommunicationsNumber	1..1	<b>Definition:</b> The electro-technical communication number, e.g., telephone number, facsimile number, pager number.
153 productProviderTrackingIdentifier	1..1	<b>Definition:</b> The proprietary unique identifier that represents a design registration request for a Product Provider. <b>Note:</b> Project identification number assigned by supplier at part level
153 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.
154 DesignRegistrationIdentification	0..1	<b>Definition:</b> The collection of business properties that describe design registration identification.
155 designRegistrationIdentifier	0..1	<b>Definition:</b> A proprietary unique identifier for a design registration. <b>Constraint:</b> Mandatory when GlobalRegistrationStatusCode is equal to "Approved". <b>Note:</b> Project identification number assigned by supplier at assembly level
155 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.

Element / Attribute	Usage	Description
160 GlobalDesignRegistrationNotificationCode	1..1	<b>Definition:</b> Code identifying the purpose of a design registration notification, e.g. an initial notification or an update.
166 productProviderLeadDescription	0..1	<b>Definition:</b> Description of a lead generated by the product provider and provided to the demand creator. <b>Note:</b> Manufacturer identify opportunity to Disti
166 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
167 productProviderLeadTrackingIdentifier	0..1	<b>Definition:</b> A proprietary identifier communicated from the product provider to the demand creator for the purpose of identifying and tracking supplier generated leads. <b>Note:</b> the manufacturer identified opportunity to distributor
167 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.
168 RegistrationStatus	0..1	<b>Definition:</b> The collection of business properties that describe the registration status of a product. <b>Note:</b> Registration status on Assembly level
171 GlobalRegistrationStatusCode	1..1	<b>Definition:</b> Code identifying the registration status of a design; namely, the acknowledgment, collaboration and continuation on the submitted supplier part business opportunity between a supplier (manufacture representative) and a distributor. <b>Note:</b> Mandatory assembly status assigned by provider
172 registrationStatusDate	1..1	<b>Definition:</b> The date stamp when the registration status was generated.
172 DateStamp	1..1	<b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
173 DesignProjectDescription	0..1	<b>Definition:</b> The collection of properties describing a product design project description.
174 projectComments	0..1	<b>Definition:</b> Free form textual description regarding a project. <b>Note:</b> Comment from provider to requestor about this project
174 FreeFormText	1..1	<b>Definition:</b> Unformatted text.

Element / Attribute	Usage	Description
175 productProviderLeadDescription	0..1	<b>Definition:</b> Description of a lead generated by the product provider and provided to the demand creator. <b>Note:</b> Manufacturer identify opportunity to Disti
175 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
176 productProviderLeadTrackingIdentifier	0..1	<b>Definition:</b> A proprietary identifier communicated from the product provider to the demand creator for the purpose of identifying and tracking supplier generated leads. <b>Note:</b> the manufacturer identified opportunity to distributor
176 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.
177 projectIdentifier	0..1	<b>Definition:</b> Unique tracking identification number that identifies a project.
177 ProprietaryReferenceIdentifier	1..1	<b>Definition:</b> A unique reference identifier for goods, services or business documents.
178 ProjectStatusCode	0..1	<b>Definition:</b> Code identifying the status of a design project. <b>Note:</b> Project status
181 RegistrationRenewableStatus	0..1	<b>Definition:</b> The collection of business properties that describe design registration renewable conditions.
182 isRegistrationRenewable	1..1	<b>Definition:</b> Indicates whether or not the design registration is renewable.
182 AffirmationIndicator	1..1	<b>Definition:</b> Used to indicate "Yes", "No" statements.
183 registrationRenewalDate	0..1	<b>Definition:</b> The date that a design registration is up for renewal. <b>Constraint:</b> Mandatory if isRegistrationRenewable.AffirmationIndicator is equal to "Yes"
183 DateStamp	1..1	<b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
184 registrationSubmissionDate	0..1	<b>Definition:</b> The date a Demand Creator submits the design registration information to a Product Provider. <b>Constraint:</b> Mandatory when GlobalDesignRegistrationNotificationCode is equal to "Update".

Element / Attribute	Usage	Description
184 DateStamp	1..1	<b>Definition:</b> Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
185 GlobalFileTransmissionCode	1..1	<b>Definition:</b> Code identifying whether a file is being re-sent complete or with changes only.
186 fromRole	1..1	<b>Definition:</b> The role initiating a business document exchange.
186 PartnerRoleDescription	1..1	<b>Definition:</b> The collection of business properties that describe a business partners' role in a partner interface process.
187 ContactInformation	1..1	<b>Definition:</b> The collection of business properties that provide communication and address information for contacting a person, organization or business.
188 contactName	1..1	<b>Definition:</b> Name of the contact person(s) within the organization.
188 FreeFormText	1..1	<b>Definition:</b> Unformatted text.
189 EmailAddress	1..1	<b>Definition:</b> Electronic mail address.
191 telephoneNumber	1..1	<b>Definition:</b> The numerical schema designed to achieve contact via telephone.
191 CommunicationsNumber	1..1	<b>Definition:</b> The electro-technical communication number, e.g., telephone number, facsimile number, pager number.
192 GlobalPartnerRoleClassificationCode	1..1	<b>Definition:</b> Code identifying a party's role in the supply chain. <b>Constraint:</b> Only GlobalPartnerRoleClassificationCode equal to "Product Provider" is allowed.
193 PartnerDescription	1..1	<b>Definition:</b> The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.
194 BusinessDescription	1..1	<b>Definition:</b> The collection of business properties that describe a business identity and location.
195 GlobalBusinessIdentifier	1..1	<b>Definition:</b> A unique business identifier. The DUNS number is specified by RosettaNet.
197 GlobalPartnerClassificationCode	1..1	<b>Definition:</b> Code identifying a partner's function in the supply chain.



Element / Attribute	Usage	Description
198 GlobalDocumentFunctionCode	1..1	<b>Definition:</b> Code identifying the function of a document as either a request or a response. <b>Constraint:</b> Only GlobalDocumentFunctionCode equal to "Request" is allowed.
199 thisDocumentGenerationDateTime	1..1	<b>Definition:</b> The date-time stamp indicating when this business document was generated.
199 DateTimeStamp	1..1	<b>Definition:</b> Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss
200 thisDocumentIdentifier	1..1	<b>Definition:</b> The information that identifies the business document being sent. This identifier is used to represent the specific business document associated with the defined business process.
200 ProprietaryDocumentIdentifier	1..1	<b>Definition:</b> Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.
201 toRole	1..1	<b>Definition:</b> The role receiving the document in a business document exchange.
201 PartnerRoleDescription	1..1	<b>Definition:</b> The collection of business properties that describe a business partners' role in a partner interface process.
207 GlobalPartnerRoleClassificationCode	1..1	<b>Definition:</b> Code identifying a party's role in the supply chain. <b>Constraint:</b> Only GlobalPartnerRoleClassificationCode equal to "Demand Creator" is allowed.
208 PartnerDescription	1..1	<b>Definition:</b> The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.
209 BusinessDescription	1..1	<b>Definition:</b> The collection of business properties that describe a business identity and location.
210 GlobalBusinessIdentifier	1..1	<b>Definition:</b> A unique business identifier. The DUNS number is specified by RosettaNet.

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

Element / Attribute	Usage	Description
└ 212 GlobalPartnerClassificationCode	1..1	<b>Definition:</b> Code identifying a partner's function in the supply chain.

Dictionary Elements

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

<b>AffirmationIndicator</b>	<b>Type</b> String	<b>Min</b> 2
	<b>Repr</b> X(3)	<b>Max</b> 3

---

**Definition**

Used to indicate "Yes", "No" statements.

---

**Used in**

182 isRegistrationRenewable

---

**assemblyComments**

**Definition**

Free form textual description regarding product assembly information.

---

**Children**

FreeFormText *Unformatted text.*

---

**Used in**

7 DesignAssemblyInformation

---

**beginDate**

**Definition**

The start date of a date period.

---

**Children**

DateStamp *Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ*

---

**Used in**

3 DatePeriod  
105 DatePeriod

---

**BusinessDescription**

**Definition**

The collection of business properties that describe a business identity and location.

---

**Children**

GlobalBusinessIdentifier *A unique business identifier. The DUNS number is specified by RosettaNet.*  
GlobalSupplyChainCode *Code identifying the supply chain for the partner's function.*

---

**Used in**

193 PartnerDescription  
208 PartnerDescription

<b>CommunicationsNumber</b>	<b>Type</b> String <b>Repr</b> X(30)	<b>Min</b> 1 <b>Max</b> 30
-----------------------------	---	-------------------------------

**Definition**

The electro-technical communication number, e.g., telephone number, facsimile number, pager number.

**Used in**

- 132 telephoneNumber
- 152 telephoneNumber
- 191 telephoneNumber

**ContactInformation**

**Definition**

The collection of business properties that provide communication and address information for contacting

**Children**

contactName	<i>Name of the contact person(s) within the organization.</i>
EmailAddress	<i>Electronic mail address.</i>
facsimileNumber	<i>The numerical schema designed to achieve contact via facsimile.</i>
PhysicalLocation	<i>The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification.</i>
telephoneNumber	<i>The numerical schema designed to achieve contact via telephone.</i>

**Used in**

- 113 productProviderFieldApplicationEngineer
- 133 productProviderSalesRepresentative
- 186 PartnerRoleDescription

**contactName**

**Definition**

Name of the contact person(s) within the organization.

**Children**

FreeFormText	<i>Unformatted text.</i>
--------------	--------------------------

**Used in**

- 113 ContactInformation
- 133 ContactInformation
- 187 ContactInformation

**CoreProductRegistration**

**Definition**

The collection of business properties that describe the registration of a core product.

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Children

DebitAuthorizationNumber	<i>The number associated with the debit assigned to the pricing of a particular part number.</i>
DeviceProductRegistration	<i>The collection of business properties that describe the registration of a core product.</i>
DocumentReference	<i>The collection of business properties that allows the description of multiple proprietary documents and applicable line number references.</i>
ProductIdentification	<i>The collection of business properties that describe proprietary and global identifier information regarding a product.</i>
productProviderLeadDescription	<i>Description of a lead generated by the product provider and provided to the demand creator.</i>
productProviderLeadTrackingIdentifier	<i>A proprietary identifier communicated from the product provider to the demand creator for the purpose of identifying and tracking supplier generated leads.</i>
registrationBonusPercent	<i>The amount that the manufacturer will pay the distributor upon successfully winning a design expressed as a percentage.</i>
RegistrationStatus	<i>The collection of business properties that describe the registration status of a product.</i>
suggestedResalePrice	<i>Represents the suggested market price the customer should pay the distributor for the product.</i>

---

#### Used in

10 DesignPartInformation

---

#### DatePeriod

#### Definition

The collection of business properties that specify the number of days by a start and end date stamp.

---

#### Children

beginDate	<i>The start date of a date period.</i>
endDate	<i>The end date of a date period.</i>

---

#### Used in

3 designEngagementDate  
105 effectiveRegistrationDate

---

#### DateStamp

<b>Type</b>	Date	<b>Min</b>	9
<b>Repr</b>	9(8)X	<b>Max</b>	9

#### Definition

Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day ident

---

#### Used in

4 beginDate  
5 endDate  
35 registrationStatusDate  
63 registrationStatusDate  
106 beginDate  
107 endDate  
93 registrationStatusDate  
172 registrationStatusDate

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Used in

183 registrationRenewalDate  
184 registrationSubmissionDate

---

#### DateTimeStamp

Type	DateTime	Min	13
Repr	9(8)X9(6)V9(3)X	Max	20

#### Definition

Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "M

---

#### Used in

199 thisDocumentGenerationDateTime

---

#### demandCreatorTrackingIdentifier

#### Definition

The proprietary unique identifier that represents a design registration request for a Demand Creator.

#### Children

ProprietaryReferenceIdentifier	<i>A unique reference identifier for goods, services or business documents.</i>
--------------------------------	---

---

#### Used in

7 DesignAssemblyInformation  
10 DesignPartInformation

---

#### DesignAssemblyInformation

#### Definition

The collection of business properties that describe a product design board / assembly.

#### Children

assemblyComments	<i>Free form textual description regarding product assembly information.</i>
demandCreatorTrackingIdentifier	<i>The proprietary unique identifier that represents a design registration request for a Demand Creator.</i>
DesignPartInformation	<i>The collection of business properties that describe a product part for a product design registration.</i>
DesignRegistrationIdentification	<i>The collection of business properties that describe design registration identification.</i>
GeographicRegion	<i>The collection of business properties that reflects multiple countries of choice or a specified region.</i>
GlobalRegistrationComplexityLevel Code	<i>Code identifying the level of complexity for registering a product.</i>
GlobalRegistrationInvolvementLevel Code	<i>Code identifying the level of involvement for a Field Application Engineer for registering a product.</i>
productProviderLeadDescription	<i>Description of a lead generated by the product provider and provided to the demand creator.</i>
productProviderLeadTrackingIdentifier	<i>A proprietary identifier communicated from the product provider to the demand creator for the purpose of identifying and tracking</i>

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Children

RegistrationStatus

*supplier generated leads.*

*The collection of business properties that describe the registration status of a product.*

---

#### Used in

6 DesignProjectInformation

---

### designEngagementDate

---

#### Definition

The date a product design is approved and/or expires for a supplier.

---

#### Children

DatePeriod

*The collection of business properties that specify the number of days by a start and end date stamp.*

---

#### Used in

2 DesignRegistrationInformation

---

### DesignPartInformation

---

#### Definition

The collection of business properties that describe a product part for a product design registration.

---

#### Children

CoreProductRegistration

*The collection of business properties that describe the registration of a core product.*

DeviceProductRegistration

*The collection of business properties that describe the registration of a core product.*

demandCreatorTrackingIdentifier

*The proprietary unique identifier that represents a design registration request for a Demand Creator.*

DesignRegistrationIdentification

*The collection of business properties that describe design registration identification.*

GeographicRegion

*The collection of business properties that reflects multiple countries of choice or a specified region.*

productProviderComments

*Free form textual description provided for Product Provider.*

productProviderFieldApplicationEngineer

*The product provider Field Application Engineer.*

productProviderSalesRepresentative

*The product provider sales representative.*

productProviderTrackingIdentifier

*The proprietary unique identifier that represents a design registration request for a Product Provider.*

---

#### Used in

7 DesignAssemblyInformation

---

### DesignProjectDescription

**Definition**

The collection of properties describing a product design project description.

**Children**

projectComments *Free form textual description regarding a project.*

**Used in**

6 DesignProjectInformation

---

**DesignProjectInformation**

---

**Definition**

The collection of business properties that compose a product design project.

**Children**

DesignAssemblyInformation *The collection of business properties that describe a product design board / assembly.*

DesignProjectDescription *The collection of properties describing a product design project description.*

productProviderLeadDescription *Description of a lead generated by the product provider and provided to the demand creator.*

productProviderLeadTrackingIdentifier *A proprietary identifier communicated from the product provider to the demand creator for the purpose of identifying and tracking supplier generated leads.*

projectIdentifier *Unique tracking identification number that identifies a project.*

ProjectStatusCode *Code identifying the status of a design project.*

**Used in**

2 DesignRegistrationInformation

---

**DesignRegistrationIdentification**

---

**Definition**

The collection of business properties that describe design registration identification.

**Children**

designRegistrationIdentifier *A proprietary unique identifier for a design registration.*

designRegistrationRevision *Indicates a new or updated design registration.*

effectiveRegistrationDate *The date registration becomes effective.*

GlobalDesignRegistrationNotificationCode *Code identifying the purpose of a design registration notification, e.g. an initial notification or an update.*

**Used in**

7 DesignAssemblyInformation

10 DesignPartInformation

---

**designRegistrationIdentifier**

---



## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

#### Definition

A proprietary unique identifier for a design registration.

#### Children

ProprietaryReferenceIdentifier *A unique reference identifier for goods, services or business documents.*

#### Used in

102 DesignRegistrationIdentification  
154 DesignRegistrationIdentification

---

### DesignRegistrationInformation

---

#### Definition

The collection of business properties that describe a product's registration requirements for a Design Win

#### Children

designEngagementDate *The date a product design is approved and/or expires for a supplier.*  
DesignProjectInformation *The collection of business properties that compose a product design project.*  
previousDesignRegistrationRequest  
DateTime *The DateTimeStamp of the Design Registration Request that was previously submitted.*  
previousDesignRegistrationRequest  
Identifier *The unique number that identifies the Design Registration Request that was previously submitted.*  
RegistrationRenewableStatus *The collection of business properties that describe design registration renewable conditions.*  
registrationSubmissionDate *The date a Demand Creator submits the design registration information to a Product Provider.*

#### Used in

1 DesignStatusNotification

---

### designRegistrationRevision

---

#### Definition

Indicates a new or updated design registration.

#### Children

RevisionNumber *An incremental number used to identify changes.*

#### Used in

102 DesignRegistrationIdentification

---

### DesignStatusNotification

---

#### Definition

The collection of business properties that describe design status notification information.

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

#### Children

DesignRegistrationInformation	<i>The collection of business properties that describe a product's registration requirements for a Design Win process.</i>
GlobalFileTransmissionCode	<i>Code identifying whether a file is being re-sent complete or with changes only.</i>

#### Used in

Pip5C4RegistrationStatusNotification

---

<b>DesignWinStatusReasonCode</b>	<b>Type</b> String	<b>Min</b> 1
----------------------------------	--------------------	--------------

---

#### Definition

Code identifying the reason for the disposition of a Design Registration Request or the status of a particular

#### Entity Instances

Company Out Of Business	<i>Company is out of business.</i>
Competing Registration Present	<i>Registration for part and customer already exists with another distributor.</i>
Contact Approver	<i>Please call to resolve issue with request.</i>
Contract Manufacturer	<i>Manufacturing is now serviced by the contract manufacturer, not distribution.</i>
Customer Requested To Close The Opportunity	<i>The end customer has asked the product provider to close the registration.</i>
Design Already Done	<i>The design has already been completed and therefore the demand creator is not eligible for design registration for this project.</i>
Design Win Date Must Be A Future Date	<i>The design win date supplied by the demand creator is in the past and the product provider requires the date to be in the future.</i>
Duplicate Claim	<i>A Design Win claim for the same registration has previously been accepted and approved.</i>
Duplicate Registration	<i>Registration for part and customer already exists with requesting distributor.</i>
Expired Design Registration Status	<i>Project expired and therefore no longer eligible for design registration.</i>
Insufficient Information	<i>One or more required data elements was not provided or information in a given data element is incomplete.</i>
Invalid Company Contact	<i>The company contact supplied was determined invalid by the product provider.</i>
Invalid Customer Code	<i>The product provider cannot identify the customer code or the customer code supplied is invalid.</i>
Invalid Customer Contact	<i>The customer contact has been determined invalid by the product provider.</i>
Invalid Opportunity Attachment	<i>The opportunity attachment has been determined invalid by the product provider.</i>
Invalid Opportunity Note Or Comment	<i>The opportunity note or comment has been determined invalid by the product provider.</i>
Invalid Part Number	<i>Supplier cannot identify part number as one of its own.</i>
Invalid Partner Code	<i>The partner code has been determined invalid by the product provider.</i>
Invalid Partner Role	<i>The partner role has been determined invalid by the product provider.</i>
Invalid Product	<i>The product has been determined invalid by the product provider.</i>
Invalid Product Price	<i>The product price has been determined invalid by the product provider.</i>
Invalid Product Quantity Per System	<i>The product quantity per system has been determined invalid by the product provider.</i>

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Entity Instances

Invalid Projected Sales Quantity	<i>The projected sales quantity has been determined invalid by the product provider.</i>
Lost Design	<i>Design has been lost and is therefore no longer eligible for registration.</i>
Multiple Distributors Give Support	<i>Multiple demand creators are providing support for this project and therefore it is not eligible for design registration.</i>
No Commercial Relation	<i>The demand creator submitting the design does not have a valid commercial relationship (e.g., franchise agreement) with the product provider.</i>
No Distributor Field Application Engineer	<i>The demand creator no longer has a field application engineer supporting the project.</i>
No Engineer Services Required	<i>The customer or design does not require technical investment of resources and therefore the registration is deemed invalid by the product provider.</i>
Not A Registerable Part Number Or Part Number Not Eligible For Registration	<i>Part number is a good supplier part, but is not eligible for registration.</i>
Not A Valid Customer Project	<i>The customer project has been determined invalid for design registration.</i>
Not Supported By Distributor	<i>The product provider has determined that this registration is invalid because it is not being supported by the demand creator.</i>
Opportunity Attachment Too Large	<i>The opportunity attachment has been determined to be too large by the product provider.</i>
Part Number Not In Price Book	<i>Some suppliers require that a part be in the price book before issuing a registration.</i>
Production Win Date Must Be Future Date	<i>The production win date supplied by the demand creator is in the past and the product provider requires the date to be in the future.</i>
Project Cancelled By Customer	<i>The customer has cancelled the project for this design registration.</i>
Project Delayed By Customer	<i>The customer has delayed the project for this design registration.</i>
Project Safety Not Green	<i>The use of the part in this particular project does not meet the product provider's eligibility requirements for design registration.</i>
Quantity Metric Not Met	<i>Quantity of parts required to satisfy Design Win threshold requirement has not been met.</i>
Registration Number Is Not Valid	<i>Supplier cannot identify register number with any valid register numbers for that distributor.</i>
Required Fields Incomplete	<i>Minimum fields of information required by supplier was not met.</i>
Resale Inactivity	<i>Registration was in production win status, but there have not been sufficient resales to keep it active.</i>
Sales Metric Not Met	<i>Dollar sales volume required to satisfy Design Win threshold requirement has not been met.</i>
Under Review	<i>Design registration request has not completed the review process.</i>
Value Not High Enough	<i>Value of opportunity does not meet minimum requirements for registration.</i>
Wrong Customer Name	<i>Customer name does not match name on existing registration.</i>

---

#### Used in

31 RegistrationStatus  
59 RegistrationStatus  
89 RegistrationStatus

---

#### designWinStatusReasonCodeExplanation

---

#### Definition

Further explanation provided by the Product Provider or the Demand Creator to clarify/explain the particu

Dictionary Elements

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

**Children**

FreeFormText *Unformatted text.*

---

**Used in**

31 RegistrationStatus  
59 RegistrationStatus  
89 RegistrationStatus

---

**DeviceProductRegistration**

---

**Definition**

The collection of business properties that describe the registration of a core product.

---

**Children**

DebitAuthorizationNumber *The number associated with the debit assigned to the pricing of a particular part number.*

DocumentReference *The collection of business properties that allows the description of multiple proprietary documents and applicable line number references.*

ProductIdentification *The collection of business properties that describe proprietary and global identifier information regarding a product.*

productProviderLeadDescription *Description of a lead generated by the product provider and provided to the demand creator.*

productProviderLeadTrackingIdentifier *A proprietary identifier communicated from the product provider to the demand creator for the purpose of identifying and tracking supplier generated leads.*

registrationBonusPercent *The amount that the manufacturer will pay the distributor upon successfully winning a design expressed as a percentage.*

RegistrationStatus *The collection of business properties that describe the registration status of a product.*

suggestedResalePrice *Represents the suggested market price the customer should pay the distributor for the product.*

---

**Used in**

10 DesignPartInformation  
12 CoreProductRegistration

---

**effectiveRegistrationDate**

---

**Definition**

The date registration becomes effective.

---

**Children**

DatePeriod *The collection of business properties that specify the number of days by a start and end date stamp.*

---

**Used in**

102 DesignRegistrationIdentification

---

	<b>Type</b> String	<b>Min</b> 1
--	--------------------	--------------

---

---

**EmailAddress**

---

**Definition**

Electronic mail address.

---

**Used in**

113 ContactInformation

133 ContactInformation

187 ContactInformation

---

**endDate**

---

**Definition**

The end date of a date period.

---

**Children**

DateStamp

*Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ*

---

**Used in**

3 DatePeriod

105 DatePeriod

---

**FinancialAmount**

---

**Definition**

The collection of business properties that describe the monetary amount defined by a specified currency.

---

**Children**

GlobalCurrencyCode

*Code identifying the three character currency code specified in ISO 4217-1995.*

GlobalMonetaryAmountTypeCode

*Code identifying whether the monetary amount is a debit or credit.*

InvoiceChargeTypeCode

*Code identifying the values for the types of charges contained in an invoice.*

MonetaryAmount

*Magnitude of currency amount.*

---

**Used in**

36 ProductPricing

64 ProductPricing

94 ProductPricing

---

**FreeFormText**

**Type** String

**Min** 1

---

**Definition**

Unformatted text.

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Attributes

xml: lang

---

#### Used in

8 assemblyComments  
28 revisionIdentifier  
29 productProviderLeadDescription  
33 designWinStatusReasonCodeExplanation  
56 productProviderLeadDescription  
61 designWinStatusReasonCodeExplanation  
85 revisionIdentifier  
86 productProviderLeadDescription  
91 designWinStatusReasonCodeExplanation  
112 productProviderComments  
114 contactName  
134 contactName  
166 productProviderLeadDescription  
174 projectComments  
175 productProviderLeadDescription  
188 contactName

---

#### fromRole

---

#### Definition

The role initiating a business document exchange.

---

#### Children

PartnerRoleDescription *The collection of business properties that describe a business partners' role in a partner interface process.*

---

#### Used in

Pip5C4RegistrationStatusNotification

---

<b>GlobalBusinessIdentifier</b>	<b>Type</b> Integer	<b>Min</b> 9
	<b>Repr</b> 9(9)	<b>Max</b> 9

---

#### Definition

A unique business identifier. The DUNS number is specified by RosettaNet.

---

#### Used in

194 BusinessDescription  
209 BusinessDescription

---

<b>GlobalCurrencyCode</b>	<b>Type</b> String	<b>Min</b> 3
	<b>Repr</b> X(3)	<b>Max</b> 3

---

#### Definition

Code identifying the three character currency code specified in ISO 4217-1995.

Dictionary Elements

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

**Entity Instances**

ADP	<i>ANDORRA (multiple)</i>
AED	<i>UNITED ARAB EMIRATES</i>
AFA	<i>AFGHANISTAN</i>
ALL	<i>ALBANIA</i>
AMD	<i>ARMENIA</i>
ANG	<i>NETHERLANDS ANTILLES</i>
AON	<i>ANGOLA (multiple)</i>
AOR	<i>ANGOLA (multiple)</i>
ARS	<i>ARGENTINA</i>
ATS	<i>AUSTRIA</i>
AUD	<i>TUVALU</i>
AWG	<i>ARUBA</i>
AZM	<i>AZERBAIJAN</i>
BAM	<i>BOSNIA AND HERZEGOVINA</i>
BBD	<i>BARBADOS</i>
BDT	<i>BANGLADESH</i>
BEF	<i>BELGIUM</i>
BGL	<i>BULGARIA</i>
BHD	<i>BAHRAIN</i>
BIF	<i>BURUNDI</i>
BMD	<i>BERMUDA</i>
BND	<i>BRUNEI DARUSSALAM</i>
BOB	<i>BOLIVIA (multiple)</i>
BOV	<i>BOLIVIA (multiple)</i>
BRL	<i>BRAZIL</i>
BSD	<i>BAHAMAS</i>
BTN	<i>BHUTAN (multiple)</i>
BWP	<i>BOTSWANA</i>
BYB	<i>BELARUS</i>
BZD	<i>BELIZE</i>
CAD	<i>CANADA</i>
CHF	<i>SWITZERLAND</i>
CLP	<i>CHILE</i>
CNY	<i>CHINA</i>
COP	<i>COLOMBIA</i>
CRC	<i>COSTA RICA</i>
CUP	<i>CUBA</i>
CVE	<i>CAPE VERDE</i>
CYP	<i>CYPRUS</i>
CZK	<i>CZECH REPUBLIC</i>
DEM	<i>GERMANY</i>
DJF	<i>DJIBOUTI</i>
DKK	<i>GREENLAND</i>
DOP	<i>DOMINICAN REPUBLIC</i>
DZD	<i>ALGERIA</i>
ECS	<i>ECUADOR</i>
EEK	<i>ESTONIA</i>
EGP	<i>EGYPT</i>
ERN	<i>ERITREA</i>
ESP	<i>SPAIN</i>
ETB	<i>ETHIOPIA</i>
EUR	<i>EUROPEAN UNION</i>
FIM	<i>FINLAND</i>
FJD	<i>FIJI</i>
FKP	<i>FALKLAND ISLANDS(MALVINAS)</i>
FRF	<i>FRENCH SOUTHERN TERRITORIES</i>
GBP	<i>UNITED KINGDOM</i>
GEL	<i>GEORGIA</i>

Dictionary Elements

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

**Entity Instances**

GHC	<i>GHANA</i>
GIP	<i>GIBRALTAR</i>
GMD	<i>GAMBIA</i>
GNF	<i>GUINEA</i>
GRD	<i>GREECE</i>
GTQ	<i>GUATEMALA</i>
GWP	<i>GUINEA-BISSAU</i>
GYD	<i>GUYANA</i>
HKD	<i>HONG KONG</i>
HNL	<i>HONDURAS</i>
HRK	<i>CROATIA</i>
HTG	<i>HAITI</i>
HUF	<i>HUNGARY</i>
IDR	<i>INDONESIA</i>
IEP	<i>IRELAND</i>
ILS	<i>ISRAEL</i>
INR	<i>BHUTAN (multiple)</i>
IQD	<i>IRAQ</i>
IRR	<i>IRAN (ISLAMIC REPUBLIC OF)</i>
ISK	<i>ICELAND</i>
ITL	<i>VATICAN CITY STATE (HOLY SEE)</i>
JMD	<i>JAMAICA</i>
JOD	<i>JORDAN</i>
JPY	<i>JAPAN</i>
KES	<i>KENYA</i>
KGS	<i>KYRGYZSTAN</i>
KHR	<i>CAMBODIA</i>
KMF	<i>COMOROS</i>
KPW	<i>KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF</i>
KRW	<i>KOREA, REPUBLIC OF</i>
KWD	<i>KUWAIT</i>
KYD	<i>CAYMAN ISLANDS</i>
KZT	<i>KAZAKHSTAN</i>
LAK	<i>LAO PEOPLE'S DEMOCRATIC REPUBLIC</i>
LBP	<i>LEBANON</i>
LKR	<i>SRI LANKA</i>
LRD	<i>LIBERIA</i>
LTL	<i>LITHUANIA</i>
LUF	<i>LUXEMBOURG</i>
LVL	<i>LATVIA</i>
LYD	<i>LIBYAN ARAB JAMAHIRIYA</i>
MAD	<i>WESTERN SAHARA</i>
MDL	<i>MOLDOVA, REPUBLIC OF</i>
MGF	<i>MADAGASCAR</i>
MKD	<i>MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF</i>
MMK	<i>MYANMAR</i>
MNT	<i>MONGOLIA</i>
MOP	<i>MACAU</i>
MRO	<i>MAURITANIA</i>
MTL	<i>MALTA</i>
MUR	<i>MAURITIUS</i>
MVR	<i>MALDIVES</i>
MWK	<i>MALAWI</i>
MXN	<i>MEXICO</i>
MYR	<i>MALAYSIA</i>
MZM	<i>MOZAMBIQUE</i>
NGN	<i>NIGERIA</i>
NIO	<i>NICARAGUA</i>



Dictionary Elements

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

**Entity Instances**

NLG	<i>NETHERLANDS</i>
NOK	<i>BOUVET ISLAND</i>
NPR	<i>NEPAL</i>
NZD	<i>COOK ISLANDS</i>
OMR	<i>OMAN</i>
PAB	<i>PANAMA</i>
PEN	<i>PERU</i>
PGK	<i>PAPUA NEW GUINEA</i>
PHP	<i>PHILIPPINES</i>
PKR	<i>PAKISTAN</i>
PLN	<i>POLAND</i>
PTE	<i>PORTUGAL</i>
PYG	<i>PARAGUAY</i>
QAR	<i>QATAR</i>
ROL	<i>ROMANIA</i>
RUR	<i>RUSSIAN FEDERATION</i>
RWF	<i>RWANDA</i>
SAR	<i>SAUDI ARABIA</i>
SBD	<i>SOLOMON ISLANDS</i>
SCR	<i>SEYCHELLES</i>
SDD	<i>SUDAN</i>
SEK	<i>SWEDEN</i>
SGD	<i>SINGAPORE</i>
SHP	<i>SAINT HELENA</i>
SIT	<i>SLOVENIA</i>
SKK	<i>SLOVAKIA</i>
SLL	<i>SIERRA LEONE</i>
SOS	<i>SOMALIA</i>
SRG	<i>SURINAME</i>
STD	<i>SAO TOME AND PRINCIPE</i>
SVC	<i>EL SALVADOR</i>
SYP	<i>SYRIAN ARAB REPUBLIC</i>
SZL	<i>SWAZILAND</i>
THB	<i>THAILAND</i>
TJR	<i>TAJIKISTAN</i>
TMM	<i>TURKMENISTAN</i>
TND	<i>TUNISIA</i>
TOP	<i>TONGA</i>
TPE	<i>EAST TIMOR</i>
TRL	<i>TURKEY</i>
TTD	<i>TRINIDAD AND TOBAGO</i>
TWD	<i>TAIWAN, PROVINCE OF CHINA</i>
TZS	<i>TANZANIA, UNITED REPUBLIC OF</i>
UAH	<i>UKRAINE</i>
UGX	<i>UGANDA</i>
USD	<i>UNITED STATES</i>
UYU	<i>URUGUAY</i>
UZS	<i>UZBEKISTAN</i>
VEB	<i>VENEZUELA</i>
VND	<i>VIETNAM</i>
VUV	<i>VANUATU</i>
WST	<i>SAMOA</i>
XAF	<i>CONGO</i>
XCD	<i>GRENADA</i>
XDR	<i>INTERNATIONAL MONETARY FUND</i>
XOF	<i>TOGO</i>
XPF	<i>NEW CALEDONIA</i>
XPR	<i>FRENCH POLYNESIA</i>

Dictionary Elements

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

**Entity Instances**

YER	YEMEN
YUM	YUGOSLAVIA
ZAR	NAMIBIA
ZMK	ZAMBIA
ZRN	ZAIRE
ZWD	ZIMBABWE

---

**Used in**

37 FinancialAmount  
65 FinancialAmount  
95 FinancialAmount

---

<b>GlobalDesignRegistrationNotificationCode</b>	<b>Type</b> String	<b>Min</b> 1
---	--------------------	--------------

---

**Definition**

Code identifying the purpose of a design registration notification, e.g. an initial notification or an update.

---

**Entity Instances**

Cancel	<i>Request to cancel the existing registration ("Closed" status).</i>
Change	<i>Request to change the existing registration and/or status.</i>
Initial	<i>The first-time response or notification regarding design registration status.</i>
New Request	<i>Request for a new registration.</i>
Update	<i>An updated response or notification regarding design registration status.</i>

---

**Used in**

102 DesignRegistrationIdentification  
154 DesignRegistrationIdentification

---

<b>GlobalDocumentFunctionCode</b>	<b>Type</b> String	<b>Min</b> 1
-----------------------------------	--------------------	--------------

---

**Definition**

Code identifying the function of a document as either a request or a response.

---

**Entity Instances**

Request	<i>The business document is a request for a business action to be performed by a partner.</i>
Response	<i>The business document is a response to a requesting partner.</i>

---

**Used in**

Pip5C4RegistrationStatusNotification

---

<b>GlobalFileTransmissionCode</b>	<b>Type</b> String	<b>Min</b> 1
-----------------------------------	--------------------	--------------

---

**Definition**

Code identifying whether a file is being re-sent complete or with changes only.

Dictionary Elements

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

**Entity Instances**

Changes only  
Total refresh

---

**Used in**

1 DesignStatusNotification

---

<b>GlobalPartnerClassificationCode</b>	<b>Type</b> String	<b>Min</b> 1
--	--------------------	--------------

---

**Definition**

Code identifying a partner's function in the supply chain.

---

**Entity Instances**

Broker	<i>Representative of a third party.</i>
Carrier	<i>Product carrier for transporting goods in supply chain.</i>
Contract Manufacturer	<i>The party responsible for the services rendered.</i>
Customs Broker	<i>Product customs broker in supply chain.</i>
Distribution Center	<i>Product distributor in supply chain.</i>
Distributor	<i>Product distributor in supply chain.</i>
End User	<i>Product end user in supply chain.</i>
End User Government	<i>End user government.</i>
Financier	<i>Financial service provider in supply chain</i>
Freight Forwarder	<i>Product freight forwarder for transporting goods in supply chain.</i>
Manufacturer	<i>Product manufacturer in supply chain.</i>
Manufacturing Division	<i>A separate unit of a manufacturer.</i>
Original Equipment Manufacturer	<i>Product manufacturer of original equipment in the supply chain.</i>
Reseller	<i>The party who buys goods from a manufacturer and resells them to customers unchanged.</i>
Retailer	<i>Product retailer in supply chain.</i>
Service Provider	<i>A provider of services such as repair, diagnoses, maintenance, installation or removal of a unit.</i>
Shopper	<i>Product shopper in supply chain.</i>
Supplier	<i>Used to identify a supplier's part number or the model number of the product or service.</i>
Warehouser	<i>Product warehouser in supply chain.</i>

---

**Used in**

25 PartnerProductIdentification  
52 PartnerProductIdentification  
82 PartnerProductIdentification  
193 PartnerDescription  
208 PartnerDescription

---

<b>GlobalPartnerRoleClassificationCode</b>	<b>Type</b> String	<b>Min</b> 1
--	--------------------	--------------

---

**Definition**

Code identifying a party's role in the supply chain.

---

**Entity Instances**

Account Supplier	<i>Any trading partner that buys or sells products/services from customers and/or vendors.</i>
Account User	<i>Any trading partner that requires an account to buy or sell</i>

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Entity Instances

Anonymous Buyer	<i>products/services.</i>
Appointment Provider	<i>A requestor of information that chooses to remain anonymous.</i>
Authorized Service Provider	<i>The stakeholder(s) in the shipment delivery activity.</i>
Authorizer	<i>The Service Provider authorized by an OEM to perform service on a unit.</i>
Buyer	<i>The partner role that provides product authorization, from a product owner or manufacturer, for a reselling organization to resell a product.</i>
Catalog Distributor	<i>An employee or organization that buys products for a partner type in the supply chain.</i>
Catalog Producer	<i>The partner role that distributes catalog information to catalog producers and buyers.</i>
Change Requester	<i>The partner role that produces catalog information for a partner type in the supply chain.</i>
Change Review Forum	<i>A party who has an interest in requesting a review of a possible change to the component. The requester may be any party including customers and suppliers.</i>
Claim Requester	<i>A party who has responsibility for the review of Engineering Change Requests and the drafting and review of Engineering Change Orders. The Change Review Forum is assumed to be at the company that has responsibility for the engineering aspects of the component affected by the change.</i>
Consignee	<i>The owner of the shipments who is responsible for the intact delivery.</i>
Consumption Notification Provider	<i>The receiver of the shipment.</i>
Consumption Notification User	<i>Trading Partner role responsible for sending the notification of material consumption by a production location</i>
Credit Provider	<i>Trading Partner role responsible for receiving and processing the notification of material consumption thereby invoicing the customer for consumed material</i>
Credit Reference Requester	<i>This partner role is responsible for providing credit information about potential customers.</i>
Customer	<i>This partner role is responsible for requesting credit information about potential customers.</i>
Customer Manager	<i>This partner role creates a demand for a product or service.</i>
Decision Stakeholder	<i>This partner role manages the relationship with the business customers.</i>
Delivery Appointment Provider	<i>The party (such as suppliers, customers and others) who is responsible for the review and approval of the Engineering Change Approval Request. The stakeholders may be from multiple organizations.</i>
Delivery Appointment Requester	<i>A party that receives a request for a change to a previously scheduled delivery appointment.</i>
Demand Creator	<i>A party that requests a change to a previously scheduled delivery appointment.</i>
Design Engineering Information Receiver	<i>The partner role that identifies the opportunity, submits design registration, provides engineering support to advance the opportunity towards design win, and generates revenue by satisfying customer demand for a product.</i>
Design Engineering Information Sender	<i>This partner role uses technical information for updating enterprise databases (such as electronic catalog systems), design or test engineering, and manufacturing.</i>
Exception Identifier	<i>This partner role distributes the design engineering information of the agreed types in the agreed amounts at the agreed times.</i>

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Entity Instances

Exception Recipient	<i>Forecast Reply Recipient and/or an external party. The party/organization requiring visibility to an exception and receiving notifications on the identified exceptions. In a collaborative forecasting process, the Exception Recipient may be the Forecast Owner, Forecast Recipient and/or Forecast Reply Recipient. The Exception Identifier may send a notification for a specific exception to multiple Exception Recipients.</i>
Failure Report Administrator	<i>An employee or organizational entity that receives and processes PIP Failure Notifications.</i>
Financing Processor	<i>The organization that processes the request for financing.</i>
Forecast Owner	<i>The party/organization that monitors and identifies exceptions based on predefined exception criteria and sends notifications of the identified exceptions. In a collaborative forecasting process, the Exception Identifier may be the Forecast Owner, Forecast Recipient, Forecast Reply Recipient and/or an external party.</i>
Forecast Recipient	<i>The party that receives a strategic or order forecast.</i>
Forecast Reply Recipient	<i>The party that receives a forecast reply. The Recipient can be the original forecast owner or other forecast partner (Please refer to the GlobalPartnerClassificationCode).</i>
Implementation Plan Creator	<i>The partner role that creates, maintains and manages an implementation plan associated with an Engineering Change Order.</i>
In-transit Information User	<i>The party who receives shipment status information.</i>
Initiator	<i>The party that starts the data exchange.</i>
Integrator	<i>The organization responsible for the production of the product. Change requests are communicated back to the Qualification Owner.</i>
Inventory Information Provider	<i>An organization that owns or holds inventory and provides information about this inventory to partners in the supply chain. This may be a distributor, contract manufacturer, supplier or OEM reporting inventory that they hold and/or own.</i>
Inventory Information User	<i>An employee or organization that uses information about inventory.</i>
Invoice Provider	<i>The organization that generates the invoice.</i>
Invoice Receiver	<i>The organization being invoiced.</i>
Invoice Reject Provider	<i>The organization that rejects an invoice.</i>
Invoice Reject Receiver	<i>The organization being issued an Invoice Reject Notification.</i>
Marketing Activity Information User	<i>The party who uses information about Marketing Activities. This party might include distributors, and retail operations.</i>
Marketing Activity Initiator	<i>The partner role that distributes information about marketing activities being sponsored by the organization.</i>
Material Release Information Provider	<i>Trading Partner role responsible for triggering release of materials to a delivery location</i>
Material Release Information User	<i>Trading Partner role responsible for receiving trigger to release material to a delivery location and shipping material to delivery location</i>
PIP Failure Notifier	<i>An organizational process that automatically notifies the appropriate Failure Report Administrator of a PIP process failure.</i>
Payee	<i>The party receiving a payment.</i>
Payer	<i>The party issuing a payment.</i>
Product Distributor	<i>The party authorized by a Product Supplier to purchase goods and services from the Product Supplier and resell to customers.</i>
Product Information Distributor	<i>The partner role that distributes new product information to product information users and buyers.</i>
Product Information Subscriber	<i>The business partner that subscribes to product information from other business partners.</i>
Product Information User	<i>The partner role that uses product information to create or update enterprise systems and online promotion systems such as electronic catalog systems.</i>

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Entity Instances

Product Provider	<i>The partner role that creates a differentiated product, owns the registration process and creates a list of eligible products for use in design registration.</i>
Product Supplier	<i>This partner role supplies product to customers in the supply chain.</i>
Qualification Owner	<i>The organization responsible for the qualification of manufacturers and suppliers of parts for the product. The Qualification Owner defines and maintains the AML for the product.</i>
Quality Data Provider	<i>The party responsible for sending the Repair Quality Data. The Provider, through various means, learns of product or product component defect(s).</i>
Quality Data User	<i>The party who receives the repair and/or test data. The User analyzes the data and incorporates findings into its business model.</i>
Receiver	<i>The intended recipient of products or business information. The Receiver may verify receipt if prescribed.</i>
Responder	<i>The party that replies to the initiators message.</i>
Return Provider	<i>The party responsible for authorizing and/or processing the return.</i>
Return Receiver	<i>A third-party or warehousing operation responsible for receiving returns, inspecting the package contents and comparing to the issued RMA to assure the contents are what was authorized on the RMA.</i>
Return Requester	<i>Any party wishing to return a product. This role could be played by a large end-user such as the Government Services Administration (GSA), a distributor, or a reseller.</i>
Sales Facilitator	<i>This partner role facilitates the sale of product between partners in the supply chain.</i>
Sales Lead Originator	<i>The party assigning a sales lead to another party.</i>
Sales Lead Processor	<i>The party who receives the sales lead. This party is responsible for accepting or rejecting the lead, and if accepted, reports the status of the lead.</i>
Sales Marketing Claim Processor	<i>The partner role that processes the claim and/or remits compensation to the Sales Marketing Claimant.</i>
Sales Marketing Claimant	<i>The partner role that requests reimbursement from a Sales Marketing Claim Processor.</i>
Sales Marketing Program Reimbursement Recipient	<i>The partner role that receives status on a previously submitted sales marketing claim, or who receives reimbursement without submitting a claim.</i>
Sales Marketing Program Reimbursor	<i>The partner role that is currently processing a sales marketing claim, (or providing a payment without a claim submitted) and who provides information on the status of the claim processing.</i>
Self-Billing Invoice Provider	<i>The party that generates the self-billing invoice plus being invoiced. It can re-issue the self-billing invoice.</i>
Self-Billing Invoice Receiver	<i>The organization that provides the services or goods. The organization that receives the payment.</i>
Seller	<i>An organization that sells products to partners in the supply chain.</i>
Service Provider	<i>A provider that performs a service such as repair, diagnose, maintain, install or remove on a unit.</i>
Shipment Information User	<i>The party who receives shipment status information.</i>
Shipment Requester	<i>The party requesting transportation services.</i>
ShipmentController	<i>The party who is authorized to make decisions regarding a shipment while in-transit.</i>
Shipper	<i>The party who relinquishes (assigns) a shipment to a transport service provider.</i>
Shipping Provider	<i>The organization responsible for performing the shipping logistics for the Shipper. The Shipping Provider ships products from one location to another as requested by the shipping order and informs the Shipper when the shipment has been sent.</i>
Solution Provider	<i>The party that may architect, configure, engineer, sell, or determine the fulfillment of the configured solution to partners in the supply</i>

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Entity Instances

Solution Requester	<i>chain. This party that creates a demand for a product or service, or has contracted with a Solution Provider for the manufacture or fulfillment of a product(s).</i>
Specification Provider	<i>The partner role that creates or passes on manufacturing specifications. This may be a Solution Provider, an OEM who is sub-contracting manufacturing tasks like fabrication or assembly, or another party.</i>
Specification User	<i>The partner role that uses a manufacturing specification. This might be a sub-contract assembler or fabricator.</i>
Stakeholder	<i>The party that is required to implement an Engineering Change Order. The Stakeholder may include all levels of suppliers, customers or other parties. The Stakeholder may represent multiple organizations. The Stakeholder may draft and/or be responsible for completing tasks in an implementation plan.</i>
Status Requester	<i>The functional partner role, that could be a Product Provider, that creates a differentiated product, owns the registration process and creates a list of eligible products, or who is responsible for identifying the opportunity (that is, it could be a Demand Creator).</i>
Status Responder	<i>The organizational partner role, that could be a Product Provider, that creates a differentiated product, owns the registration process and creates a list of eligible products, or who is responsible for identifying the opportunity (that is, it could be a Demand Creator).</i>
Supplier	<i>This partner role supplies product to customers in the supply chain.</i>
Tender Information User	<i>The stakeholder(s) in the tendering activity.</i>
Transport Service Provider	<i>The party that provides transportation services for a Shipment Requester.</i>
Warranty Provider	<i>The provider who honors the warranty terms and reimburses the Authorized Service Provider for a service event performed under the terms of the warranty.</i>

---

#### Used in

186 PartnerRoleDescription  
201 PartnerRoleDescription

---

<b>GlobalPriceTypeCode</b>	<b>Type</b> String	<b>Min</b> 1
----------------------------	--------------------	--------------

---

#### Definition

Code identifying the pricing qualifier for a product.

---

#### Entity Instances

ACS	<i>Authorized Cost - The negotiated cost agreed upon between the supplier and distributor at the time the ?debit? is authorized.</i>
ASP	<i>Average selling price - Manufacturer's published price</i>
CP	<i>Catalog price - Book (the supplier?s published cost at the time of transaction) or Published Price.</i>
CS	<i>Cost - Price for which the distributor purchased the parts.</i>
Contract	<i>Contractual negotiated volume prices, customer specific.</i>
Contract Manufacturing	<i>Third party manufacturers.</i>
Disti	<i>Disti Cost; Quantity Price books.</i>
Distribution Price	<i>The recommended amount the distributors pay.</i>
Duty Free	<i>Exempt from import tax.</i>
Duty Paid	<i>Import tax already tendered.</i>
Education	<i>The price offered for purchases to support educational contracts or</i>

Dictionary Elements

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

**Entity Instances**

Exception	<i>builds. Pricing that does not conform to a rule or generalization; special offers.</i>
General	<i>Standard pricing.</i>
Government	<i>The price offered to government contracts or builds.</i>
MUS	<i>Minimum unit sale - Manufacturer's requirement of total dollar value for design opportunity</i>
Market Pricing	<i>Contractual negotiated volume prices, distributor specific.</i>
OEM Volume Pricing	<i>Original equipment manufacturer's price per volume ordered.</i>
RCS	<i>Requested cost - Reseller's requested cost to the manufacturer.</i>
RSP	<i>Resale - Price the distributor is authorized to use for sale to their customer.</i>
Refurbished	<i>Price for a product which has been remanufactured to meet new product specifications.</i>
SRSP	<i>Manufacturer's recommendation for unit pricing</i>
Samples	<i>Price offered for sample orders.</i>
Standard Rebate	<i>Used to identify the general rebate that is issued with a price list.</i>
Suggested Resale Price	<i>The recommended resale price; including MSRP.</i>
TOC	<i>Total Other Charges - Suggested resale price - The sum total of all distributor added charges to the customer for value added services, including but not limited to programming, tape and reel, labeling, date coding, kitting and in-house assembly.</i>
Threshold Price	<i>The price offered once a certain order volume is reached.</i>
Used	<i>Price for a product previously placed into service.</i>

**Used in**

- 36 ProductPricing
- 64 ProductPricing
- 94 ProductPricing

GlobalRegistrationStatusCode	Type	String	Min	1
------------------------------	------	--------	-----	---

**Definition**

Code identifying the registration status of a design; namely, the acknowledgment, collaboration and conti

**Entity Instances**

Approved	<i>Registration has been approved as Design Win eligible.</i>
Closed	<i>Registration has been closed by supplier or customer request and is not subject to renewal.</i>
Denied	<i>Registration has been rejected (turned down) for Design Win eligible status.</i>
Final Registration	<i>Indicates limited incentives apply from here on.</i>
Pending	<i>Registration has been submitted and logged (on the supplier's system), but approval is pending or on hold.</i>
Production	<i>Approved registration, has reached Production Win threshold, making sales eligible for enhanced margin, rebates or bonuses.</i>
Valid	<i>Design registration acknowledged by the supplier, but not yet approved for design win. The Valid stage allows the distributor to finish the design, submit Bill of Materials or block diagrams as required to meet conditions for Approval. The supplier is not yet protected as there are still outstanding conditions for getting to Approved.</i>
Win	<i>Approved registration has reached the Design Win threshold, making sales eligible for enhanced margin, rebates or bonuses.</i>



## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Used in

31 RegistrationStatus  
59 RegistrationStatus  
89 RegistrationStatus  
168 RegistrationStatus

---

### isRegistrationRenewable

#### Definition

Indicates whether or not the design registration is renewable.

---

#### Children

AffirmationIndicator *Used to indicate "Yes", "No" statements.*

---

#### Used in

181 RegistrationRenewableStatus

---

### MonetaryAmount

<b>Type</b>	Real	<b>Min</b>	1
<b>Repr</b>	9(13)V9(7)	<b>Max</b>	21

#### Definition

Magnitude of currency amount.

---

#### Used in

37 FinancialAmount  
65 FinancialAmount  
95 FinancialAmount

---

### PartnerDescription

#### Definition

The collection of business properties that describe a business partners' identity, their contact information,

---

#### Children

BusinessDescription *The collection of business properties that describe a business identity and location.*  
GlobalPartnerClassificationCode *Code identifying a partner's function in the supply chain.*

---

#### Used in

186 PartnerRoleDescription  
201 PartnerRoleDescription

---

### PartnerProductIdentification

#### Definition

The collection of business properties that describe proprietary part information.

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Children

GlobalPartnerClassificationCode	<i>Code identifying a partner's function in the supply chain.</i>
ProprietaryProductIdentifier	<i>An internal identifier used to identify a product.</i>
revisionIdentifier	<i>Free form text that identifies a revision to a proprietary serial number.</i>

---

#### Used in

23 ProductIdentification  
50 ProductIdentification  
80 ProductIdentification

---

### PartnerRoleDescription

---

#### Definition

The collection of business properties that describe a business partners' role in a partner interface process.

---

#### Children

ContactInformation	<i>The collection of business properties that provide communication and address information for contacting a person, organization or business.</i>
GlobalPartnerRoleClassificationCode	<i>Code identifying a party's role in the supply chain.</i>
PartnerDescription	<i>The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.</i>

---

#### Used in

186 fromRole  
201 toRole

---

### Pip5C4RegistrationStatusNotification

---

#### Children

DesignStatusNotification	<i>The collection of business properties that describe design status notification information.</i>
fromRole	<i>The role initiating a business document exchange.</i>
GlobalDocumentFunctionCode	<i>Code identifying the function of a document as either a request or a response.</i>
thisDocumentGenerationDateTime	<i>The date-time stamp indicating when this business document was generated.</i>
thisDocumentIdentifier	<i>The information that identifies the business document being sent. This identifier is used to represent the specific business document associated with the defined business process.</i>
toRole	<i>The role receiving the document in a business document exchange.</i>

---

#### Used in

Pip5C4RegistrationStatusNotification

---

### Product Identification

---

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

#### Definition

The collection of business properties that describe proprietary and global identifier information regarding

#### Children

GlobalProductIdentifier	<i>Global unique product identifier. RosettaNet has adopted the Global Trade Identification Number (GTIN).</i>
PartnerProductIdentification	<i>The collection of business properties that describe proprietary part information.</i>

#### Used in

12	CoreProductRegistration
14	DeviceProductRegistration
71	DeviceProductRegistration

---

## ProductPricing

---

#### Definition

The collection of business properties that describe the type of pricing and financial amount for a product.

#### Children

FinancialAmount	<i>The collection of business properties that describe the monetary amount defined by a specified currency.</i>
GlobalPriceTypeCode	<i>Code identifying the pricing qualifier for a product.</i>

#### Used in

36	suggestedResalePrice
64	suggestedResalePrice
94	suggestedResalePrice

---

## productProviderComments

---

#### Definition

Free form textual description provided for Product Provider.

#### Children

FreeFormText	<i>Unformatted text.</i>
--------------	--------------------------

#### Used in

10	DesignPartInformation
----	-----------------------

---

## productProviderFieldApplicationEngineer

---

#### Definition

The product provider Field Application Engineer.

#### Children

ContactInformation	<i>The collection of business properties that provide communication and address information for contacting a person, organization or</i>
--------------------	--

---

**Children**

*business.*

---

**Used in**

10 DesignPartInformation

---

**productProviderLeadDescription**

---

**Definition**

Description of a lead generated by the product provider and provided to the demand creator.

---

**Children**

FreeFormText

*Unformatted text.*

---

**Used in**

6 DesignProjectInformation  
7 DesignAssemblyInformation  
12 CoreProductRegistration  
14 DeviceProductRegistration  
71 DeviceProductRegistration

---

**productProviderLeadTrackingIdentifier**

---

**Definition**

A proprietary identifier communicated from the product provider to the demand creator for the purpose o

---

**Children**

ProprietaryReferenceIdentifier

*A unique reference identifier for goods, services or business documents.*

---

**Used in**

6 DesignProjectInformation  
7 DesignAssemblyInformation  
12 CoreProductRegistration  
14 DeviceProductRegistration  
71 DeviceProductRegistration

---

**productProviderSalesRepresentative**

---

**Definition**

The product provider sales representative.

---

**Children**

ContactInformation

*The collection of business properties that provide communication and address information for contacting a person, organization or business.*

---

**Used in**

10 DesignPartInformation

---

**productProviderTrackingIdentifier**

---

**Definition**

The proprietary unique identifier that represents a design registration request for a Product Provider.

---

**Children**

ProprietaryReferenceIdentifier *A unique reference identifier for goods, services or business documents.*

---

**Used in**

10 DesignPartInformation

---

**projectComments**

---

**Definition**

Free form textual description regarding a project.

---

**Children**

FreeFormText *Unformatted text.*

---

**Used in**

173 DesignProjectDescription

---

**projectIdentifier**

---

**Definition**

Unique tracking identification number that identifies a project.

---

**Children**

ProprietaryReferenceIdentifier *A unique reference identifier for goods, services or business documents.*

---

**Used in**

6 DesignProjectInformation

---

**ProjectStatusCode**

**Type** String

**Min** 1

---

**Definition**

Code identifying the status of a design project.

---

**Entity Instances**

Concept *Indicates a potential opportunity for a "design in" exists.*

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Entity Instances

Design	<i>Indicates that an engineer and project name has been assigned.</i>
Production	<i>POS (Point of Sale) reports indicate that product has been shipped for production builds, and the project is successfully completed.</i>
Prototype	<i>Indicates that a prototype build and evaluation is underway.</i>

---

#### Used in

6 DesignProjectInformation

---

<b>ProprietaryDocumentIdentifier</b>	<b>Type</b> String	<b>Min</b> 1
--------------------------------------	--------------------	--------------

---

#### Definition

Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.

---

#### Used in

200 thisDocumentIdentifier

---

<b>ProprietaryProductIdentifier</b>	<b>Type</b> String	<b>Min</b> 1
-------------------------------------	--------------------	--------------

---

#### Definition

An internal identifier used to identify a product.

---

#### Used in

25 PartnerProductIdentification  
52 PartnerProductIdentification  
82 PartnerProductIdentification

---

<b>ProprietaryReferenceIdentifier</b>	<b>Type</b> String	<b>Min</b> 1
	<b>Repr</b> X(255)	<b>Max</b> 255

---

#### Definition

A unique reference identifier for goods, services or business documents.

---

#### Used in

9 demandCreatorTrackingIdentifier  
30 productProviderLeadTrackingIdentifier  
57 productProviderLeadTrackingIdentifier  
101 demandCreatorTrackingIdentifier  
103 designRegistrationIdentifier  
87 productProviderLeadTrackingIdentifier  
153 productProviderTrackingIdentifier  
155 designRegistrationIdentifier  
167 productProviderLeadTrackingIdentifier  
176 productProviderLeadTrackingIdentifier  
177 projectIdentifier

---

**registrationBonusPercent**

---

**Definition**

The amount that the manufacturer will pay the distributor upon successfully winning a design expressed a

---

**Children**

PercentAmount *A real number representing a percentage value, e.g. 75.125 represents 75 1/8 percent.*

---

**Used in**

12 CoreProductRegistration

---

**RegistrationRenewableStatus**

---

**Definition**

The collection of business properties that describe design registration renewable conditions.

---

**Children**

isRegistrationRenewable *Indicates whether or not the design registration is renewable.*  
registrationRenewalDate *The date that a design registration is up for renewal.*

---

**Used in**

2 DesignRegistrationInformation

---

**registrationRenewalDate**

---

**Definition**

The date that a design registration is up for renewal.

---

**Children**

DateStamp *Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ*

---

**Used in**

181 RegistrationRenewableStatus

---

**RegistrationStatus**

---

**Definition**

The collection of business properties that describe the registration status of a product.

---

**Children**

DesignWinStatusReasonCode *Code identifying the reason for the disposition of a Design Registration Request or the status of a particular Design Registration assigned by the product provider or requested by the demand creator.*  
designWinStatusReasonCodeExplan *Further explanation provided by the Product Provider or the*

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Children

ation

*Demand Creator to clarify/explain the particular DesignWinStatusReasonCode.*

GlobalRegistrationStatusCode

*Code identifying the registration status of a design; namely, the acknowledgment, collaboration and continuation on the submitted supplier part business opportunity between a supplier (manufacture representative) and a distributor.*

registrationStatusDate

*The date stamp when the registration status was generated.*

---

#### Used in

7 DesignAssemblyInformation

12 CoreProductRegistration

14 DeviceProductRegistration

71 DeviceProductRegistration

---

### registrationStatusDate

---

#### Definition

The date stamp when the registration status was generated.

---

#### Children

DateStamp

*Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ*

---

#### Used in

31 RegistrationStatus

59 RegistrationStatus

89 RegistrationStatus

168 RegistrationStatus

---

### registrationSubmissionDate

---

#### Definition

The date a Demand Creator submits the design registration information to a Product Provider.

---

#### Children

DateStamp

*Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ*

---

#### Used in

2 DesignRegistrationInformation

---

### revisionIdentifier

---

#### Definition

Free form text that identifies a revision to a proprietary serial number.



Dictionary Elements

**Pip5C4RegistrationStatusNotification**

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

**Children**

FreeFormText

*Unformatted text.*

---

**Used in**

25 PartnerProductIdentification

82 PartnerProductIdentification

---

**RevisionNumber**

**Type** String

**Min** 1

---

**Definition**

An incremental number used to identify changes.

---

**Used in**

104 designRegistrationRevision

---

**suggestedResalePrice**

---

**Definition**

Represents the suggested market price the customer should pay the distributor for the product.

---

**Children**

ProductPricing

*The collection of business properties that describe the type of pricing and financial amount for a product.*

---

**Used in**

12 CoreProductRegistration

14 DeviceProductRegistration

71 DeviceProductRegistration

---

**telephoneNumber**

---

**Definition**

The numerical schema designed to achieve contact via telephone.

---

**Children**

CommunicationsNumber

*The electro-technical communication number, e.g., telephone number, facsimile number, pager number.*

---

**Used in**

113 ContactInformation

133 ContactInformation

187 ContactInformation

---

**thisDocumentGenerationDateTime**

---

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

#### Definition

The date-time stamp indicating when this business document was generated.

#### Children

DateTimeStamp

*Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss*

#### Used in

Pip5C4RegistrationStatusNotification

---

### thisDocumentIdentifier

---

#### Definition

The information that identifies the business document being sent. This identifier is used to represent the

#### Children

ProprietaryDocumentIdentifier

*Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.*

#### Used in

Pip5C4RegistrationStatusNotification

---

### toRole

---

#### Definition

The role receiving the document in a business document exchange.

#### Children

PartnerRoleDescription

*The collection of business properties that describe a business partners' role in a partner interface process.*

#### Used in

Pip5C4RegistrationStatusNotification

---

### xsd:string

---

#### Used in

8 FreeFormText  
9 ProprietaryReferenceIdentifier  
26 GlobalPartnerClassificationCode  
27 ProprietaryProductIdentifier  
28 FreeFormText  
29 FreeFormText  
30 ProprietaryReferenceIdentifier

## Dictionary Elements

### Pip5C4RegistrationStatusNotification

Version: 5C4\_RegistrationStatusNotification; V01\_04\_00; ED01

---

#### Used in

32 DesignWinStatusReasonCode  
33 FreeFormText  
38 GlobalCurrencyCode  
41 MonetaryAmount  
42 GlobalPriceTypeCode  
53 GlobalPartnerClassificationCode  
54 ProprietaryProductIdentifier  
56 FreeFormText  
57 ProprietaryReferenceIdentifier  
60 DesignWinStatusReasonCode  
61 FreeFormText  
66 GlobalCurrencyCode  
69 MonetaryAmount  
70 GlobalPriceTypeCode  
101 ProprietaryReferenceIdentifier  
103 ProprietaryReferenceIdentifier  
83 GlobalPartnerClassificationCode  
84 ProprietaryProductIdentifier  
85 FreeFormText  
86 FreeFormText  
87 ProprietaryReferenceIdentifier  
90 DesignWinStatusReasonCode  
91 FreeFormText  
96 GlobalCurrencyCode  
99 MonetaryAmount  
100 GlobalPriceTypeCode  
112 FreeFormText  
114 FreeFormText  
134 FreeFormText  
153 ProprietaryReferenceIdentifier  
155 ProprietaryReferenceIdentifier  
166 FreeFormText  
167 ProprietaryReferenceIdentifier  
176 ProprietaryReferenceIdentifier  
177 ProprietaryReferenceIdentifier  
188 FreeFormText  
192 GlobalPartnerRoleClassificationCode  
195 GlobalBusinessIdentifier  
197 GlobalPartnerClassificationCode  
199 DateTimeStamp  
200 ProprietaryDocumentIdentifier  
207 GlobalPartnerRoleClassificationCode  
210 GlobalBusinessIdentifier  
212 GlobalPartnerClassificationCode  
more than 50 occurrences...