

Texas Instruments
PIP Implementation Guideline



3A1 QuoteRequest
V02_01_00; 1; INBOUND



Element / Attribute	Usage/Length	Description
Pip3A1QuoteRequest		
1 fromRole	1..1	Definition: The role initiating a business document exchange. Usage: Required
1 PartnerRoleDescription	1..1	Definition: The collection of business properties that describe a business partners' role in a partner interface process. Usage: Required
2 ContactInformation	1..1	Definition: The collection of business properties that provide communication and address information for contacting a person, organization or business. Usage: Required Comment: Not used elements: 5 facsimileNumber
3 contactName	1..1	Definition: Name of the contact person(s) within the organization. Usage: Required
3 FreeFormText	1..1	Definition: Unformatted text. Usage: Required
4 EmailAddress	1..1	Definition: Electronic mail address. Usage: Required
6 telephoneNumber	1..1	Definition: The numerical schema designed to achieve contact via telephone. Usage: Required
6 CommunicationsNumber	1..1	Definition: The electro-technical communication number, e.g., telephone number, facsimile number, pager number. Usage: Required
7 GlobalPartnerRoleClassificationCode	1..1	Definition: Code identifying a party's role in the supply chain. Usage: Required Preferred Value: Product Distributor Customer



Element / Attribute	Usage/Length	Description
8 PartnerDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain. Usage: Required
9 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location. Usage: Required
10 GlobalBusinessIdentifier	1..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet. Usage: Required
11 GlobalSupplyChainCode	0..1	Definition: Code identifying the supply chain for the partner's function. Usage: Optional Preferred Value: Electronic Components
12 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Usage: Required
Restricted Entity Instance		
		Contract Manufacturer The party responsible for the services rendered.
		Distribution Center Product distributor in supply chain.
		Distributor Product distributor in supply chain.
		End User Product end user in supply chain.
		Manufacturer Product manufacturer in supply chain.
		Original Equipment Manufacturer Product manufacturer of original equipment in the supply chain.
		Manufacturer
		Warehouser Product warehouser in supply chain.
13 GlobalDocumentFunctionCode	1..1	Definition: Code identifying the function of a document as either a request or a response. Usage: Required
Restricted Entity Instance		
		Request The business document is a request for a business action to be performed by a partner.



Element / Attribute	Usage/Length	Description
14 Quote	1..1	Definition: The collection of business properties that describe an offer to supply a quantity of products at an agreed price and schedule. Usage: Required Comment: Not used elements: 15 CarrierInformation 50 financedBy 61 governmentContractIdentifier 62 PriceCondition 275 requoteReference 282 respondTo 311 TaxExemptStatus
18 comments	0..1	Definition: Free form textual description of a general nature. Usage: Optional
18 FreeFormText	1..1	Definition: Unformatted text.
19 distributedBy	0..unbounded	Definition: The party who supplies products to retailers. Usage: Optional
19 PartnerLocationDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, where they are physically located and their function in a supply chain. Usage: Required
20 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location. Usage: Required
21 businessName	0..1	Definition: The name of a business entity. Usage: Optional
21 FreeFormText	1..1	Definition: Unformatted text.
22 GlobalBusinessIdentifier	0..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet. Usage: Optional



Element / Attribute	Usage/Length	Description
23 PartnerBusinessIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business entity. Usage: Optional
24 ProprietaryBusinessIdentifier	1..1	Definition: A unique business identifier assigned and administered by a private authority.
25 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
26 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
27 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Usage: Required
Restricted Entity Instance		
		Contract Manufacturer The party responsible for the services rendered.
		Distribution Center Product distributor in supply chain.
		Distributor Product distributor in supply chain.
		End User Product end user in supply chain.
		Manufacturer Product manufacturer in supply chain.
		Original Equipment Manufacturer Product manufacturer of original equipment in the supply chain.
		Manufacturer
		Warehouser Product warehouser in supply chain.
28 PhysicalLocation	0..1	Definition: The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification. Usage: Optional
29 GlobalLocationIdentifier	0..1	Definition: Location uniquely identified by the DUNS +4 number.
30 PartnerLocationIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business location.
31 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.



Element / Attribute	Usage/Length	Description
32 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
33 ProprietaryLocationIdentifier	1..1	Definition: A unique location identifier assigned and administered by a private authority.
34 PhysicalAddress	0..1	Definition: The actual physical location of an entity as prescribed by local postal authorities, including country identification as it relates to the party or a product.
35 addressLine1	0..1	Definition: The first line of a physical address.
35 FreeFormText	1..1	Definition: Unformatted text.
36 addressLine2	0..1	Definition: The second line of a physical address.
36 FreeFormText	1..1	Definition: Unformatted text.
37 addressLine3	0..1	Definition: The third line of a physical address.
37 FreeFormText	1..1	Definition: Unformatted text.
38 cityName	0..1	Definition: The name of a city.
38 FreeFormText	1..1	Definition: Unformatted text.
39 GlobalCountryCode	0..1	Definition: Code identifying the two character country code specified in ISO 3166-1993.
40 NationalPostalCode	0..1	Definition: Code identifying geographic location as specified by a national postal code.
41 postOfficeBoxIdentifier	0..1	Definition: The proprietary identity of a physical address, located at a post office, designed solely to accept and receive mail.
41 FreeFormText	1..1	Definition: Unformatted text.
42 regionName	0..1	Definition: The name of a state or province within a country.
42 FreeFormText	1..1	Definition: Unformatted text.



Element / Attribute	Usage/Length	Description
43 DocumentReference	1..unbounded	Definition: The collection of business properties that allows the description of multiple proprietary documents and applicable line number references. Usage: Required
44 DateTimeStamp	0..1	Definition: Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThmmss Usage: Optional
45 GlobalDocumentReferenceTypeCode	1..1	Definition: Code identifying the type of business document used for referencing within another business document. Usage: Required Preferred Value: Quote
46 GlobalPartnerRoleClassificationCode	0..1	Definition: Code identifying a party's role in the supply chain. Usage: Optional Preferred Value: Product Distributor Customer
47 LineNumber	0..1	Definition: Number of the line in the document. Usage: Optional
48 ProprietaryDocumentIdentifier	1..1	Definition: Unique identifier, i.e. a numeric value or alphanumeric value, for a business document. Usage: Required
49 RevisionNumber	0..1	Definition: An incremental number used to identify changes. Usage: Optional



Element / Attribute	Usage/Length	Description
60 GlobalQuoteTypeCode	1..1	Definition: Code identifying category specification for a quote. Usage: Required Preferred Value: Ship and Debit
66 QuoteCustomerInformation	0..unbounded	Definition: The collection of business properties that describe the customer who uses a quote business document. Usage: Optional
67 customerProjectIdentifier	0..1	Definition: The unique identification number that identifies a project for a given customer.
67 ProprietaryReferenceIdentifier	1..1	Definition: A unique reference identifier for goods, services or business documents.
68 GlobalCustomerTypeCode	1..1	Definition: Code identifying the type of end user.
69 GlobalQuoteStatusCode	1..1	Definition: Code identifying whether business has been secured by the end customer.
70 PartnerDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.
71 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location.
72 businessName	0..1	Definition: The name of a business entity.
72 FreeFormText	1..1	Definition: Unformatted text.
73 GlobalBusinessIdentifier	0..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet.
74 PartnerBusinessIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business entity.
75 ProprietaryBusinessIdentifier	1..1	Definition: A unique business identifier assigned and administered by a private authority.
76 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.



Element / Attribute	Usage/Length	Description
77 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
78 ContactInformation	0..1	Definition: The collection of business properties that provide communication and address information for contacting a person, organization or business.
79 contactName	1..1	Definition: Name of the contact person(s) within the organization.
79 FreeFormText	1..1	Definition: Unformatted text.
80 EmailAddress	1..1	Definition: Electronic mail address.
81 facsimileNumber	0..1	Definition: The numerical schema designed to achieve contact via facsimile.
81 CommunicationsNumber	1..1	Definition: The electro-technical communication number, e.g., telephone number, facsimile number, pager number.
82 telephoneNumber	0..1	Definition: The numerical schema designed to achieve contact via telephone.
82 CommunicationsNumber	1..1	Definition: The electro-technical communication number, e.g., telephone number, facsimile number, pager number.
83 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain.
84 PhysicalLocation	0..1	Definition: The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification.
85 GlobalLocationIdentifier	0..1	Definition: Location uniquely identified by the DUNS +4 number.
86 PartnerLocationIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business location.
87 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
89 ProprietaryLocationIdentifier	1..1	Definition: A unique location identifier assigned and administered by a private authority.



Element / Attribute	Usage/Length	Description
90 PhysicalAddress	0..1	Definition: The actual physical location of an entity as prescribed by local postal authorities, including country identification as it relates to the party or a product.
91 addressLine1	0..1	Definition: The first line of a physical address.
91 FreeFormText	1..1	Definition: Unformatted text.
92 addressLine2	0..1	Definition: The second line of a physical address.
92 FreeFormText	1..1	Definition: Unformatted text.
93 addressLine3	0..1	Definition: The third line of a physical address.
93 FreeFormText	1..1	Definition: Unformatted text.
94 cityName	0..1	Definition: The name of a city.
94 FreeFormText	1..1	Definition: Unformatted text.
95 GlobalCountryCode	0..1	Definition: Code identifying the two character country code specified in ISO 3166-1993.
96 NationalPostalCode	0..1	Definition: Code identifying geographic location as specified by a national postal code.
97 postOfficeBoxIdentifier	0..1	Definition: The proprietary identity of a physical address, located at a post office, designed solely to accept and receive mail.
97 FreeFormText	1..1	Definition: Unformatted text.
98 regionName	0..1	Definition: The name of a state or province within a country.
98 FreeFormText	1..1	Definition: Unformatted text.
99 QuoteLineItem	1..unbounded	Definition: The collection of business properties that describe a product entry in a quote business document. Usage: Required Comment: Not used elements: 109 GlobalGovernmentPriorityRatingCode 111 GlobalStockIndicatorCode 112 governmentContractIdentifier 164 QuoteCustomerInformation 203 requestedShipFrom



Element / Attribute	Usage/Length	Description
100 comments	0..1	Definition: Free form textual description of a general nature. Usage: Optional
100 FreeFormText	1..1	Definition: Unformatted text.
101 designRegistrationIdentifier	0..1	Definition: A proprietary unique identifier for a design registration. Usage: Optional
101 ProprietaryReferenceIdentifier	1..1	Definition: A unique reference identifier for goods, services or business documents.
102 DocumentReference	0..unbounded	Definition: The collection of business properties that allows the description of multiple proprietary documents and applicable line number references. Usage: Optional
103 DateTimeStamp	0..1	Definition: Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThmmss
104 GlobalDocumentReferenceTypeCode	1..1	Definition: Code identifying the type of business document used for referencing within another business document.
105 GlobalPartnerRoleClassificationCode	0..1	Definition: Code identifying a party's role in the supply chain.
106 LineNumber	0..1	Definition: Number of the line in the document.
107 ProprietaryDocumentIdentifier	1..1	Definition: Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.
108 RevisionNumber	0..1	Definition: An incremental number used to identify changes.
110 GlobalProductUnitOfMeasureCode	1..1	Definition: Code identifying a product unit of measure. Usage: Required Preferred Value: Each



Element / Attribute	Usage/Length	Description
113 isSubstituteProductAcceptable	1..1	Definition: Indicates whether the requesting party will accept a substitute product for the product requested. Usage: Required
113 AffirmationIndicator	1..1	Definition: Used to indicate "Yes", "No" statements. Preferred Value: No
114 LineNumber	1..1	Definition: Number of the line in the document. Usage: Required
115 ProductIdentification	1..1	Definition: The collection of business properties that describe proprietary and global identifier information regarding a product. Usage: Required Comment: Not used elements: 116 GlobalProductIdentifier
117 PartnerProductIdentification	0..unbounded	Definition: The collection of business properties that describe proprietary part information. Usage: Optional
118 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Usage: Required Preferred Value: Product Distributor Customer
119 ProprietaryProductIdentifier	1..1	Definition: An internal identifier used to identify a product. Usage: Required
120 revisionIdentifier	0..1	Definition: Free form text that identifies a revision to a proprietary serial number. Usage: Optional
120 FreeFormText	1..1	Definition: Unformatted text.



Element / Attribute	Usage/Length	Description
121 QuoteCompetitorReference	0..unbounded	Definition: The collection of business properties that describe a competitor's product and pricing for purposes within a quote business document. Usage: Required Comment: This is mandatory for TI with Ship and Debit Quote Not used elements: 151 ProductIdentification
122 PartnerDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain. Usage: Required Comment: Not used elements: 130 ContactInformation 136 PhysicalLocation
123 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location. Usage: Required
124 businessName	0..1	Definition: The name of a business entity. Usage: Optional
124 FreeFormText	1..1	Definition: Unformatted text. Usage: Required
125 GlobalBusinessIdentifier	0..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet. Usage: Optional
126 PartnerBusinessIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business entity. Usage: Optional
127 ProprietaryBusinessIdentifier	1..1	Definition: A unique business identifier assigned and administered by a private authority. Usage: Required



Element / Attribute	Usage/Length	Description
128 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier. Usage: Required
129 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers. Usage: Optional
135 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Comment: Not used by TI
157 unitPrice	0..1	Definition: Agreed upon sale price for each unit ordered.
157 ProductPricing	1..1	Definition: The collection of business properties that describe the type of pricing and financial amount for a product. Usage: Required
158 FinancialAmount	1..1	Definition: The collection of business properties that describe the monetary amount defined by a specified currency.
159 GlobalCurrencyCode	1..1	Definition: Code identifying the three character currency code specified in ISO 4217-1995.
160 GlobalMonetaryAmountTypeCode	0..1	Definition: Code identifying whether the monetary amount is a debit or credit.
161 InvoiceChargeTypeCode	0..1	Definition: Code identifying the values for the types of charges contained in an invoice.
162 MonetaryAmount	1..1	Definition: Magnitude of currency amount.
163 GlobalPriceTypeCode	1..1	Definition: Code identifying the pricing qualifier for a product.
197 requestedQuantity	1..1	Definition: The quantity of product requested. Usage: Required
197 QuoteQuantity	1..1	Definition: The collection of business properties that describe the quantities associated with a product quote. Usage: Required



Element / Attribute	Usage/Length	Description
198 QuantityTransportationSchedule	1..1	Definition: The collection of business properties that describe product quantity and associated schedules, for a given transportation event. Usage: Required
199 GlobalTransportEventCode	0..1	Definition: Code identifying an event during the transportation of a shipment. Usage: Optional Preferred Value: Dock
200 QuantitySchedule	1..unbounded	Definition: The collection of business properties that describe product quantity and associated schedules. Usage: Required
201 DateStamp	0..1	Definition: Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ Usage: Optional
202 ProductQuantity	1..1	Definition: A quantity specifying the number of product units. Usage: Required
227 requestedUnitPrice	0..unbounded	Definition: The price requested for a unit of product. Usage: Optional
227 ProductPricing	1..1	Definition: The collection of business properties that describe the type of pricing and financial amount for a product. Usage: Required
228 FinancialAmount	1..1	Definition: The collection of business properties that describe the monetary amount defined by a specified currency. Usage: Required
229 GlobalCurrencyCode	1..1	Definition: Code identifying the three character currency code specified in ISO 4217-1995. Usage: Required



Element / Attribute	Usage/Length	Description
230 GlobalMonetaryAmountTypeCode	0..1	Definition: Code identifying whether the monetary amount is a debit or credit. Usage: Optional
231 InvoiceChargeTypeCode	0..1	Definition: Code identifying the values for the types of charges contained in an invoice. Usage: Optional
232 MonetaryAmount	1..1	Definition: Magnitude of currency amount. Usage: Required
233 GlobalPriceTypeCode	1..1	Definition: Code identifying the pricing qualifier for a product. Usage: Required
Restricted Entity Instance		
	RCS	Requested cost - Reseller's requested cost to the manufacturer.
	RSP	Resale - Price the distributor is authorized to use for sale to their customer.
234 RequoteLineStatus	0..1	Definition: The collection of business properties that describe a previous quote's identification and status for a given entry on the prior quote. Usage: Required Comment: Required for quote changes
235 GlobalRequoteActionCode	1..1	Definition: Code identifying the type of action to be taken for a given line item on a quote.
236 requoteReference	1..unbounded	Definition: The document reference for a previous quote.
236 DocumentReference	1..1	Definition: The collection of business properties that allows the description of multiple proprietary documents and applicable line number references.



Element / Attribute	Usage/Length	Description
237 DateTimeStamp	0..1	Definition: Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss
238 GlobalDocumentReferenceTypeCode	1..1	Definition: Code identifying the type of business document used for referencing within another business document.
239 GlobalPartnerRoleClassificationCode	0..1	Definition: Code identifying a party's role in the supply chain.
240 LineNumber	0..1	Definition: Number of the line in the document.
241 ProprietaryDocumentIdentifier	1..1	Definition: Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.
242 RevisionNumber	0..1	Definition: An incremental number used to identify changes.
243 shipTo	0..1	Definition: The partner and/or location to which the product must be delivered. Usage: Optional
243 PartnerLocationDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, where they are physically located and their function in a supply chain.
244 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location.
245 businessName	0..1	Definition: The name of a business entity.
245 FreeFormText	1..1	Definition: Unformatted text.
246 GlobalBusinessIdentifier	0..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet.
247 PartnerBusinessIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business entity.



Element / Attribute	Usage/Length	Description
248 ProprietaryBusinessIdentifier	1..1	Definition: A unique business identifier assigned and administered by a private authority.
249 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
250 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
251 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain.
252 PhysicalLocation	0..1	Definition: The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification.
253 GlobalLocationIdentifier	0..1	Definition: Location uniquely identified by the DUNS +4 number.
254 PartnerLocationIdentification	0..unbounded	Definition: The collection of business properties that allow for the proprietary identification of a business location.
255 ProprietaryDomainIdentifier	1..1	Definition: A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.
256 ProprietaryIdentifierAuthority	0..1	Definition: A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.
257 ProprietaryLocationIdentifier	1..1	Definition: A unique location identifier assigned and administered by a private authority.
258 PhysicalAddress	0..1	Definition: The actual physical location of an entity as prescribed by local postal authorities, including country identification as it relates to the party or a product.
259 addressLine1	0..1	Definition: The first line of a physical address.
259 FreeFormText	1..1	Definition: Unformatted text.
260 addressLine2	0..1	Definition: The second line of a physical address.
260 FreeFormText	1..1	Definition: Unformatted text.
261 addressLine3	0..1	Definition: The third line of a physical address.



Element / Attribute	Usage/Length	Description
261 FreeFormText	1..1	Definition: Unformatted text.
262 cityName	0..1	Definition: The name of a city.
262 FreeFormText	1..1	Definition: Unformatted text.
263 GlobalCountryCode	0..1	Definition: Code identifying the two character country code specified in ISO 3166-1993.
264 NationalPostalCode	0..1	Definition: Code identifying geographic location as specified by a national postal code.
265 postOfficeBoxIdentifier	0..1	Definition: The proprietary identity of a physical address, located at a post office, designed solely to accept and receive mail.
265 FreeFormText	1..1	Definition: Unformatted text.
266 regionName	0..1	Definition: The name of a state or province within a country.
266 FreeFormText	1..1	Definition: Unformatted text.
267 TaxExemptStatus	0..1	Definition: The collection of business properties that describe tax exemption conditions. Usage: Optional
268 isTaxExempt	1..1	Definition: Indicates whether a product is exempt from taxation.
268 AffirmationIndicator	1..1	Definition: Used to indicate "Yes", "No" statements.
269 TaxExemption	0..1	Definition: The collection of business properties that describe tax exemption type and identification information.
270 GlobalTaxExemptionCode	1..1	Definition: Code identifying the type of tax exemption for a product or service.
271 taxExemptionCertificationIdentifier	1..1	Definition: The unique identifier that represents the authorization for a product or service's tax exempt status.
271 ProprietaryReferenceIdentifier	1..1	Definition: A unique reference identifier for goods, services or business documents.
272 requestedResponseDate	0..1	Definition: The date for which a response has been requested to be transmitted. Usage: Optional



Element / Attribute	Usage/Length	Description
272 DatePeriod	1..1	Definition: The collection of business properties that specify the number of days by a start and end date stamp.
273 beginDate	0..1	Definition: The start date of a date period.
273 DateStamp	1..1	Definition: Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
274 endDate	0..1	Definition: The end date of a date period.
274 DateStamp	1..1	Definition: Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ
316 thisDocumentGenerationDateTime	1..1	Definition: The date-time stamp indicating when this business document was generated.
316 DateTimeStamp	1..1	Definition: Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss
317 thisDocumentIdentifier	1..1	Definition: The information that identifies the business document being sent. This identifier is used to represent the specific business document associated with the defined business process.
317 ProprietaryDocumentIdentifier	1..1	Definition: Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.
318 toRole	1..1	Definition: The role receiving the document in a business document exchange.



Element / Attribute	Usage/Length	Description
318 PartnerRoleDescription	1..1	Definition: The collection of business properties that describe a business partners' role in a partner interface process. Usage: Required Comment: Not used elements: 319 ContactInformation
324 GlobalPartnerRoleClassificationCode	1..1	Definition: Code identifying a party's role in the supply chain. Usage: Required Preferred Value: Seller
325 PartnerDescription	1..1	Definition: The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain. Constraint: If GlobalBusinessIdentifier is not used, then PhysicalAddress is required.
326 BusinessDescription	1..1	Definition: The collection of business properties that describe a business identity and location.
327 GlobalBusinessIdentifier	1..1	Definition: A unique business identifier. The DUNS number is specified by RosettaNet. Usage: Required Description: Supplier DUNS number "007321904"
328 GlobalSupplyChainCode	0..1	Definition: Code identifying the supply chain for the partner's function. Usage: Required Preferred Value: Electronic components
329 GlobalPartnerClassificationCode	1..1	Definition: Code identifying a partner's function in the supply chain. Usage: Required Preferred Value: Manufacturer

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

addressLine1

Definition

The first line of a physical address.

Children

FreeFormText *Unformatted text.*

Used in

34 PhysicalAddress
90 PhysicalAddress
258 PhysicalAddress

addressLine2

Definition

The second line of a physical address.

Children

FreeFormText *Unformatted text.*

Used in

34 PhysicalAddress
90 PhysicalAddress
258 PhysicalAddress

addressLine3

Definition

The third line of a physical address.

Children

FreeFormText *Unformatted text.*

Used in

34 PhysicalAddress
90 PhysicalAddress
258 PhysicalAddress

AffirmationIndicator

Type	String	Min	2
Repr	X(3)	Max	3

Definition

Used to indicate "Yes", "No" statements.

Used in

113 isSubstituteProductAcceptable
268 isTaxExempt

beginDate

Definition

The start date of a date period.

Children

DateStamp

Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ

Used in

272 DatePeriod

BusinessDescription

Definition

The collection of business properties that describe a business identity and location.

Children

businessName

The name of a business entity.

GlobalBusinessIdentifier

A unique business identifier. The DUNS number is specified by RosettaNet.

GlobalSupplyChainCode

Code identifying the supply chain for the partner's function.

PartnerBusinessIdentification

The collection of business properties that allow for the proprietary identification of a business entity.

Used in

8 PartnerDescription

19 PartnerLocationDescription

70 PartnerDescription

122 PartnerDescription

243 PartnerLocationDescription

325 PartnerDescription

businessName

Definition

The name of a business entity.

Children

FreeFormText

Unformatted text.

Used in

20 BusinessDescription

71 BusinessDescription

123 BusinessDescription

244 BusinessDescription

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

cityName

Definition

The name of a city.

Children

FreeFormText *Unformatted text.*

Used in

34 PhysicalAddress
90 PhysicalAddress
258 PhysicalAddress

comments

Definition

Free form textual description of a general nature.

Children

FreeFormText *Unformatted text.*

Used in

14 Quote
99 QuoteLineItem

CommunicationsNumber

Type	String	Min	1
Repr	X(30)	Max	30

Definition

The electro-technical communication number, e.g., telephone number, facsimile number, pager number.

Used in

6 telephoneNumber
81 facsimileNumber
82 telephoneNumber

ContactInformation

Definition

The collection of business properties that provide communication and address information for contacting

Children

contactName	<i>Name of the contact person(s) within the organization.</i>
EmailAddress	<i>Electronic mail address.</i>
facsimileNumber	<i>The numerical schema designed to achieve contact via facsimile.</i>
telephoneNumber	<i>The numerical schema designed to achieve contact via telephone.</i>

Used in

1 PartnerRoleDescription

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Used in

70 PartnerDescription

contactName

Definition

Name of the contact person(s) within the organization.

Children

FreeFormText *Unformatted text.*

Used in

2 ContactInformation
78 ContactInformation

customerProjectIdentifier

Definition

The unique identification number that identifies a project for a given customer.

Children

ProprietaryReferenceIdentifier *A unique reference identifier for goods, services or business documents.*

Used in

66 QuoteCustomerInformation

DatePeriod

Definition

The collection of business properties that specify the number of days by a start and end date stamp.

Children

beginDate *The start date of a date period.*
endDate *The end date of a date period.*

Used in

272 requestedResponseDate

DateStamp

Type	Date	Min	9
Repr	9(8)X	Max	9

Definition

Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day ident

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Used in

200 QuantitySchedule
 273 beginDate
 274 endDate

DateTimeStamp

Type	DateTime	Min	13
Repr	9(8)X9(6)V9(3)X	Max	20

Definition

Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "M

Used in

43 DocumentReference
 102 DocumentReference
 236 DocumentReference
 316 thisDocumentGenerationDateTime

designRegistrationIdentifier

Definition

A proprietary unique identifier for a design registration.

Children

ProprietaryReferenceIdentifier	<i>A unique reference identifier for goods, services or business documents.</i>
--------------------------------	---

Used in

99 QuoteLineItem

distributedBy

Definition

The party who supplies products to retailers.

Children

PartnerLocationDescription	<i>The collection of business properties that describe a business partners' identity, where they are physically located and their function in a supply chain.</i>
----------------------------	---

Used in

14 Quote

DocumentReference

Definition

The collection of business properties that allows the description of multiple proprietary documents and ap

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Children

DateTimeStamp	<i>Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss</i>
GlobalDocumentReferenceTypeCode	<i>Code identifying the type of business document used for referencing within another business document.</i>
GlobalPartnerRoleClassificationCode	<i>Code identifying a party's role in the supply chain.</i>
LineNumber	<i>Number of the line in the document.</i>
ProprietaryDocumentIdentifier	<i>Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.</i>
RevisionNumber	<i>An incremental number used to identify changes.</i>

Used in

- 14 Quote
- 99 QuoteLineItem
- 236 requoteReference

EmailAddress	Type String	Min 1
---------------------	--------------------	--------------

Definition

Electronic mail address.

Used in

- 2 ContactInformation
- 78 ContactInformation

endDate

Definition

The end date of a date period.

Children

DateStamp	<i>Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ</i>
-----------	--

Used in

- 272 DatePeriod

facsimileNumber

Definition

The numerical schema designed to achieve contact via facsimile.

Children

CommunicationsNumber	<i>The electro-technical communication number, e.g., telephone</i>
----------------------	--

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Children

number, facsimile number, pager number.

Used in

78 ContactInformation

FinancialAmount

Definition

The collection of business properties that describe the monetary amount defined by a specified currency.

Children

GlobalCurrencyCode *Code identifying the three character currency code specified in ISO 4217-1995.*

GlobalMonetaryAmountTypeCode *Code identifying whether the monetary amount is a debit or credit.*

InvoiceChargeTypeCode *Code identifying the values for the types of charges contained in an invoice.*

MonetaryAmount *Magnitude of currency amount.*

Used in

157 ProductPricing

227 ProductPricing

FreeFormText

Type String

Min 1

Definition

Unformatted text.

Attributes

xml:lang

Used in

3 contactName

18 comments

21 businessName

35 addressLine1

36 addressLine2

37 addressLine3

38 cityName

41 postOfficeBoxIdentifier

42 regionName

72 businessName

79 contactName

91 addressLine1

92 addressLine2

93 addressLine3

94 cityName

97 postOfficeBoxIdentifier

98 regionName

100 comments

120 revisionIdentifier

124 businessName

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Used in

- 245 businessName
- 259 addressLine1
- 260 addressLine2
- 261 addressLine3
- 262 cityName
- 265 postOfficeBoxIdentifier
- 266 regionName

fromRole

Definition

The role initiating a business document exchange.

Children

PartnerRoleDescription *The collection of business properties that describe a business partners' role in a partner interface process.*

Used in

Pip3A1QuoteRequest

GlobalBusinessIdentifier

Type	Integer	Min	9
Repr	9(9)	Max	9

Definition

A unique business identifier. The DUNS number is specified by RosettaNet.

Used in

- 9 BusinessDescription
- 20 BusinessDescription
- 71 BusinessDescription
- 123 BusinessDescription
- 244 BusinessDescription
- 326 BusinessDescription

GlobalCountryCode

Type	String	Min	2
Repr	X(2)	Max	2

Definition

Code identifying the two character country code specified in ISO 3166-1993.

Entity Instances

AD	ANDORRA
AE	UNITED ARAB EMIRATES
AF	AFGHANISTAN
AG	ANTIGUA AND BARBUDA
AI	ANGUILLA
AL	ALBANIA
AM	ARMENIA
AN	NETHERLANDS ANTILLES
AO	ANGOLA

Entity Instances

AQ	ANTARCTICA
AR	ARGENTINA
AS	AMERICAN SAMOA
AT	AUSTRIA
AU	AUSTRALIA
AW	ARUBA
AZ	AZERBAIJAN
BA	BOSNIA AND HERZEGOVINA
BB	BARBADOS
BD	BANGLADESH
BE	BELGIUM
BF	BURKINA FASO
BG	BULGARIA
BH	BAHRAIN
BI	BURUNDI
BJ	BENIN
BM	BERMUDA
BN	BRUNEI DARUSSALAM
BO	BOLIVIA
BR	BRAZIL
BS	BAHAMAS
BT	BHUTAN
BV	BOUVET ISLAND
BW	BOTSWANA
BY	BELARUS
BZ	BELIZE
CA	CANADA
CC	COCOS (KEELING) ISLANDS
CF	CENTRAL AFRICAN REPUBLIC
CG	CONGO
CH	SWITZERLAND
CI	CÔTE D'IVOIRE
CK	COOK ISLANDS
CL	CHILE
CM	CAMEROON
CN	CHINA
CO	COLOMBIA
CR	COSTA RICA
CU	CUBA
CV	CAPE VERDE
CX	CHRISTMAS ISLAND
CY	CYPRUS
CZ	CZECH REPUBLIC
DE	GERMANY
DJ	DJIBOUTI
DK	DENMARK
DM	DOMINICA
DO	DOMINICAN REPUBLIC
DZ	ALGERIA
EC	ECUADOR
EE	ESTONIA
EG	EGYPT
EH	WESTERN SAHARA
ER	ERITREA
ES	SPAIN
ET	ETHIOPIA
FI	FINLAND
FJ	FIJI

Entity Instances

FK	<i>FALKLAND ISLANDS (MALVINAS)</i>
FM	<i>MICRONESIA, FEDERATED STATES</i>
FO	<i>FAROE ISLANDS</i>
FR	<i>FRANCE</i>
GA	<i>GABON</i>
GB	<i>UNITED KINGDOM</i>
GD	<i>GRENADA</i>
GE	<i>GEORGIA</i>
GF	<i>FRENCH GUIANA</i>
GH	<i>GHANA</i>
GI	<i>GIBRALTAR</i>
GL	<i>GREENLAND</i>
GM	<i>GAMBIA</i>
GN	<i>GUINEA</i>
GP	<i>GUADELOUPE</i>
GQ	<i>EQUATORIAL GUINEA</i>
GR	<i>GREECE</i>
GS	<i>SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS</i>
GT	<i>GUATEMALA</i>
GU	<i>GUAM</i>
GW	<i>GUINEA-BISSAU</i>
GY	<i>GUYANA</i>
HK	<i>HONG KONG</i>
HM	<i>HEARD ISLAND AND MCDONALD ISLANDS</i>
HN	<i>HONDURAS</i>
HR	<i>CROATIA</i>
HT	<i>HAITI</i>
HU	<i>HUNGARY</i>
ID	<i>INDONESIA</i>
IE	<i>IRELAND</i>
IL	<i>ISRAEL</i>
IN	<i>INDIA</i>
IO	<i>BRITISH INDIAN OCEAN TERRITORY</i>
IQ	<i>IRAQ</i>
IR	<i>IRAN, ISLAMIC REPUBLIC OF</i>
IS	<i>ICELAND</i>
IT	<i>ITALY</i>
JM	<i>JAMAICA</i>
JO	<i>JORDAN</i>
JP	<i>JAPAN</i>
KE	<i>KENYA</i>
KG	<i>KYRGYSTAN</i>
KH	<i>CAMBODIA</i>
KI	<i>KIRIBATI</i>
KM	<i>COMOROS</i>
KN	<i>SAINT KITTS AND NEVIS</i>
KP	<i>KOREA, DEMOCRATIC PEOPLE'S REP. OF</i>
KR	<i>KOREA, REPUBLIC OF</i>
KW	<i>KUWAIT</i>
KY	<i>CAYMAN ISLANDS</i>
KZ	<i>KAZAKSTAN</i>
LA	<i>LAO PEOPLE'S DEMOCRATIC REPUBLIC</i>
LB	<i>LEBANON</i>
LC	<i>SAINT LUCIA</i>
LI	<i>LIECHTENSTEIN</i>
LK	<i>SRI LANKA</i>
LR	<i>LIBERIA</i>
LS	<i>LESOTHO</i>

Entity Instances

LT	<i>LITHUANIA</i>
LU	<i>LUXEMBOURG</i>
LV	<i>LATVIA</i>
LY	<i>LIBYAN ARAB JAMAHIRIYA</i>
MA	<i>MOROCCO</i>
MC	<i>MONACO</i>
MD	<i>MOLDOVA, REPUBLIC OF</i>
MG	<i>MADAGASCAR</i>
MH	<i>MARSHALL ISLANDS</i>
MK	<i>MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF</i>
ML	<i>MALI</i>
MM	<i>MYANMAR</i>
MN	<i>MONGOLIA</i>
MO	<i>MACAU</i>
MP	<i>NORTHERN MARIANA ISLANDS</i>
MQ	<i>MARTINIQUE</i>
MR	<i>MAURITANIA</i>
MS	<i>MONTSERRAT</i>
MT	<i>MALTA</i>
MU	<i>MAURITIUS</i>
MV	<i>MALDIVES</i>
MW	<i>MALAWI</i>
MX	<i>MEXICO</i>
MY	<i>MALAYSIA</i>
MZ	<i>MOZAMBIQUE</i>
NA	<i>NAMIBIA</i>
NC	<i>NEW CALEDONIA</i>
NE	<i>NIGER</i>
NF	<i>NORFOLK ISLAND</i>
NG	<i>NIGERIA</i>
NI	<i>NICARAGUA</i>
NL	<i>NETHERLANDS</i>
NO	<i>NORWAY</i>
NP	<i>NEPAL</i>
NR	<i>NAURU</i>
NT	<i>NEUTRAL ZONE</i>
NU	<i>NIUE</i>
NZ	<i>NEW ZEALAND</i>
OM	<i>OMAN</i>
PA	<i>PANAMA</i>
PE	<i>PERU</i>
PF	<i>FRENCH POLYNESIA</i>
PG	<i>PAPUA NEW GUINEA</i>
PH	<i>PHILIPPINES</i>
PK	<i>PAKISTAN</i>
PL	<i>POLAND</i>
PM	<i>SAINT PIERRE AND MIQUELON</i>
PN	<i>PITCAIRN</i>
PR	<i>PUERTO RICO</i>
PT	<i>PORTUGAL</i>
PW	<i>PALAU</i>
PY	<i>PARAGUAY</i>
QA	<i>QATAR</i>
RE	<i>REUNION</i>
RO	<i>ROMANIA</i>
RU	<i>RUSSIAN FEDERATION</i>
RW	<i>RWANDA</i>
SA	<i>SAUDI ARABIA</i>

Entity Instances

SB	<i>SOLOMON ISLANDS</i>
SC	<i>SEYCHELLES</i>
SD	<i>SUDAN</i>
SE	<i>SWEDEN</i>
SG	<i>SINGAPORE</i>
SH	<i>SAINT HELENA</i>
SI	<i>SLOVENIA</i>
SJ	<i>SVALBARD AND JAN MAYEN ISLANDS</i>
SK	<i>SLOVAKIA</i>
SL	<i>SIERRA LEONE</i>
SM	<i>SAN MARINO</i>
SN	<i>SENEGAL</i>
SO	<i>SOMALIA</i>
SR	<i>SURINAME</i>
ST	<i>SAO TOME AND PRINCIPE</i>
SV	<i>EL SALVADOR</i>
SY	<i>SYRIAN ARAB REPUBLIC</i>
SZ	<i>SWAZILAND</i>
TC	<i>TURKS AND CAICOS ISLANDS</i>
TD	<i>CHAD</i>
TF	<i>FRENCH SOUTHERN TERRITORIES</i>
TG	<i>TOGO</i>
TH	<i>THAILAND</i>
TJ	<i>TAJIKISTAN</i>
TK	<i>TOKELAU</i>
TM	<i>TURKMENISTAN</i>
TN	<i>TUNISIA</i>
TO	<i>TONGA</i>
TP	<i>EAST TIMOR</i>
TR	<i>TURKEY</i>
TT	<i>TRINIDAD AND TOBAGO</i>
TV	<i>TUVALU</i>
TW	<i>TAIWAN, PROVINCE OF CHINA</i>
TZ	<i>TANZANIA, UNITED REPUBLIC OF</i>
UA	<i>UKRAINE</i>
UG	<i>UGANDA</i>
UM	<i>UNITED STATES MINOR OUTLYING ISLANDS</i>
US	<i>UNITED STATES</i>
UY	<i>URUGUAY</i>
UZ	<i>UZBEKISTAN</i>
VA	<i>HOLY SEE (VATICAN CITY STATE)</i>
VC	<i>SAINT VINCENT AND THE GRENADINES</i>
VE	<i>VENEZUELA</i>
VG	<i>VIRGIN ISLANDS (BRITISH)</i>
VI	<i>VIRGIN ISLANDS (U.S.)</i>
VN	<i>VIET NAM</i>
VU	<i>VANUATU</i>
WF	<i>WALLIS AND FUTUNA ISLANDS</i>
WS	<i>SAMOA</i>
YE	<i>YEMEN</i>
YT	<i>MAYOTTE</i>
YU	<i>YUGOSLAVIA</i>
ZA	<i>SOUTH AFRICA</i>
ZM	<i>ZAMBIA</i>
ZR	<i>ZAIRE</i>
ZW	<i>ZIMBABWE</i>

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Used in

34 PhysicalAddress
 90 PhysicalAddress
 258 PhysicalAddress

GlobalCurrencyCode

Type	String	Min	3
Repr	X(3)	Max	3

Definition

Code identifying the three character currency code specified in ISO 4217-1995.

Entity Instances

ADP	<i>ANDORRA (multiple)</i>
AED	<i>UNITED ARAB EMIRATES</i>
AFA	<i>AFGHANISTAN</i>
ALL	<i>ALBANIA</i>
AMD	<i>ARMENIA</i>
ANG	<i>NETHERLANDS ANTILLES</i>
AON	<i>ANGOLA (multiple)</i>
AOR	<i>ANGOLA (multiple)</i>
ARS	<i>ARGENTINA</i>
ATS	<i>AUSTRIA</i>
AUD	<i>TUVALU</i>
AWG	<i>ARUBA</i>
AZM	<i>AZERBAIJAN</i>
BAM	<i>BOSNIA AND HERZEGOVINA</i>
BBD	<i>BARBADOS</i>
BDT	<i>BANGLADESH</i>
BEF	<i>BELGIUM</i>
BGL	<i>BULGARIA</i>
BHD	<i>BAHRAIN</i>
BIF	<i>BURUNDI</i>
BMD	<i>BERMUDA</i>
BND	<i>BRUNEI DARUSSALAM</i>
BOB	<i>BOLIVIA (multiple)</i>
BOV	<i>BOLIVIA (multiple)</i>
BRL	<i>BRAZIL</i>
BSD	<i>BAHAMAS</i>
BTN	<i>BHUTAN (multiple)</i>
BWP	<i>BOTSWANA</i>
BYB	<i>BELARUS</i>
BZD	<i>BELIZE</i>
CAD	<i>CANADA</i>
CHF	<i>SWITZERLAND</i>
CLP	<i>CHILE</i>
CNY	<i>CHINA</i>
COP	<i>COLOMBIA</i>
CRC	<i>COSTA RICA</i>
CUP	<i>CUBA</i>
CVE	<i>CAPE VERDE</i>
CYP	<i>CYPRUS</i>
CZK	<i>CZECH REPUBLIC</i>
DEM	<i>GERMANY</i>
DJF	<i>DJIBOUTI</i>
DKK	<i>GREENLAND</i>
DOP	<i>DOMINICAN REPUBLIC</i>

Entity Instances

DZD	ALGERIA
ECS	ECUADOR
EEK	ESTONIA
EGP	EGYPT
ERN	ERITREA
ESP	SPAIN
ETB	ETHIOPIA
EUR	EUROPEAN UNION
FIM	FINLAND
FJD	FIJI
FKP	FALKLAND ISLANDS(MALVINAS)
FRF	FRENCH SOUTHERN TERRITORIES
GBP	UNITED KINGDOM
GEL	GEORGIA
GHC	GHANA
GIP	GIBRALTAR
GMD	GAMBIA
GNF	GUINEA
GRD	GREECE
GTQ	GUATEMALA
GWP	GUINEA-BISSAU
GYP	GUYANA
HKD	HONG KONG
HNL	HONDURAS
HRK	CROATIA
HTG	HAITI
HUF	HUNGARY
IDR	INDONESIA
IEP	IRELAND
ILS	ISRAEL
INR	BHUTAN (multiple)
IQD	IRAQ
IRR	IRAN (ISLAMIC REPUBLIC OF)
ISK	ICELAND
ITL	VATICAN CITY STATE (HOLY SEE)
JMD	JAMAICA
JOD	JORDAN
JPY	JAPAN
KES	KENYA
KGS	KYRGYZSTAN
KHR	CAMBODIA
KMF	COMOROS
KPW	KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF
KRW	KOREA, REPUBLIC OF
KWD	KUWAIT
KYD	CAYMAN ISLANDS
KZT	KAZAKHSTAN
LAK	LAO PEOPLE'S DEMOCRATIC REPUBLIC
LBP	LEBANON
LKR	SRI LANKA
LRD	LIBERIA
LTL	LITHUANIA
LUF	LUXEMBOURG
LVL	LATVIA
LYD	LIBYAN ARAB JAMAHIRIYA
MAD	WESTERN SAHARA
MDL	MOLDOVA, REPUBLIC OF
MGF	MADAGASCAR

Entity Instances

MKD	<i>MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF</i>
MMK	<i>MYANMAR</i>
MNT	<i>MONGOLIA</i>
MOP	<i>MACAU</i>
MRO	<i>MAURITANIA</i>
MTL	<i>MALTA</i>
MUR	<i>MAURITIUS</i>
MVR	<i>MALDIVES</i>
MWK	<i>MALAWI</i>
MXN	<i>MEXICO</i>
MYR	<i>MALAYSIA</i>
MZM	<i>MOZAMBIQUE</i>
NGN	<i>NIGERIA</i>
NIO	<i>NICARAGUA</i>
NLG	<i>NETHERLANDS</i>
NOK	<i>BOUVET ISLAND</i>
NPR	<i>NEPAL</i>
NZD	<i>COOK ISLANDS</i>
OMR	<i>OMAN</i>
PAB	<i>PANAMA</i>
PEN	<i>PERU</i>
PGK	<i>PAPUA NEW GUINEA</i>
PHP	<i>PHILIPPINES</i>
PKR	<i>PAKISTAN</i>
PLN	<i>POLAND</i>
PTE	<i>PORTUGAL</i>
PYG	<i>PARAGUAY</i>
QAR	<i>QATAR</i>
ROL	<i>ROMANIA</i>
RUR	<i>RUSSIAN FEDERATION</i>
RWF	<i>RWANDA</i>
SAR	<i>SAUDI ARABIA</i>
SBD	<i>SOLOMON ISLANDS</i>
SCR	<i>SEYCHELLES</i>
SDD	<i>SUDAN</i>
SEK	<i>SWEDEN</i>
SGD	<i>SINGAPORE</i>
SHP	<i>SAINT HELENA</i>
SIT	<i>SLOVENIA</i>
SKK	<i>SLOVAKIA</i>
SLL	<i>SIERRA LEONE</i>
SOS	<i>SOMALIA</i>
SRG	<i>SURINAME</i>
STD	<i>SAO TOME AND PRINCIPE</i>
SVC	<i>EL SALVADOR</i>
SYP	<i>SYRIAN ARAB REPUBLIC</i>
SZL	<i>SWAZILAND</i>
THB	<i>THAILAND</i>
TJR	<i>TAJIKISTAN</i>
TMM	<i>TURKMENISTAN</i>
TND	<i>TUNISIA</i>
TOP	<i>TONGA</i>
TPE	<i>EAST TIMOR</i>
TRL	<i>TURKEY</i>
TTD	<i>TRINIDAD AND TOBAGO</i>
TWD	<i>TAIWAN, PROVINCE OF CHINA</i>
TZS	<i>TANZANIA, UNITED REPUBLIC OF</i>
UAH	<i>UKRAINE</i>

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Entity Instances

UGX	UGANDA
USD	UNITED STATES
UYU	URUGUAY
UZS	UZBEKISTAN
VEB	VENEZUELA
VND	VIETNAM
VUV	VANUATU
WST	SAMOA
XAF	CONGO
XCD	GRENADA
XDR	INTERNATIONAL MONETARY FUND
XOF	TOGO
XPF	NEW CALEDONIA
XPR	FRENCH POLYNESIA
YER	YEMEN
YUM	YUGOSLAVIA
ZAR	NAMIBIA
ZMK	ZAMBIA
ZRN	ZAIRE
ZWD	ZIMBABWE

Used in

- 158 FinancialAmount
- 228 FinancialAmount

GlobalCustomerTypeCode

Type String **Min** 1

Definition

Code identifying the type of end user.

Entity Instances

- End Customer
- Ultimate Customer

Used in

- 66 QuoteCustomerInformation

GlobalDocumentFunctionCode

Type String **Min** 1

Definition

Code identifying the function of a document as either a request or a response.

Entity Instances

- Request *The business document is a request for a business action to be performed by a partner.*
- Response *The business document is a response to a requesting partner.*

Used in

- Pip3A1QuoteRequest

GlobalDocumentReferenceTypeCode	Type String	Min 1
Definition		
Code identifying the type of business document used for referencing within another business document.		
Entity Instances		
ASP Claim	<i>The unique identifier assigned by the ASP for a warranty claim.</i>	
ASP Part Return	<i>The unique identifier assigned by the ASP for a part return.</i>	
ASP PartOrder	<i>The unique identifier assigned by the ASP for a part order.</i>	
ASP Requisition	<i>The unique identifier assigned by the ASP to reference a work order.</i>	
Catalog	<i>Product Catalog.</i>	
Commercial Invoice		
Component Failure Analysis Request Number	<i>Failure Analysis request document that will accompany the product providing characteristics of the component failure.</i>	
Consumption Reference	<i>Unique consumption reference number identifying the product consumption issue i.e. one-to-one relationship with physical flow.</i>	
Contract		
Credit Memo	<i>Traditional credit note or memo.</i>	
Customer Batch Number	<i>Product batch number of customer.</i>	
Customer Order Number	<i>In a virtual sourcing relationship, a third party trading partner is supplying a part to a customer on behalf of another company that has taken the order for the customer. In this case a Customer Order Number is associated to the request for material that is sent to the virtual trading partners.</i>	
Customs Number	<i>Customs clearance number.</i>	
Debit Memo	<i>Traditional debit note or memo.</i>	
Delivery Note		
Discontinuation	<i>Discontinuation Notice.</i>	
Drawing #		
Fulfillment Order	<i>Sales order or transfer order fulfilling demand out of a facility (outbound shipment).</i>	
Invoice		
Master Event Number		
Model Number		
OEM Claim	<i>The unique identifier assigned by the OEM for a warranty claim.</i>	
OEM Part Order	<i>The unique identifier assigned by the OEM for a part order.</i>	
OEM Part Return	<i>The unique identifier assigned by the OEM for a part return.</i>	
Original Invoice	<i>Refers to previously issued invoice.</i>	
Original SBI Invoice	<i>Refers to previously issued self-billing invoice.</i>	
Packing List/Packing Slip	<i>Unique number that identifies packing form prior to shipment.</i>	
Product Failure Analysis Request Number	<i>Failure Analysis request document that will accompany the product providing characteristics of the product failure.</i>	
Production Order Number	<i>Production order number for material release.</i>	
Purchase Order		
Purchase Order IN		
Purchase Order OUT		
Quote		
RMA - Returned Material Authorization		
Receipt	<i>Document identifying the receipt of materials or products into a facility against a purchase order or transfer order (inbound shipment).</i>	
Replenishment Order	<i>Purchase order or transfer order replenishing inventory into a facility (inbound shipment).</i>	
Requisition		
Rework Purchase Order	<i>Purchase order for materials or product returned to and reworked by a supplier.</i>	

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Entity Instances

SNCL	<i>Shipset Number on Code List</i>
Sales Order	
Scheduling Agreement	<i>Similar to contracts. Contains the quantity of an article that is to be ordered from a vendor and the price for article or service that is to be procured.</i>
Self Billing Credit Memo	<i>Credit Memo used in self-billing scenario.</i>
Self Billing Debit Memo	<i>Debit Memo used in self-billing scenario.</i>
Self Billing Invoice	<i>Invoice in self billing scenario.</i>
Serial Number	
Service Order	<i>A document that gives a repair provider the necessary authorization to repair or upgrade a product either at the customer site or at the repair provider's site.</i>
Shipping Reference Identifier	<i>A document that contains the shipping reference number which allows the product to be tracked within the outsourced logistic providers network.</i>
Spec #	
Supplier Batch Number	<i>Product batch number of supplier.</i>
Transfer Order	<i>Order which results in materials or products being moved from one facility to another (outbound shipment and inbound shipment).</i>
Warranty Claim	<i>Denotes a warranty claim.</i>
Waybill	
Work Order	

Used in

- 43 DocumentReference
- 102 DocumentReference
- 236 DocumentReference

GlobalLocationIdentifier

Type	String	Min	10
Repr	9(9)X(4)	Max	13

Definition

Location uniquely identified by the DUNS +4 number.

Used in

- 28 PhysicalLocation
- 84 PhysicalLocation
- 252 PhysicalLocation

GlobalMonetaryAmountTypeCode

Type	String	Min	1
-------------	--------	------------	---

Definition

Code identifying whether the monetary amount is a debit or credit.

Entity Instances

- Credit
- Debit
- Zero Remit

Used in

- 158 FinancialAmount
- 228 FinancialAmount

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

GlobalPartnerClassificationCode	Type String	Min 1
--	--------------------	--------------

Definition

Code identifying a partner's function in the supply chain.

Entity Instances

Broker	<i>Representative of a third party.</i>
Carrier	<i>Product carrier for transporting goods in supply chain.</i>
Contract Manufacturer	<i>The party responsible for the services rendered.</i>
Customs Broker	<i>Product customs broker in supply chain.</i>
Distribution Center	<i>Product distributor in supply chain.</i>
Distributor	<i>Product distributor in supply chain.</i>
End User	<i>Product end user in supply chain.</i>
End User Government	<i>End user government.</i>
Financier	<i>Financial service provider in supply chain</i>
Freight Forwarder	<i>Product freight forwarder for transporting goods in supply chain.</i>
Manufacturer	<i>Product manufacturer in supply chain.</i>
Original Equipment Manufacturer	<i>Product manufacturer of original equipment in the supply chain.</i>
Reseller	<i>The party who buys goods from a manufacturer and resells them to customers unchanged.</i>
Retailer	<i>Product retailer in supply chain.</i>
Service Provider	<i>A provider of services such as repair, diagnoses, maintenance, installation or removal of a unit.</i>
Shopper	<i>Product shopper in supply chain.</i>
Warehouser	<i>Product warehouser in supply chain.</i>

Used in

- 8 PartnerDescription
- 19 PartnerLocationDescription
- 70 PartnerDescription
- 117 PartnerProductIdentification
- 122 PartnerDescription
- 243 PartnerLocationDescription
- 325 PartnerDescription

GlobalPartnerRoleClassificationCode	Type String	Min 1
--	--------------------	--------------

Definition

Code identifying a party's role in the supply chain.

Entity Instances

Account Supplier	<i>Any trading partner that buys or sells products/services from customers and/or vendors.</i>
Account User	<i>Any trading partner that requires an account to buy or sell products/services.</i>
Anonymous Buyer	<i>A requestor of information that chooses to remain anonymous.</i>
Appointment Provider	<i>The stakeholder(s) in the shipment delivery activity.</i>
Authorized Service Provider	<i>The Service Provider authorized by an OEM to perform service on a unit.</i>
Authorizer	<i>The partner role that provides product authorization, from a product owner or manufacturer, for a reselling organization to resell a product.</i>

Entity Instances

Buyer	<i>An employee or organization that buys products for a partner type in the supply chain.</i>
Catalog Distributor	<i>The partner role that distributes catalog information to catalog producers and buyers.</i>
Catalog Producer	<i>The partner role that produces catalog information for a partner type in the supply chain.</i>
Change Requester	<i>A party who has an interest in requesting a review of a possible change to the component. The requester may be any party including customers and suppliers.</i>
Change Review Forum	<i>A party who has responsibility for the review of Engineering Change Requests and the drafting and review of Engineering Change Orders. The Change Review Forum is assumed to be at the company that has responsibility for the engineering aspects of the component affected by the change.</i>
Claim Requester	<i>The owner of the shipments who is responsible for the intact delivery.</i>
Consignee	<i>The receiver of the shipment.</i>
Consumption Notification Provider	<i>Trading Partner role responsible for sending the notification of material consumption by a production location</i>
Consumption Notification User	<i>Trading Partner role responsible for receiving and processing the notification of material consumption thereby invoicing the customer for consumed material</i>
Credit Provider	<i>This partner role is responsible for providing credit information about potential customers.</i>
Credit Reference Requester	<i>This partner role is responsible for requesting credit information about potential customers.</i>
Customer	<i>This partner role creates a demand for a product or service.</i>
Customer Manager	<i>This partner role manages the relationship with the business customers.</i>
Decision Stakeholder	<i>The party (such as suppliers, customers and others) who is responsible for the review and approval of the Engineering Change Approval Request. The stakeholders may be from multiple organizations.</i>
Delivery Appointment Provider	<i>A party that receives a request for a change to a previously scheduled delivery appointment.</i>
Delivery Appointment Requester	<i>A party that requests a change to a previously scheduled delivery appointment.</i>
Demand Creator	<i>The partner role that identifies the opportunity, submits design registration, provides engineering support to advance the opportunity towards design win, and generates revenue by satisfying customer demand for a product.</i>
Design Engineering Information Receiver	<i>This partner role uses technical information for updating enterprise databases (such as electronic catalog systems), design or test engineering, and manufacturing.</i>
Design Engineering Information Sender	<i>This partner role distributes the design engineering information of the agreed types in the agreed amounts at the agreed times.</i>
Exception Identifier	<i>The party/organization that monitors and identifies exceptions based on predefined exception criteria and sends notifications of the identified exceptions. In a collaborative forecasting process, the Exception Definer may be the Forecast Owner, Forecast Recipient, Forecast Reply Recipient and/or an external party.</i>
Exception Recipient	<i>The party/organization requiring visibility to an exception and receiving notifications on the identified exceptions. In a collaborative forecasting process, the Exception Recipient may be the Forecast Owner, Forecast Recipient and/or Forecast Reply Recipient. The Exception Identifier may send a notification for a specific exception to multiple Exception Recipients.</i>
Failure Report Administrator	<i>An employee or organizational entity that receives and processes</i>

Entity Instances

	<i>PIP Failure Notifications.</i>
Financing Processor	<i>The organization that processes the request for financing.</i>
Forecast Owner	<i>The party/organization that monitors and identifies exceptions based on predefined exception criteria and sends notifications of the identified exceptions. In a collaborative forecasting process, the Exception Identifier may be the Forecast Owner, Forecast Recipient, Forecast Reply Recipient and/or an external party.</i>
Forecast Recipient	<i>The party that receives a strategic or order forecast.</i>
Forecast Reply Recipient	<i>The party that receives a forecast reply. The Recipient can be the original forecast owner or other forecast partner (Please refer to the GlobalPartnerClassificationCode).</i>
Implementation Plan Creator	<i>The partner role that creates, maintains and manages an implementation plan associated with an Engineering Change Order.</i>
In-transit Information User	<i>The party who receives shipment status information.</i>
Initiator	<i>The party that starts the data exchange.</i>
Integrator	<i>The organization responsible for the production of the product. Change requests are communicated back to the Qualification Owner.</i>
Inventory Information Provider	<i>An organization that owns or holds inventory and provides information about this inventory to partners in the supply chain. This may be a distributor, contract manufacturer, supplier or OEM reporting inventory that they hold and/or own.</i>
Inventory Information User	<i>An employee or organization that uses information about inventory.</i>
Invoice Provider	<i>The organization that generates the invoice.</i>
Invoice Receiver	<i>The organization being invoiced.</i>
Invoice Reject Provider	<i>The organization that rejects an invoice.</i>
Invoice Reject Receiver	<i>The organization being issued an Invoice Reject Notification.</i>
Marketing Activity Information User	<i>The party who uses information about Marketing Activities. This party might include distributors, and retail operations.</i>
Marketing Activity Initiator	<i>The partner role that distributes information about marketing activities being sponsored by the organization.</i>
Material Release Information Provider	<i>Trading Partner role responsible for triggering release of materials to a delivery location</i>
Material Release Information User	<i>Trading Partner role responsible for receiving trigger to release material to a delivery location and shipping material to delivery location</i>
PIP Failure Notifier	<i>An organizational process that automatically notifies the appropriate Failure Report Administrator of a PIP process failure.</i>
Payee	<i>The party receiving a payment.</i>
Payer	<i>The party issuing a payment.</i>
Product Distributor	<i>The party authorized by a Product Supplier to purchase goods and services from the Product Supplier and resell to customers.</i>
Product Information Distributor	<i>The partner role that distributes new product information to product information users and buyers.</i>
Product Information Subscriber	<i>The business partner that subscribes to product information from other business partners.</i>
Product Information User	<i>The partner role that uses product information to create or update enterprise systems and online promotion systems such as electronic catalog systems.</i>
Product Provider	<i>The partner role that creates a differentiated product, owns the registration process and creates a list of eligible products for use in design registration.</i>
Product Supplier	<i>This partner role supplies product to customers in the supply chain.</i>
Qualification Owner	<i>The organization responsible for the qualification of manufacturers and suppliers of parts for the product. The Qualification Owner defines and maintains the AML for the product.</i>
Quality Data Provider	<i>The party responsible for sending the Repair Quality Data. The</i>

Entity Instances

	<i>Provider, through various means, learns of product or product component defect(s).</i>
Quality Data User	<i>The party who receives the repair and/or test data. The User analyzes the data and incorporates findings into its business model.</i>
Receiver	<i>The intended recipient of products or business information. The Receiver may verify receipt if prescribed.</i>
Responder	<i>The party that replies to the initiators message.</i>
Return Provider	<i>The party responsible for authorizing and/or processing the return.</i>
Return Receiver	<i>A third-party or warehousing operation responsible for receiving returns, inspecting the package contents and comparing to the issued RMA to assure the contents are what was authorized on the RMA.</i>
Return Requester	<i>Any party wishing to return a product. This role could be played by a large end-user such as the Government Services Administration (GSA), a distributor, or a reseller.</i>
Sales Facilitator	<i>This partner role facilitates the sale of product between partners in the supply chain.</i>
Sales Lead Originator	<i>The party assigning a sales lead to another party.</i>
Sales Lead Processor	<i>The party who receives the sales lead. This party is responsible for accepting or rejecting the lead, and if accepted, reports the status of the lead.</i>
Sales Marketing Claim Processor	<i>The partner role that processes the claim and/or remits compensation to the Sales Marketing Claimant.</i>
Sales Marketing Claimant	<i>The partner role that requests reimbursement from a Sales Marketing Claim Processor.</i>
Sales Marketing Program Reimbursement Recipient	<i>The partner role that receives status on a previously submitted sales marketing claim, or who receives reimbursement without submitting a claim.</i>
Sales Marketing Program Reimbursers	<i>The partner role that is currently processing a sales marketing claim, (or providing a payment without a claim submitted) and who provides information on the status of the claim processing.</i>
Self-Billing Invoice Provider	<i>The party that generates the self-billing invoice plus being invoiced. It can re-issue the self-billing invoice.</i>
Self-Billing Invoice Receiver	<i>The organization that provides the services or goods. The organization that receives the payment.</i>
Seller	<i>An organization that sells products to partners in the supply chain.</i>
Service Provider	<i>A provider that performs a service such as repair, diagnose, maintain, install or remove on a unit.</i>
Shipment Information User	<i>The party who receives shipment status information.</i>
Shipment Requester	<i>The party requesting transportation services.</i>
ShipmentController	<i>The party who is authorized to make decisions regarding a shipment while in-transit.</i>
Shipper	<i>The party who relinquishes (assigns) a shipment to a transport service provider.</i>
Shipping Provider	<i>The organization responsible for performing the shipping logistics for the Shipper. The Shipping Provider ships products from one location to another as requested by the shipping order and informs the Shipper when the shipment has been sent.</i>
Solution Provider	<i>The party that may architect, configure, engineer, sell, or determine the fulfillment of the configured solution to partners in the supply chain.</i>
Solution Requester	<i>This party that creates a demand for a product or service, or has contracted with a Solution Provider for the manufacture or fulfillment of a product(s).</i>
Specification Provider	<i>The partner role that creates or passes on manufacturing specifications. This may be a Solution Provider, an OEM who is sub-contracting manufacturing tasks like fabrication or assembly, or another party.</i>

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Entity Instances

Specification User	<i>The partner role that uses a manufacturing specification. This might be a sub-contract assembler or fabricator.</i>
Stakeholder	<i>The party that is required to implement an Engineering Change Order. The Stakeholder may include all levels of suppliers, customers or other parties. The Stakeholder may represent multiple organizations. The Stakeholder may draft and/or be responsible for completing tasks in an implementation plan.</i>
Status Requester	<i>The functional partner role, that could be a Product Provider, that creates a differentiated product, owns the registration process and creates a list of eligible products, or who is responsible for identifying the opportunity (that is, it could be a Demand Creator).</i>
Status Responder	<i>The organizational partner role, that could be a Product Provider, that creates a differentiated product, owns the registration process and creates a list of eligible products, or who is responsible for identifying the opportunity (that is, it could be a Demand Creator).</i>
Supplier	<i>This partner role supplies product to customers in the supply chain.</i>
Tender Information User	<i>The stakeholder(s) in the tendering activity.</i>
Transport Service Provider	<i>The party that provides transportation services for a Shipment Requester.</i>
Warranty Provider	<i>The provider who honors the warranty terms and reimburses the Authorized Service Provider for a service event performed under the terms of the warranty.</i>

Used in

- 1 PartnerRoleDescription
- 43 DocumentReference
- 102 DocumentReference
- 236 DocumentReference
- 318 PartnerRoleDescription

GlobalPriceTypeCode	Type	String	Min	1
---------------------	------	--------	-----	---

Definition

Code identifying the pricing qualifier for a product.

Entity Instances

ACS	<i>Authorized Cost - The negotiated cost agreed upon between the supplier and distributor at the time the "debit" is authorized.</i>
ASP	<i>Average selling price - Manufacturer's published price</i>
CP	<i>Catalog price - Book (the supplier's published cost at the time of transaction) or Published Price.</i>
CS	<i>Cost - Price for which the distributor purchased the parts.</i>
Contract	<i>Contractual negotiated volume prices, customer specific.</i>
Contract Manufacturing	<i>Third party manufacturers.</i>
Disti	<i>Disti Cost; Quantity Price books.</i>
Education	<i>The price offered for purchases to support educational contracts or builds.</i>
Exception	<i>Pricing that does not conform to a rule or generalization; special offers.</i>
General	<i>Standard pricing.</i>
Government	<i>The price offered to government contracts or builds.</i>
MUS	<i>Minimum unit sale - Manufacturer's requirement of total dollar value for design opportunity</i>
Market Pricing	<i>Contractual negotiated volume prices, distributor specific.</i>

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Entity Instances

OEM Volume Pricing	<i>Original equipment manufacturer's price per volume ordered.</i>
RCS	<i>Requested cost - Reseller's requested cost to the manufacturer.</i>
RSP	<i>Resale - Price the distributor is authorized to use for sale to their customer.</i>
SRSP	<i>Manufacturer's recommendation for unit pricing</i>
Samples	<i>Price offered for sample orders.</i>
Suggested Resale Price	<i>The recommended resale price; including MSRP.</i>
TOC	<i>Total Other Charges - Suggested resale price - The sum total of all distributor added charges to the customer for value added services, including but not limited to programming, tape and reel, labeling, date coding, kitting and in-house assembly.</i>
Threshold Price	<i>The price offered once a certain order volume is reached.</i>

Used in

- 157 ProductPricing
- 227 ProductPricing

GlobalProductUnitOfMeasureCode

Type String

Min 1

Definition

Code identifying a product unit of measure.

Entity Instances

- 10 Kilogram Drum
- 15 Kilogram Drum
- 20 Foot Container
- 25 Kilogram Bulk Bag
- 40 Foot Container
- 50 Pound Bag
- 55 Gallon Drum
- 100 Pound Drum
- 100 Board Feet
- 115 Kilogram Drum
- 300 Kilogram Bulk Bag
- 500 Kilogram Bulk Bag
- 10,000 Gallon Tankcar
- 10-pack
- 100-Pack
- 1000-pack
- 20,000 Gallon Tankcar
- 20-Pack
- 50-pack
- Acre
- Actual Pounds
- Aluminum Pounds Only
- Ampere
- Bag
- Bale
- Ball
- Band
- Bar
- Barrel
- Barrel, Imperial
- Barrels Per Day

Entity Instances

Barrels Per Minute
Base Box
Base Weight
Basket
Batch
Batt
Batting Pound
Beam
Becquerel/kilogram
Belt
Billet
Bin
Block
Board
Board Feet
Bolt
Bottle
Box
British Thermal Unit (BTU)
British Thermal Units (BTUs) Per
Cubic Foot
British Thermal Units (BTUs) Per
Pound
Bucket
Bulk
Bulk Car Load
Bulk Pack
Bundle
Bunks
Bushel
Bushel, Dry Imperial
Calorie
Can
Candela
Canister
Car
Carat
Carboy
Card
Carload
Carton
Cartridge
Case
Cask
Cassette
Catchweight
Cell
Centiliter
Centimeter
Centipoise (CPS)
Chains (Land Survey)
Chest
Coil
Coil Group
Composite Product Pounds (Total
Weight)
Cone
Connector

Entity Instances

Container
Cover
Crate
Cubic Foot
Cubic centimeter
Cubic centimeter/second
Cubic inch
Cubic yard
Cubicmeter
Cup
Cycles
Cylinder
Day
Deal
Decimeter
Degree Celsius
Degree Fahrenheit
Dep. Factor
Die
Disk (Disc)
Dispenser
Display
Dozen
Dram
Drum
Dry Pounds
Each
Electrical Capacitance
Fluid Ounce
Fluid Ounce (Imperial)
Fluid Ounce US
Foot
Fuel Usage (Gallons)
Gage Systems
Gallon
Gigajoules
Gill (Imperial)
Grain
Gram
Gram/Cubic Centimeter
Gram/square meter
Grams Per 100 Centimeters
Grams Per 100 Grams
Grams Per Cubic Centimeter
Grams Per Kilogram
Grams Per Liter
Grams Per Milliliter
Grams Per Square Centimeter
Grams Per Square Meter
Great Gross (Dozen Gross)
Gross
Gross Barrels
Gross Gallons
Gross Kilogram
Gross Ton
Gross Yard
Group
Half Gallon

Entity Instances

Half Hour
Half Liter
Hank
Heat lots
Hectare
Hectoliter
Hectopascal
Hertz
Hour
Hours
Hundred Boxes
Hundred Count
Hundred Sheets
Hundredth of a Carat
Imperial Gallons
Inch
Jar
Joint
Joule
Keg
Kelvin
Kiloampere
Kilobecquerel/Kilogram
Kilogram
Kilogram per cubic meter
Kilogram/Kilogram
Kilogram/square meter
Kilogramm pro Sekunde
Kilohertz
Kilojoule
Kilometer
Kilometer/hour
Kiloohm
Kilovolt
Kilowatt
Kilowatt-hour
Kit
Kubikdezimeter
Kubikmeter pro Sekunde
Lifts
Link
Liquid Pounds
Liter
Load
Lot
Lug
Mat
Megagram
Megagrams Per Hour
Megahertz
Megapascal
Megawatt
Meter
Meter pro Quadratsekunde
Meters per second
Micrograms Per Cubic Meter
Micrometer
Microsecond

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Entity Instances

Mikrogram/cubic meter

Mile

Milliampere

Millibar

Milligram/Liter

Milligram/cubic meter

Milligram/kilogram

Milligrams Per Cubic Meter

Milligrams Per Square Meter

Millijoule

Milliliter

Millimeter

Millimeter H2O

Millimol

Millimol/kilogram

Million BTU's

Millipascal seconds

Millisecond

Millitesla

Millivolt

Milliwatt

Minute

Miter

Mol

Mol/kilogram

Month

Multichip

When 2 or more dies (chips) are merged into one package.

Nanometer

Nanosecond

Net Barrels

Net Gallons

Net Imperial Gallons

Net Liters

Newton

Ohm

One

One Thousand Pieces

Ounce

Pack (PAK)

Package

Packet

Pad

Pail

Pair

Pallet

Pallet (Lift)

Pallet/Unit Load

Pallete

Panel

Parcel

Parts per billion (US)

Parts per million

Pascal

Pascal second

Pennyweight

Per Hundred Pieces

Percent

Percent Per 1000 Hours

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Entity Instances

Percent Weight

Percentage

Piece

Pint - US liquid

Pint U.S. Dry

Plate

Pound

Pounds Per 1000 Square Feet

Pounds Per Foot

Pounds Per Gallon

Pounds Per Piece of Product

Pounds Per Pound of Product

Pounds Per Thousand

Quart - US liquid

Rack

Ream of 500 Sheets

Reel

Ring

Rod

Roll

SET

Mask Set (SET)

Sack

Second

Sheet

Sheet-Metric measure

Shipment

Shot

Skein

Skid

Sleeve

Slip Sheet

Spool

Square

Square Yard

Square foot

Square inch

Square kilometer

Square meter

Square meter/second

Square mile

Square millimeter

Statute Mile

Stick

Strip

Super Bulk Bag

Tablet

Tank

Tank Truck

Tesla

Thousand

Ton

Tonne

Torr

Tote

Track Foot

Trailer

Train

Tray

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Entity Instances

- Troy
- Troy OZ
- Truckload
- Tube
- US gallon
- US pound
- US ton
- Unitless Unit of Measure
- Vial
- Volt
- WF *Wafer (WF)*
- Wafer
- Watt
- Week
- Wrap
- Yard
- Year

Used in

99 QuoteLineItem

GlobalQuoteStatusCode	Type String	Min 1
------------------------------	--------------------	--------------

Definition

Code identifying whether business has been secured by the end customer.

Entity Instances

- Closed lost
- Closed won
- Undetermined

Used in

66 QuoteCustomerInformation

GlobalQuoteTypeCode	Type String	Min 1
----------------------------	--------------------	--------------

Definition

Code identifying category specification for a quote.

Entity Instances

- BOM Quote *Complete list of parts provided for a specified project, "total package" pricing provided.*
- Bid for Bid *Quote for project not ready for purchase, budgetary pricing.*
- Bid for Buy *Customer ready to purchase, looking for best price.*
- Blanket Quote *Secures pricing for complete parts lists*
- Budgetary Quote *Quote to determine if project is economically feasible*
- Competitive Quote *Competitor pricing has been provided*
- Contract Quote *Based on previously negotiated contract pricing*
- Quote with reservations *quote to hold product for specified delivery.*
- Rebid for buy *Customer requesting requote, possibly looking for better pricing/delivery*

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Entity Instances

Repair

Rework

Service

Ship from stock and debit

Partner has potential to book business if provided authorization to deviate from standard cost.

Used in

14 Quote

GlobalRequoteActionCode

Type String

Min 1

Definition

Code identifying the type of action to be taken for a given line item on a quote.

Entity Instances

Added

Change

Deleted

No action

Re-issue

Used in

234 RequoteLineStatus

GlobalSupplyChainCode

Type String

Min 1

Definition

Code identifying the supply chain for the partner's function.

Entity Instances

Electronic Components

The electronic components supply chain.

Information Technology

The information technology supply chain.

Semiconductor Manufacturing

The semiconductor manufacturing supply chain.

Used in

9 BusinessDescription

326 BusinessDescription

GlobalTaxExemptionCode

Type String

Min 1

Definition

Code identifying the type of tax exemption for a product or service.

Entity Instances

Agriculture

Direct pay ID

Disabled

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Entity Instances

- Disabled veteran
- Exempt - Provincial sales tax
- Exempt - for export
- Exempt - for resale
- Exempt - from county property tax
- Exempt - from local property tax
- Exempt - from school property tax
- Exempt - from state property tax
- Exempt - goods and services tax
- Exempt - letter on file
- Exempt - local service
- Exempt - not for resale
- Exempt - per State law
- Exempt - sale to U.S. government
- Exempt - toll service
- Homestead
- Labor taxable - material exempt
- Material taxable - labor exempt
- Non-homestead
- Not exempt - for resale
- Not exempt - not for resale
- Not taxable
- Open space
- Other property tax exemption
- Over 65
- Recurring exempt
- Totally exempt
- Usage exempt
- Working farm

Used in

269 TaxExemption

GlobalTransportEventCode	Type String	Min	1
---------------------------------	--------------------	------------	---

Definition

Code identifying an event during the transportation of a shipment.

Entity Instances

- Dock *The event representing when the product should arrive on the recipient's dock.*
- Pickup *The event representing when the product is scheduled to be picked up from the shipper's dock.*
- Ship *The event representing when the product is requested to ship.*

Used in

198 QuantityTransportationSchedule

InvoiceChargeTypeCode	Type String	Min	1
------------------------------	--------------------	------------	---

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Definition

Code identifying the values for the types of charges contained in an invoice.

Entity Instances

Allowances and Charges
Custom Charges
Deposit Amount
Freight Charges
Handling Charges
Quantity Discount

Used in

158 FinancialAmount
228 FinancialAmount

isSubstituteProductAcceptable

Definition

Indicates whether the requesting party will accept a substitute product for the product requested.

Children

AffirmationIndicator *Used to indicate "Yes", "No" statements.*

Used in

99 QuoteLineItem

isTaxExempt

Definition

Indicates whether a product is exempt from taxation.

Children

AffirmationIndicator *Used to indicate "Yes", "No" statements.*

Used in

267 TaxExemptStatus

LineNumber

Type	String	Min	1
Repr	X(6)	Max	6

Definition

Number of the line in the document.

Used in

43 DocumentReference
99 QuoteLineItem
102 DocumentReference
236 DocumentReference

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

MonetaryAmount	Type Real	Min 1
	Repr 9(13)V9(7)	Max 21

Definition

Magnitude of currency amount.

Used in

158 FinancialAmount

228 FinancialAmount

NationalPostalCode	Type String	Min 3
	Repr X(15)	Max 15

Definition

Code identifying geographic location as specified by a national postal code.

Used in

34 PhysicalAddress

90 PhysicalAddress

258 PhysicalAddress

PartnerBusinessIdentification**Definition**

The collection of business properties that allow for the proprietary identification of a business entity.

Children

ProprietaryBusinessIdentifier *A unique business identifier assigned and administered by a private authority.*

ProprietaryDomainIdentifier *A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.*

ProprietaryIdentifierAuthority *A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.*

Used in

20 BusinessDescription

71 BusinessDescription

123 BusinessDescription

244 BusinessDescription

PartnerDescription**Definition**

The collection of business properties that describe a business partners' identity, their contact information,

Children

BusinessDescription *The collection of business properties that describe a business identity and location.*

ContactInformation *The collection of business properties that provide communication and address information for contacting a person, organization or*

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Children

GlobalPartnerClassificationCode	<i>business.</i>
PhysicalLocation	<i>Code identifying a partner's function in the supply chain. The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification.</i>

Used in

- 1 PartnerRoleDescription
- 66 QuoteCustomerInformation
- 121 QuoteCompetitorReference
- 318 PartnerRoleDescription

PartnerLocationDescription

Definition

The collection of business properties that describe a business partners' identity, where they are physically

Children

BusinessDescription	<i>The collection of business properties that describe a business identity and location.</i>
GlobalPartnerClassificationCode	<i>Code identifying a partner's function in the supply chain.</i>
PhysicalLocation	<i>The collection of business properties that identify and describe the actual physical location of an entity as prescribed by local postal authorities, including country identification.</i>

Used in

- 19 distributedBy
- 243 shipTo

PartnerLocationIdentification

Definition

The collection of business properties that allow for the proprietary identification of a business location.

Children

ProprietaryDomainIdentifier	<i>A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business Identifier.</i>
ProprietaryIdentifierAuthority	<i>A unique name that identifies an organization or business entity that is responsible for managing one or more lists of identifiers.</i>
ProprietaryLocationIdentifier	<i>A unique location identifier assigned and administered by a private authority.</i>

Used in

- 28 PhysicalLocation
- 84 PhysicalLocation
- 252 PhysicalLocation

PartnerProductIdentification

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Definition

The collection of business properties that describe proprietary part information.

Children

GlobalPartnerClassificationCode	<i>Code identifying a partner's function in the supply chain.</i>
ProprietaryProductIdentifier	<i>An internal identifier used to identify a product.</i>
revisionIdentifier	<i>Free form text that identifies a revision to a proprietary serial number.</i>

Used in

115 ProductIdentification

PartnerRoleDescription

Definition

The collection of business properties that describe a business partners' role in a partner interface process.

Children

ContactInformation	<i>The collection of business properties that provide communication and address information for contacting a person, organization or business.</i>
GlobalPartnerRoleClassificationCode	<i>Code identifying a party's role in the supply chain.</i>
PartnerDescription	<i>The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.</i>

Used in

1 fromRole
318 toRole

PhysicalAddress

Definition

The actual physical location of an entity as prescribed by local postal authorities, including country identifi

Children

addressLine1	<i>The first line of a physical address.</i>
addressLine2	<i>The second line of a physical address.</i>
addressLine3	<i>The third line of a physical address.</i>
cityName	<i>The name of a city.</i>
GlobalCountryCode	<i>Code identifying the two character country code specified in ISO 3166-1993.</i>
NationalPostalCode	<i>Code identifying geographic location as specified by a national postal code.</i>
postOfficeBoxIdentifier	<i>The proprietary identity of a physical address, located at a post office, designed solely to accept and receive mail.</i>
regionName	<i>The name of a state or province within a country.</i>

Used in

28 PhysicalLocation
84 PhysicalLocation
252 PhysicalLocation

PhysicalLocation

Definition

The collection of business properties that identify and describe the actual physical location of an entity as

Children

GlobalLocationIdentifier	<i>Location uniquely identified by the DUNS +4 number.</i>
PartnerLocationIdentification	<i>The collection of business properties that allow for the proprietary identification of a business location.</i>
PhysicalAddress	<i>The actual physical location of an entity as prescribed by local postal authorities, including country identification as it relates to the party or a product.</i>

Used in

19 PartnerLocationDescription
70 PartnerDescription
243 PartnerLocationDescription

Pip3A1QuoteRequest

Children

fromRole	<i>The role initiating a business document exchange.</i>
GlobalDocumentFunctionCode	<i>Code identifying the function of a document as either a request or a response.</i>
Quote	<i>The collection of business properties that describe an offer to supply a quantity of products at an agreed price and schedule.</i>
thisDocumentGenerationDateTime	<i>The date-time stamp indicating when this business document was generated.</i>
thisDocumentIdentifier	<i>The information that identifies the business document being sent. This identifier is used to represent the specific business document associated with the defined business process.</i>
toRole	<i>The role receiving the document in a business document exchange.</i>

Used in

Pip3A1QuoteRequest

postOfficeBoxIdentifier

Definition

The proprietary identity of a physical address, located at a post office, designed solely to accept and receive

Children

FreeFormText	<i>Unformatted text.</i>
--------------	--------------------------

Used in

34 PhysicalAddress
90 PhysicalAddress
258 PhysicalAddress

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

ProductIdentification

Definition

The collection of business properties that describe proprietary and global identifier information regarding

Children

GlobalProductIdentifier	<i>Global unique product identifier. RosettaNet has adopted the Global Trade Identification Number (GTIN).</i>
PartnerProductIdentification	<i>The collection of business properties that describe proprietary part information.</i>

Used in

99 QuoteLineItem

ProductPricing

Definition

The collection of business properties that describe the type of pricing and financial amount for a product.

Children

FinancialAmount	<i>The collection of business properties that describe the monetary amount defined by a specified currency.</i>
GlobalPriceTypeCode	<i>Code identifying the pricing qualifier for a product.</i>

Used in

157 unitPrice
227 requestedUnitPrice

ProductQuantity	Type Real	Min 1
------------------------	------------------	--------------

Definition

A quantity specifying the number of product units.

Used in

200 QuantitySchedule

ProprietaryBusinessIdentifier	Type String	Min 1
--------------------------------------	--------------------	--------------

Definition

A unique business identifier assigned and administered by a private authority.

Used in

23 PartnerBusinessIdentification
74 PartnerBusinessIdentification
126 PartnerBusinessIdentification

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Used in

247 PartnerBusinessIdentification

ProprietaryDocumentIdentifier

Type String

Min 1

Definition

Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.

Used in

43 DocumentReference
 102 DocumentReference
 236 DocumentReference
 317 thisDocumentIdentifier

ProprietaryDomainIdentifier

Type String

Min 1

Definition

A descriptor that is used to categorize an organization or business entity that is in the Proprietary Business

Used in

23 PartnerBusinessIdentification
 30 PartnerLocationIdentification
 74 PartnerBusinessIdentification
 86 PartnerLocationIdentification
 126 PartnerBusinessIdentification
 247 PartnerBusinessIdentification
 254 PartnerLocationIdentification

ProprietaryIdentifierAuthority

Type String

Min 1

Definition

A unique name that identifies an organization or business entity that is responsible for managing one or

Used in

23 PartnerBusinessIdentification
 30 PartnerLocationIdentification
 74 PartnerBusinessIdentification
 126 PartnerBusinessIdentification
 247 PartnerBusinessIdentification
 254 PartnerLocationIdentification

ProprietaryLocationIdentifier

Type String

Min 1

Definition

A unique location identifier assigned and administered by a private authority.

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Used in

30 PartnerLocationIdentification
 86 PartnerLocationIdentification
 254 PartnerLocationIdentification

ProprietaryProductIdentifier

Type String **Min** 1

Definition

An internal identifier used to identify a product.

Used in

117 PartnerProductIdentification

ProprietaryReferenceIdentifier

Type String **Min** 1
Repr X(255) **Max** 255

Definition

A unique reference identifier for goods, services or business documents.

Used in

67 customerProjectIdentifier
 101 designRegistrationIdentifier
 271 taxExemptionCertificationIdentifier

QuantitySchedule

Definition

The collection of business properties that describe product quantity and associated schedules.

Children

DateStamp	<i>Specifies a specific date. Date stamp based on the ISO 8601 specification. The "Z" following the day identifier (DD) is used to indicate Coordinated Universal Time. Informal format: YYYYMMDDZ</i>
ProductQuantity	<i>A quantity specifying the number of product units.</i>

Used in

198 QuantityTransportationSchedule

QuantityTransportationSchedule

Definition

The collection of business properties that describe product quantity and associated schedules, for a given

Children

GlobalTransportEventCode	<i>Code identifying an event during the transportation of a shipment.</i>
QuantitySchedule	<i>The collection of business properties that describe product quantity</i>

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Children

and associated schedules.

Used in

197 QuoteQuantity

Quote

Definition

The collection of business properties that describe an offer to supply a quantity of products at an agreed

Children

CarrierInformation	<i>The collection of business properties that describe a carrier's identification.</i>
comments	<i>Free form textual description of a general nature.</i>
distributedBy	<i>The party who supplies products to retailers.</i>
DocumentReference	<i>The collection of business properties that allows the description of multiple proprietary documents and applicable line number references.</i>
financedBy	<i>The party who is the financier.</i>
GlobalGovernmentPriorityRatingCode	<i>If a contract number exists and PO type is Government, a priority rating code is required.</i>
GlobalQuoteTypeCode	<i>Code identifying category specification for a quote.</i>
governmentContractIdentifier	<i>The unique number that identifies a government contract.</i>
PriceCondition	<i>The collection of business properties that define information for special pricing conditions.</i>
QuoteCustomerInformation	<i>The collection of business properties that describe the customer who uses a quote business document.</i>
QuoteLineItem	<i>The collection of business properties that describe a product entry in a quote business document.</i>
requestedResponseDate	<i>The date for which a response has been requested to be transmitted.</i>
requoteReference	<i>The document reference for a previous quote.</i>
respondTo	<i>The party to whom a responding business document must be sent when it is not equal to the fromRole.PartnerDescription.</i>
TaxExemptStatus	<i>The collection of business properties that describe tax exemption conditions.</i>

Used in

Pip3A1QuoteRequest

QuoteCompetitorReference

Definition

The collection of business properties that describe a competitor's product and pricing for purposes within

Children

PartnerDescription	<i>The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.</i>
ProductIdentification	<i>The collection of business properties that describe proprietary and global identifier information regarding a product.</i>

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Children

unitPrice *Agreed upon sale price for each unit ordered.*

Used in

99 QuoteLineItem

QuoteCustomerInformation

Definition

The collection of business properties that describe the customer who uses a quote business document.

Children

customerProjectIdentifier *The unique identification number that identifies a project for a given customer.*

GlobalCustomerTypeCode *Code identifying the type of end user.*

GlobalQuoteStatusCode *Code identifying whether business has been secured by the end customer.*

PartnerDescription *The collection of business properties that describe a business partners' identity, their contact information, where they are physically located and their function in a supply chain.*

Used in

14 Quote

QuoteLineItem

Definition

The collection of business properties that describe a product entry in a quote business document.

Children

comments *Free form textual description of a general nature.*

designRegistrationIdentifier *A proprietary unique identifier for a design registration.*

DocumentReference *The collection of business properties that allows the description of multiple proprietary documents and applicable line number references.*

GlobalGovernmentPriorityRatingCode *If a contract number exists and PO type is Government, a priority rating code is required.*

GlobalProductUnitOfMeasureCode *Code identifying a product unit of measure.*

GlobalStockIndicatorCode *Code identifying the amount of stock available at the time of the quote.*

governmentContractIdentifier *The unique number that identifies a government contract.*

isSubstituteProductAcceptable *Indicates whether the requesting party will accept a substitute product for the product requested.*

LineNumber *Number of the line in the document.*

ProductIdentification *The collection of business properties that describe proprietary and global identifier information regarding a product.*

QuoteCompetitorReference *The collection of business properties that describe a competitor's product and pricing for purposes within a quote business document.*

QuoteCustomerInformation *The collection of business properties that describe the customer who uses a quote business document.*

requestedQuantity *The quantity of product requested.*

requestedShipFrom *The DUNS or DUNS + 4 number of the location where the product is*

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Children

requestedUnitPrice	<i>requested to be shipped from.</i>
RequoteLineStatus	<i>The price requested for a unit of product.</i>
shipTo	<i>The collection of business properties that describe a previous quote's identification and status for a given entry on the prior quote.</i>
TaxExemptStatus	<i>The partner and/or location to which the product must be delivered.</i>
	<i>The collection of business properties that describe tax exemption conditions.</i>

Used in

14 Quote

QuoteQuantity

Definition

The collection of business properties that describe the quantities associated with a product quote.

Children

QuantityTransportationSchedule	<i>The collection of business properties that describe product quantity and associated schedules, for a given transportation event.</i>
--------------------------------	---

Used in

197 requestedQuantity

regionName

Definition

The name of a state or province within a country.

Children

FreeFormText	<i>Unformatted text.</i>
--------------	--------------------------

Used in

34 PhysicalAddress
90 PhysicalAddress
258 PhysicalAddress

requestedQuantity

Definition

The quantity of product requested.

Children

QuoteQuantity	<i>The collection of business properties that describe the quantities associated with a product quote.</i>
---------------	--

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Used in

99 QuoteLineItem

requestedResponseDate

Definition

The date for which a response has been requested to be transmitted.

Children

DatePeriod

The collection of business properties that specify the number of days by a start and end date stamp.

Used in

14 Quote

requestedUnitPrice

Definition

The price requested for a unit of product.

Children

ProductPricing

The collection of business properties that describe the type of pricing and financial amount for a product.

Used in

99 QuoteLineItem

RequoteLineStatus

Definition

The collection of business properties that describe a previous quote's identification and status for a given

Children

GlobalRequoteActionCode

Code identifying the type of action to be taken for a given line item on a quote.

requoteReference

The document reference for a previous quote.

Used in

99 QuoteLineItem

requoteReference

Definition

The document reference for a previous quote.

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Children

DocumentReference

The collection of business properties that allows the description of multiple proprietary documents and applicable line number references.

Used in

234 RequoteLineStatus

revisionIdentifier

Definition

Free form text that identifies a revision to a proprietary serial number.

Children

FreeFormText

Unformatted text.

Used in

117 PartnerProductIdentification

RevisionNumber

Type String

Min 1

Definition

An incremental number used to identify changes.

Used in

43 DocumentReference

102 DocumentReference

236 DocumentReference

shipTo

Definition

The partner and/or location to which the product must be delivered.

Children

PartnerLocationDescription

The collection of business properties that describe a business partners' identity, where they are physically located and their function in a supply chain.

Used in

99 QuoteLineItem

TaxExemption

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Definition

The collection of business properties that describe tax exemption type and identification information.

Children

GlobalTaxExemptionCode *Code identifying the type of tax exemption for a product or service.*
taxExemptionCertificationIdentifier *The unique identifier that represents the authorization for a product or service's tax exempt status.*

Used in

267 TaxExemptStatus

taxExemptionCertificationIdentifier

Definition

The unique identifier that represents the authorization for a product or service's tax exempt status.

Children

ProprietaryReferenceIdentifier *A unique reference identifier for goods, services or business documents.*

Used in

269 TaxExemption

TaxExemptStatus

Definition

The collection of business properties that describe tax exemption conditions.

Children

isTaxExempt *Indicates whether a product is exempt from taxation.*
TaxExemption *The collection of business properties that describe tax exemption type and identification information.*

Used in

99 QuoteLineItem

telephoneNumber

Definition

The numerical schema designed to achieve contact via telephone.

Children

CommunicationsNumber *The electro-technical communication number, e.g., telephone number, facsimile number, pager number.*

Used in

2 ContactInformation
78 ContactInformation

thisDocumentGenerationDateTime

Definition

The date-time stamp indicating when this business document was generated.

Children

DateTimeStamp

Specifies an instance in time. Based on the ISO 8601 specification where "YYYY" represents the year, "MM" the month and "DD" the day. The letter "T" is the date/time separator and "hh", "mm", "ss.sss" represent hour, minute and second respectively. This representation is immediately followed by a "Z" to indicate Coordinated Universal Time. Informal format: YYYYMMDDThhmmss

Used in

Pip3A1QuoteRequest

thisDocumentIdentifier

Definition

The information that identifies the business document being sent. This identifier is used to represent the

Children

ProprietaryDocumentIdentifier

Unique identifier, i.e. a numeric value or alphanumeric value, for a business document.

Used in

Pip3A1QuoteRequest

toRole

Definition

The role receiving the document in a business document exchange.

Children

PartnerRoleDescription

The collection of business properties that describe a business partners' role in a partner interface process.

Used in

Pip3A1QuoteRequest

unitPrice

Definition

Agreed upon sale price for each unit ordered.

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Children

ProductPricing

The collection of business properties that describe the type of pricing and financial amount for a product.

Used in

121 QuoteCompetitorReference

xsd:string

Used in

3 FreeFormText
4 EmailAddress
6 CommunicationsNumber
10 GlobalBusinessIdentifier
18 FreeFormText
21 FreeFormText
22 GlobalBusinessIdentifier
35 FreeFormText
36 FreeFormText
37 FreeFormText
38 FreeFormText
39 GlobalCountryCode
41 FreeFormText
42 FreeFormText
44 DateTimeStamp
72 FreeFormText
73 GlobalBusinessIdentifier
79 FreeFormText
80 EmailAddress
81 CommunicationsNumber
82 CommunicationsNumber
91 FreeFormText
92 FreeFormText
93 FreeFormText
94 FreeFormText
95 GlobalCountryCode
97 FreeFormText
98 FreeFormText
100 FreeFormText
103 DateTimeStamp
113 AffirmationIndicator
120 FreeFormText
124 FreeFormText
125 GlobalBusinessIdentifier
201 DateStamp
229 GlobalCurrencyCode
237 DateTimeStamp
245 FreeFormText
246 GlobalBusinessIdentifier
259 FreeFormText
260 FreeFormText
261 FreeFormText
262 FreeFormText
263 GlobalCountryCode
265 FreeFormText

Pip3A1QuoteRequest

Version: 3A1 QuoteRequest V02_01_00; 1; INBOUND

Used in

266 FreeFormText

268 AffirmationIndicator

273 DateStamp

274 DateStamp

316 DateTimeStamp

327 GlobalBusinessIdentifier

more than 50 occurrences...